
Maddison bunk



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.
- Dispose of all packaging carefully and responsibly.

- Place the product on flat and steady surface during use.
- Keep these instructions for future use.
- To ensure an easier assembly, we strongly advise that all fittings are only finger tightened during initial assembly. Only upon completion of the assembly should all fixing points be fully tightened.

Mattress height safety notice

Important

- 1) Please note the maximum mattress height is indicated on the corner post inside the opening at the top of the ladder.
- 2) This is legal requirement and it is vital that the mattress does not exceed this mark.
- 3) Maximum thickness of the mattress is 20cm: The top of the mattress shall not come above the line marked on the bed.
- 4) All assembly fixings should always be tightened properly. Take care to ensure that no fixings are loose.
- 5) Recommended size of the mattress for the both bunks is 90×190cm.
- 6) The bunk bed should not be used if any structural part is broken or missing.
- 7) Warning: High beds and the upper bed of bunk beds are not suitable for children under six years due to the risk of injury from falls.
- 8) Children can strangle in items such as ropes, strings, cords, harnesses and belts attached to or hung on a bunk bed.

Warning


- 1) Children can become trapped between the bed and wall. To avoid risk of serious injury the distance between the top safety barrier and the wall shall not exceed 75mm or shall be more than 230mm.
- 2) The bed complies with EN747-1:2012

Care and maintenance


- Safety: To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately.
- Cleaning: As with all surfaces clean with a damp cloth and mild detergent, do not use bleach or abrasive products.
- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Components - Parts


Please check you have all the parts listed below




14 Lower side rail × 3 (95.5 x 6.8cm)









15 Support foot x 2 (26 x 2.3 x 12cm)

Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

M6x65mm Allen screw x 11	Curved washer-small x 31
Curved washer-large x 16	Plastic washer x 16
M8x65mm Allen screw x 8	Nut x 24
M6x10mm Allen screw x 102	Plastic plug x 2
P ()	© Foot x 4
IVIOAZSITIITI AIIGIT SCIEW X 4	1 001 8 4
6	
Large allen key x 1	
	M6x65mm Allen screw x 11 Curved washer-large x 16 M8x65mm Allen screw x 8 M6x10mm Allen screw x 102 M6x25mm Allen screw x 4

Tools required

Ruler/tape

Ruler - Use this ruler to help correctly identify the screws

0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150 155 160 165 170

Step 1

Preparing corner posts

Join upper corner posts

1 and lower corner
posts 2 together and
secure using fixings 6
and 1.

Step 2

Assembling side frames

Lay one corner post, an upper end panel 3 and a lower end panel 4 flat on the floor as shown.

Note: The holes in end panel 3 must be at the top.

Insert upper end panel 3 into the large holes in the corner post.

Secure using fixings **A** and **G**.

Note: Do not fully tighten screws **A**.

Assemble lower end panel 4 to the corner post using fixings 3 and 6.


Note: Do not fully tighten screws **B**.


Align another corner post onto the ends of the upper and lower end panels.


Secure using fixings (A), (B) and (C) as shown.

Insert end caps **()** into the top of the corner posts.

Repeat for the other side frame.








Step 3


Assembling upper guard rail (rear)


a: To assemble the <u>rear</u> guard rail, locate internal bracket 11 inside guard rail 6 as shown.

Secure using screw .

b: Locate rear guard rail 5 over the end of the internal bracket in guard rail 6 and secure using fixings 1 and P.








Step 4

Assembling upper guard rail (front)

To assemble the front guard rail, repeat the assembly from step 3 above, using front guard rail 7 and remaining guard rail 6.



Step 5

Assembling lower side rails

a: Locate internal bracket


11 inside lower side rail

14, and secure using screw .

Slide lower side rail 13 over the internal bracket and secure using screw 1.


Note: Lower side rail 13 has an extra hole for the ladder fixing, This will become the front side rail!





b: Repeat **a:** to assemble two lower side rails 14 together as shown.

This will become the <u>rear</u> side rail!



Step 6

Assembling rear guard and side rail

Two people are needed here.

With help, stand both side frames upright.

a: Assemble the rear guard rail assembly 5 and 6 in between the side frames as shown.

Note: Do not fully tighten any screws during the assembly.

Secure at the top using fixings **3** and **6** as shown.

Secure at the bottom using fixings (a), (b) (c) (d) and (d) as shown.

Note: Plastic washers are located in between the rear guard and the side frames.

b: Assemble the lower side rail assembly 14 at the rear of the side frames using fixings **a**, **b a a b b a b a b b c b c b c d d d a** as shown.


Note: Ensure the 24 holes in side rail 14 are on the top edge.

With help, fit feet **②** to the corner posts .

Note: Ensure the feet extend outwards as shown.



Warning: The bunk bed is heavy. Lift



Step 7

Assembling front guard

At this stage, choose if you want the ladder on the right hand side or left hand side.

a: According to which side you want the ladder, assemble the front guard assembly **6** and **7** in between the side frames as shown.


Secure at the top using fixings **B** and **G**.

Secure at the bottom using fixngs **(a)**, **(b)**, **(d)**, and **(d)**.

b: Assemble the lower side rail assembly 13 and 14 in between the side frames at the front of the bed using fixings 2, 6 G and 0.

Note: Ensure the ladder fixing holes in the front of side rail 13 are on the same side as the ladder access gap in front guard 7.

Note: Ensure all fixings are left loose.




Step 8


Assembling end slats

Fit end slats **9** in the very last fixing holes at each end of the bed (top and bottom bunks).

Note: The arrow labels on slats 9 must point outside.

Note: Slats **9** have been labelled for easier identification.





Step 9

Assembling middle slats

a: Locate external brackets 12 over the joints in the front and rear guard rails on the top bunk.

Note: Depending on which way round you have assembled the front guard rail, external bracket 12 will be on either the inside or outside of the bed.


With help, place two slats 10 on top of the external brackets and secure using fixings 1 and 1.


b: At the lower bunk, locate support feet 15 on to the front and rear side rails.


Note: Again, depending on which way round you have assembled the front side rail, the brackets will be located on either the inside or outside.

Place two slats 10 on top of the support feet and secure using fixings 1 and 10.

a: External bracket 12









OR

External bracket 15






Step 10

Assembling slats

Assemble remaining slats 10 to both bunks using screws 1 as shown.



Step 11

Attaching ladder


Assemble ladder 8 to front guard 7 and lower side rail 13 using fixings 6 1 and 6.

Fixings are located inside the frame as shown.

Plastic plugs **M** can be used to cover the un-used holes in the corner post as shown.

Important

Once assembly is complete, ensure <u>all</u> fixings on the whole frame are securely tightened.



Assembly is complete.

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800** Home Retail Group. 489-499 Avebury Boulevard. Saxon Gate West. Central Milton Keynes. MK9 2NW