



53W1 SERIES

IMPORTANT SAFETY INSTRUCTIONS

READ ALL INSTRUCTIONS BEFORE USING YOUR DEEP CLEANER.

When using an electrical appliance, basic precautions should be observed, including the following.

TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY:

- » Unplug from electrical socket when not in use and before cleaning, maintaining or servicing the appliance.
- » This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Cleaning and user maintenance shall not be made by children without supervision.
- » Children should be supervised to ensure that they do not play with the appliance.
- » If the supply cable is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
- »Do not run appliance over cable.
- » Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts of the appliance and its accessories.
- » Use only the type and amount of liquids specified under the Operations section of this guide.
- » Do not leave appliance when plugged in.
- » Always connect to a properly earthed electrical socket. Do not modify earthed plug.
- » Use indoors only.
- » Do not allow to be used as a toy.
- » Use only as described in the user guide.
- » Use only manufacturer's recommended attachments.

- » Do not use with damaged cable or plug.
- » Do not immerse in water or liquid.
- » If appliance is not working as it should, has been dropped, damaged, left outdoors, or dropped into water; do not attempt to operate it and have it repaired at an authorized service center.
- » Liquid or steam must not be directed towards equipment containing electrical components.
- » Do not pull or carry by cable, use cable as a handle, close door on cable, or pull cable around sharp edges or corners.
- » Keep cable away from heated surfaces.
- » Do not unplug by pulling on cable.
- » To unplug, grasp the plug, not the cable.
- » Do not handle plug or appliance with wet hands.
- » Do not put any object into openings.
- » Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce air flow.
- » Turn off all controls before unplugging.
- » Use extra care when cleaning on stairs.
- » Do not use to pick up flammable or combustible liquids, such as petrol, or use in areas where they may be present.
- » Do not pick up toxic material (chlorine bleach, ammonia, drain cleaner, etc.)
- » Do not use appliance in an enclosed space filled with vapors given off by oil base paint, some mothproofing substances, flammable dust, or other explosive or toxic vapors.
- » Do not pick up hard or sharp objects such as glass, nails, screws, coins, etc.
- » Keep appliance on a level surface.
- » Do not carry appliance while in use.
- » Unplug before attaching the TurboBrush™ tool.


TO REDUCE THE RISK OF FIRE AND ELECTRIC SHOCK, USE INDOORS ONLY . DO NOT IMMERSE. USE ONLY ON SURFACES MOISTENED BY THE CLEANING PROCESS. USE ONLY BISSELL CLEANING PRODUCTS INTENDED FOR USE WITH THIS MACHINE.

TO REDUCE THE RISK OF FIRE AND ELECTRIC SHOCK, ALWAYS INSTALL FLOAT BEFORE ANY WET PICK-UP OPERATION.

SAVE THESE INSTRUCTIONS

FOR OPERATION ON A 220-240 VOLT A.C. 50/60 HZ POWER SUPPLY ONLY.

This model is for household use only.



Thanks for buying a BISSELL deep cleaner

We're glad you purchased a BISSELL carpet cleaner. Everything we know about floor care went into the design and construction of this complete, high-tech home cleaning system.

Your BISSELL carpet cleaner is well made, and we back it with a limited two-year guarantee. We also stand behind it with a knowledgeable, dedicated Consumer Care department, so, should you ever have a problem, you'll receive fast, considerate assistance.

My great-grandfather invented the floor sweeper in 1876. Today, BISSELL is a global leader in the design, manufacture, and service of high quality homecare products like your BISSELL carpet cleaner.

Thanks again, from all of us at BISSELL.

mar 1.15

Mark J. Bissell Chairman & CEO

| Safety Instructions2 |
|----------------------|
| Product View4 |
| Assembly5 |
| Operations6-9 |
| Maintenance & Care10 |
| Troubleshooting11 |
| Replacement Parts 12 |
| Accessories13 |
| Notes 14-15 |
| Guarantee |
| Consumer Care16 |



| \triangle | WARNING | AN ACTION OR ATTENTION IS NEEDED TO THIS AREA IN ORDER TO REDUCE THE RISK OF ELECTRIC SHOCK, FIRE, OR INJURY |
|-------------|---------|--|
| i | GUIDE | READ USER GUIDE FOR COMPLETE SAFETY AND USER INSTRUCTIONS |
| X | WEEE | DO NOT THROW THE APPLIANCE AWAY WITH THE NORMAL HOUSHOLD WASTE AT THE END OF ITS LIFE, BUT HAND IT IN AT AN OFFICIAL COLLECTION POINT FOR RECYCLING. BY DOING THIS YOU WILL HELP TO PRESERVE THE ENVIRONMENT. |



Product View

- Spray Trigger 1 Quick Release Cord Wrap 2 3 Tough Stain Tool 4 Hose Wrap 5 Handle Assembly
- 6 Power Cord
- 7 Hose
- 8 Upper Body
- Q ReadyTools[™] Dial
- 10 Collection Tank
- 11 Vent Cover (Foam Filter)
- 12 Collection Tank Latch
- 13 Removable Nozzle



Cleaning fluid

Keep plenty of genuine BISSELL 2X formula on hand so you can clean and protect whenever it fits vour schedule. Always use genuine BISSELL deep cleaning formulas. Non-BISSELL cleaning solutions may harm the machine and will void the guarantee.



151 2X Wash & Protect 151 2X Wash & PRO Professional Stain & Odour Formula w/ Scotchgard[™] Protector #1089E



Protector

151 2X Wash Protect PET Pet Stain & Protect Stain & Odour Formula w/ & Odour Formula Scotchgard™ w/ Scotchgard™ Protector #1087E #1086E



1.51 2X Wash & Remove OXY Deep Clean + Oxy Formula #1265E



151 2X Wash & Refresh Blossom & Breeze Fragrance Formula w/ Febreze® Freshness #1078E



intended for use with the deep cleaner.

WARNING

To reduce the risk of fire and electric shock due to internal

component damage, use only BISSELL cleaning fluids

1.5 L 2X Wash & Refresh Cotton Fresh Formula w/ Febreze® Freshness #1079E





1.51 2X Wash & Refresh Natural Orange Formula #1146E

650 ml Stain Pretreat #1147E



Assemb

Your deep cleaner assembles guickly and easily. The only tool you will need for assembly is a Phillips head screwdriver.

1. Slide upper body onto lower body.

2. Secure with screws.

NOTE: The screws can be found taped to the handle.

3. Attach hose wrap to upper handle by sliding it up the bottom of the handle until it snaps firmly in place.

4. Slide upper handle into upper body, until it will not go any further and secure with screw.

5. Place solution tank on back of unit.

6. Wrap power cord and flex hose.


7. Keep flex hose snugly in place by using the hose secure latch.

8. Attach tool to end of hose.

Assembly is now complete.

WARNING

Do not plug in your deep cleaner until you have completely assembled it per the instructions and are familiar with all instructions and operating procedures.



>erat ims

Special features

Your BISSELL deep cleaner is a home cleaning system that uses a combination of hand hot tap water, BISSELL cleaning formula, brush agitation and suction to safely clean carpets.

DirtLifter[™] Powerbrush

The DirtLifter PowerBrush is designed to enhance cleaning performance. The bristle pattern safely lifts out the deep down dirt while gently grooming carpet fibers. The floating suspension self-adjusts to all carpet heights. When the power is ON and the machine is in the upright position, your carpet is protected because the brush is lifted up off the carpet.

ReadyTools™ Dial

The ReadyTools feature allows you to choose between FLOOR CLEANING or cleaning with TOOLS simply by turning the dial. The TOOLS setting allows for above floor cleaning of upholstery, stairs, creases along baseboards, and other hard to reach areas. Simply choose the tool that is appropriate for the job, attach to flex hose, and you are ready to go.

Before you clean

1. Move furniture to another area if cleaning an entire room. (Optional)

2. Vacuum carpet thoroughly.

3. Plan your cleaning route to leave an exit path. It is best to begin cleaning in the corner farthest from your exit.

4. Pretreating (optional) Pretreat stubborn stains and highly soiled carpet in hallways and other high-traffic areas.

4a. Generously spray BISSELL Stain Pretreat evenly over soiled area. Caution: DO NOT OVER WET CARPET

4b. Wait 3-5 minutes before deep cleaning.

Fill the tank

1. Remove the solution tank by lifting it straight up, then away from the lower body.

2. Unscrew the black cap at the bottom of the solution tank.

3. Fill with hand hot (60°C/140°F MAX) tap water to the WATER line. Fill the rest of the tank with BISSELL 2X Formula to the FORMULA line. Replace and tighten the black cap. NOTE: Do not boil or microwave water as it can damage the solution tank.

4. Place solution tank on lower body.



1.

3.

To reduce the risk of fire, use only BISSELL deep deaning formula for full size machines in your deep cleaner. Use of cleaning formulas that contain lemon or pine oil may damage this appliance and void the guarantee. Chemical spot cleaners or solvent-based soil removers should not be used. These products may react with the plastic materials used in your deep cleaner causing cracking or pitting.



>erations

Carpet cleaning

- 1. Set ReadyTools dial to "FLOOR CLEANING".
- 2. Plug into proper outlet.

3. Turn the power switch to the ON (I) position (located on the back of unit)

4. With foot, press the red recline lever (located on the back of unit).

5. Cleaning Strokes. While pressing the spray trigger, make one slow forward wet pass and another one back. **Caution: Do not overwet.**

6. Release the spray trigger and make one slow forward and backward pass over the same area.

7. Repeat steps 5 and 6 until solution being pulled up appears clean.

8. Empty the collection tank when dirty water reaches the full line, or when the solution tank is empty.

Empty the collection tank

1. Turn power switch OFF (O) and unplug power cord from outlet.

2. Remove the collection tank from base of unit.

2a. Release collection tank latches (on each side) by pulling up from the bottom of latch and then out.

2b. Carefully remove the top of the tank by lifting up on the tank handle.

3. Carry collection tank to a toilet or sink. To empty, pour out contents using opening at back of tank.

4. Rinse collection tank thoroughly and replace on unit.

5. Refill solution tank and continue cleaning.

Cleaning with attachments


Your deep cleaner is equipped with a hose and at least one attachment for cleaning stairs, upholstery, and more.

1. Important! If using to clean upholstery, check upholstery tags.

a. Check manufacturer's tag before cleaning. "W" or "WS" on the tag means you can use your deep cleaner. If the tag is coded with an "X" or an "S" (with a diagonal stripe through it), or says "Dry Clean Only", do not proceed with any deep cleaning machine. Do not use on velvet or silk. If manufacturer's tag is missing or not coded, check with your furniture dealer.

b. Check for colourfastness in an inconspicuous place.







>erations

Cleaning with attachments continued

c. If possible, check upholstery stuffing. Coloured stuffing may bleed through fabric when wet.

d. Plan activities to allow upholstery time to dry.

e. Vacuum area thoroughly.

2. Follow the instructions on page 6 for filling the tank.

3. Set the ReadyTools dial to the "TOOLS" setting.

4. Attach the cleaning tool to the end of the hose.

5. Plug in and turn the power switch to the ON position.

6. Clean by pressing the spray trigger to spray solution onto the area to be cleaned. Slowly move the tool back and forth over the soiled surface. Release the spray trigger to suction dirty water. Continue to clean in the area, working in small sections, until dirt is removed.

Caution: Do Not Overwet.

7. When finished cleaning, remove and rinse tool(s) in clean, running water.

8. It is recommended that you suction clean water from a bowl or from the tap to rinse out the hose.

9. Lift end of hose and stretch out to ensure all water is cleared from hose.

10. Wrap flex hose around hose wrap.


11. Empty collection tank and rinse out, following instructions on page 9 under "Cleaning after use."

12. Return ReadyTools dial to "FLOOR CLEANING" setting.

3.







peration

Cleaning after use

- 1. Unplug the unit.
- 2. Rinse collection tank thoroughly.

2a. Remove ReadyTools Dial by rotating it halfway between "TOOLS" & "FLOOR CLEANING."

2b. Pop out knob by using the opening on the back of the tank. Rinse and replace knob and collection tank.

3. Remove tank vent & foam filter (located on top of the collection tank) and rinse.

4. Clean nozzle window by lifting latch and removing from machine. Rinse under running water.

5. When finished, replace nozzle and secure with latch.

NOTE: For best results, it is recommended that the nozzle is cleaned after each use.

6. Remove lint and hair from red gasket in base of unit. (Do not remove gasket)

7. Replace the collection tank to the base of the machine and secure with latches.

















Maintenance & Care

Machine storage

For best results, a few simple steps can assure your machine is well maintained after your cleaning is complete.

1. Wrap power cord around Quick Release Cord Wrap™ on side of the machine.

2. Wipe all surfaces with a soft cloth. Store cleaner upright in a protected, dry area.

NOTE: You may have cleaning solution remaining in the solution tank. You may store your machine this way for the next cleaning task, but never keep dirty water in the collection tank.

To reduce the risk of electric shock, push power button \bigoplus off and disconnect plug from electrical outlet before performing maintenance or troubleshooting checks.

ACAUTION

Do not store unit where freezing may occur. Damage to internal components may result.

www.BISSELL.com

Troubleshooting

AWARNING

To reduce the risk of electric shock, push power button \bigoplus off and disconnect plug from electrical outlet before performing maintenance or troubleshooting checks.

| Problem | Possible causes | Remedies |
|--|---|--|
| Reduced | Solution tank empty | Refill tank with water and formula |
| spray OR no spray | Lint screen on solution tank cap clogged | Soak solution tank cap in warm water and then rinse under running water |
| in upright mode | Upper body not properly attached properly. | Repeat steps 1-4 on page 5. |
| | Solution tank empty | Refill tank with water and formula |
| | Spray nozzle clogged | Clean spray nozzle by rinsing tool under water |
| Reduce spray or no spray | Pump needs priming | Place tool on floor and press spray trigger |
| attachment | Machine is reclined | Return machine to full upright position until it locks into place |
| | ReadyTools dial is set to "FLOOR CLEANING" | Choose "TOOLS" setting on ReadyTools dial. |
| | Collection tank not aligned/ secured | Check tank alignment and secure with side latches |
| | Collection tank full | Empty tank |
| Deep cleaner | Removable nozzle installed improperly | Unplug unit. Align four "hooks" into bottom first, then snap into place on top |
| not picking up cleaning solution | Removable nozzle full of debris | Unplug unit. Remove nozzle and rinse under running water |
| | Red lint screen under collection tank clogged | Remove debris from lint screen |
| | ReadyTools dial not set properly | Choose either "FLOOR CLEANING" or "TOOLS" for desired cleaning method |
| Brush not turning | Handle not reclined. | Press the red recline lever on the back of the unit to activate the brush. Follow step 4 under "Carpet cleaning" on page 7. |

Please do not return this product to the store.

Other maintenance or service not included in the manual should be performed by an authorized service representative.

Thank you for selecting a BISSELL product.



Replacement Parts

These items are available for your BISSELL deep cleaner. Visit www.BISSELL.com

| PART # | PART NAME | | PART # | PART NAME | |
|----------|---|---|----------|----------------------------|----------|
| 160-3147 | Handle Assembly (includes screws) | Q | 203-5658 | Hose Wrap Clip | S |
| 203-5661 | Solution Tank (Includes Cap and Insert Assembly) | | 203-8119 | Upper body with Screws | |
| 203-8271 | Collection Tank (with diverter) | | 203-5659 | Lower Hose Wrap | |
| 203-5546 | DirtLifter PowerBrush | | 203-8120 | Nozzle | |
| 203-8118 | Cord Wrap (upper) | 1 | 203-5662 | Solution Tank Cap & Insert | |

*Not all parts are included with every model.



Cessovies

These items are available for your BISSELL deep cleaner. Visit www.BISSELL.com

| 77 Tanah Chain Tanl | | 1 | | |
|-------------------------------|---|--|--|---|
| 3" Tough Stain Tool | | 203-6655 | Spraying Crevice Tool | - |
| Powered TurboBrush™ Hand Tool | | 203-7412 | Deep Reach™ Tool | |
| 4" Upholstery Tool | | 203-5683 | Hard Floor Tool | - |
| 6" Stair Tool | | | | |
| | Powered TurboBrush™ Hand Tool 4" Upholstery Tool | Powered TurboBrush™ Hand Tool 4" Upholstery Tool 4. Lipholstery Tool | Powered TurboBrush" Hand Tool 203-7412 4" Upholstery Tool 203-5683 | Powered TurboBrush™ Hand Tool Image: Constant of the sector of the se |

*Not all parts are included with every model.

Cleaning Formula: Refer to bottom of page 4 of this guide for a full selection of cleaning formula available for purchase.

13

Notes



Notes



Consumer Guarantee

This Guarantee only applies outside of the USA and Canada. It is provided by BISSELL International Trading Company BV ("BISSELL"). This Guarantee is provided by BISSELL. It gives you specific rights. It is offered as an additional benefit to your rights under law. You also have other rights under law which may vary from country to country. You can find out about your legal rights and remedies by contacting your local consumer advice service. Nothing in this Guarantee will replace or lessen any of your legal rights or remedies. If you need additional instruction regarding this Guarantee or have questions regarding what it may cover, please contact BISSELL Consumer Care or contact your local distributor. This Guarantee is given to the original purchaser of the product from new and is not transferable. You must be able to evidence the date of purchase in order to claim under this Guarantee.

Limited Two-Year Guarantee

Subject to the *EXCEPTIONS AND EXCLUSIONS identified below, BISSELL will for two years from the date of purchase by the original purchaser repair or replace (with new or remanufactured components or products), at BISSELL's option, free of charge, any defective or malfunctioning part or product. BISSELL recommends that the original packaging and evidence of the date of purchase be kept for the duration of the Guarantee period in case the need arises within the period to claim on the Guarantee. Keeping the original packaging will assist with any necessary re-packaging and transportation but is not a condition of the Guarantee.

If for your product is replaced by BISSELL under this Guarantee, the new item will benefit from the remainder of the term of this Guarantee (calculated from the date of the original purchase). The period of this Guarantee shall not be extended whether or not your product is repaired or replaced.

*EXCEPTIONS AND EXCLUSIONS FROM THE TERMS OF THE GUARANTEE

This Guarantee applies to products used for personal domestic use and not commercial or hire purposes. Consumable components such as filters, belts and mop pads, which must be replaced or serviced by the user from time to time, are not covered by this Guarantee.

This Guarantee does not apply to any defect arising from fair wear and tear. Damage or malfunction caused by the user or any third party whether as a result of accident, negligence, abuse, neglect, or any other use not in accordance with the User Guide is not covered by this Guarantee.

An unauthorised repair (or attempted repair) will void this Guarantee whether or not damage has been caused by that repair/attempt. Removing or tampering with the Product Rating Label on the product or

rendering it illegible will void this Guarantee.

SAVE AS SET OUT BELOW BISSELL AND ITS DISTRIBUTORS ARE NOT LIABLE FOR ANY LOSS OR DAMAGE THAT IS NOT FORESEEABLE OR FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE ASSOCIATED WITH THE USE OF THIS PRODUCT INCLUDING WITHOUT LIMITATION LOSS OF PROFIT, LOSS OF BUSINESS, BUSINESS INTERRUPTION, LOSS OF OPPORTUNITY, DISTRESS, INCONVENIENCE OR DISAPPOINTMENT. SAVE AS SET OUT BELOW BISSELL'S LIABILITY WILL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCT. BISSELL DOES NOT EXCLUDE OR LIMIT IN ANY WAY ITS LIABILITY FOR (A) DEATH OR PERSONAL INJURY CAUSED BY OUR NEGLIGENCE OR THE NEGLIGENCE OF OUR EMPLOYEES, AGENTS OR SUBCONTRACTORS; (B) FRAUD OR FRAUDULENT MISREPRESENTATION; (C) OR FOR ANY OTHER MATTER WHICH CANNOT BE EXCLUDED OR LIMITED UNDER LAW.

Consumer Care

If your BISSELL product should require service or to claim under our Limited Two-Year Guarantee, please visit:

Website or E-mail: www.BISSELL.com

For UK inquiries:

Monday - Thursday 9 am - 5 pm Friday 9 am - 4 pm **BISSELL Homecare (Overseas) Inc.** Ground Floor 226 Berwick Avenue Slough Berkshire, SL1 4QT United Kingdom Telephone: 0344-888-6644

For all other inquiries:

Monday – Friday 8 am - 4 pm BISSELL Homecare, Inc. PO Box 1888 Grand Rapids, Michigan 49501 USA Telephone: 01-616-453-4451 Fax: 01-616-453-1383

Replacement parts and accessories are available for purchase. To purchase visit www.BISSELL.com

Visit the BISSELL website: www.BISSELL.com

When contacting BISSELL, have model number of cleaner available.

Please record your Model Number:

Please record your Purchase Date: _

NOTE: Please keep your original sales receipt. It provides proof of the date of purchase in the event of a Guarantee claim. See Guarantee for details.



©2014 BISSELL Homecare, Inc Grand Rapids, Michigan All rights reserved. Printed in China Part Number 160-5309 Rev 10/4 Visit our website at: www.BISSELL.com Scotchgard is a trademark of 3M

Febreze is a trademark of The Proctor & Gamble Company, Cincinnati, Ohio used under license by BISSELL Hornecare, Inc.