

Capella - Dresser Stool


Assembly Instructions - Please keep for future reference

262/1982

267/6511

264/0877

227/5091



Dimensions

Width - 43cm

Depth - 35.5cm

Height - 48cm



**MADE IN
BRITAIN**

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- **Warning:** This unit weighs approximately 8kgs. Please lift with care.

- Check you have all the components and tools listed on pages 2 and 3.

- Remove all fittings from the plastic bags and separate them into their groups.

- Keep children and animals away from the work area, small parts could choke if swallowed.

- Parts of the assembly will be easier with 2 people.

- Make sure you have enough space to layout the parts before starting.

- Do not stand or put weight on the product, this could cause damage.

- Assemble the item as close to its final position (in the same room) as possible.

- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



- We do not recommend the use of power drill/drivers **for inserting screws**, as this could damage the unit. Only use hand screwdrivers.

- **Safety note:** If there is any chance of this unit being pulled over by children etc. it is recommended that the unit is secured to a wall using suitable fixings (not supplied).

- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.

- From time to time check that there are no loose screws on this unit.


- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.


Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

Please check you have all the panels listed below



1 Stool Side (D0996A)
(451 x 352mm) x 2



2 Stool Base (D0997A)
(400 x 348mm)



3 Rail (D0998A)
(400 x 144mm) x 2



4 Seat Pad (FMANPAD)
(398 x 348mm)






Components - Fittings


If you have damaged or missing components, call the **Customer Helpline: 08456 400800** quoting the reference numbers below

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

<p>A </p> <p>Wooden dowel (F22) x 6</p>	<p>B </p> <p>Metal dowel (F901) x 12</p>	
<p>C </p> <p>Large locking nut (F900) x 12</p>	<p>D </p> <p>25mm Screw (F50) x 4</p>	<p>E </p> <p>Plastic Nail (F91) x 4</p>

Tools required



Rule



Cross-head screwdriver



Scissors




Hammer



Eye protection (when using a hammer or drill)

Ruler - Use this ruler to help correctly identify the screws




Assembly Instructions

If you have damaged or missing components, call the
Customer Helpline: 08456 400800 quoting the reference
numbers below

Step 1

Prepare the 2 stool sides

Screw 6 metal dowels **B** into each of the 2 stool sides **1**, as shown.




Step 2

Prepare the stool base

Insert 4 large locking nuts **C** into the holes in the stool base **2**.

Tap 2 wooden dowels **A** into the ends of the stool base **2**.




Step 3

Fit a stool side to the stool base

Fit one of the stool sides **1** to the stool base **2**.

Use a screwdriver to tighten the 2 large locking nuts **C** fitted to the stool base **2**.

Note: Turn the large locking nuts **C** as far as they will go - more than 1/2 a turn.




Step 4

Prepare the 2 rails

Insert 4 large locking nuts **C** into each of the 2 rails **3**.

Tap 2 wooden dowels **A** into each rail **3**.




Assembly Instructions

Step 5

Fit the rails

Push the 2 rails **3** down onto the stool side **1**, as shown.

Use a screwdriver to tighten the 2 large locking nuts **C** fitted to each rail **3**.




Step 6

Fit the other stool side


a: Push the other stool side **1** down onto the assembly, as shown.

Use a screwdriver to tighten the 2 large locking nuts **C** fitted to the stool base **2**.

a:



b:



Assembly Instructions


Step 7

Fit the seat pad

Position the seat pad **4** onto the assembly and make sure that its 4 edges line up with the stool base **2**.

Hold the seat pad **4** in position and screw up through the 4 holes in the stool base **2** using screws **D**.


Note: Make sure that you screw into the hard surface of the seat pad.



Step 8


Fit the 4 plastic nails

Tap 2 plastic nails **E** into the bottom edge of each of the sides **1**.



Step 9

Assembly is complete



If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800 and quote the reference numbers on the component pages.

Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW

