
Hygena Lumina Console Table

Assembly Instructions - Please keep for future reference

481/6685





Dimensions

Width - 100cm Depth - 36cm Height - 75cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 03456 400800

▲ Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on the following pages.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• During assembly do not stand or put weight on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• Parts of the assembly will be easier with 2 people.

 To reduce the likelihood of damaging your product please ensure that your

power drill is set on a low torque setting.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Handy Hints

• Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts. • Regularly check and ensure that all bolts and fittings are tightend properly.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Panels

If you have damaged or missing components, call the **Customer Helpline: 03456 400800**


Please check you have all the panels listed below ٥. **°** • ۰ 0 0 3 Left side panel (8.4 x 29.6cm) °. ٥. • **1** Top panel (100 x 30cm) 4 Right side panel (8.4 x 29.6cm) ο. ° ۰ 0 0 5 Middle side panel x2 (8.4 x 28cm) 2 Bottom panel (100 x 30cm) • • • 6 8 Drawer front (30 x 8cm) Drawer front (30 x 8cm) 7 Drawer front (30 x 8cm) 0 0 • 9 Drawer left side x3 **10** Drawer right side x3 11 Drawer back x3 (25 x 7cm) (25 x 7cm) (27.3 x 7cm) **13** Back panel (97 x 9.4cm) **12** Drawer bottom x3 (28.3 x 24.6cm)

Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 03456 400800**


Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



Tools required

Phillips screwdriver (medium & large)



Step 1

Fitting drawer runner


Use screws to fix drawer runners (conto the side panels 3, 4 and 5.

Insert dowels G into side panels 3, 4 and 5.

Step 2

Fitting the frame


a: Screw locking pins A into top panel 1. Insert locking pins as far as shown.







b: Attach side panels 3 , 4 and 5 onto top panel 1.

Insert locking nuts Binto the unit, then use a screwdriver to turn locking nuts B clockwise to lock.







Step 4

Fitting the drawer


a: Use screws G to fix drawer side 9 and 10 onto drawer back 11.

Insert dowels into drawer side 9 and 10.

b: Slide drawer bottom **12** into the unit.


Screw locking pins (A) into drawer front (6), (7) and (8). Insert locking pins as far as shown.


Use screws to fix handle onto the drawer front 6, 7 and 8.






a:









C:

C: Attach drawer front **6**, **7** and **8** onto the unit.

Insert locking nuts into the unit, then use a screwdriver to turn locking nuts Clockwise to lock.





a:


b:

Step 5

Finish the unit

a: Slide the drawers into the unit.

Insert pins **M** into drawer side.



b: Use screws **O** to fix wall straps **N** to the back of top panel.


Secure the other ends of strap to the wall using appropriate screws, washers and wall plugs for your wall type.


WARNING:

Ensure the area to be drilled is free from hidden electrical wires and water or gas pipes.

NOTE:

Wall fixings are not included. Please source suitable wall fixings for your wall type, if in doubt consult a qualified tradesperson.





Assembly is complete.

If you need help or have damaged or missing parts, call the Customer Helpline: 03456 400800

A Guide to - Wall Mounting & Fixings

Important note:

If plastic wall plugs are supplied with your product:



- these are only suitable for use in masonry walls.

If you are in any doubt about the correct wall plugs for your wall, seek professional advice.

Failure of the product due to using incorrect fxings is the responsibility of the installer.



Important: When drilling into walls always check that there are no hidden wires or pipes etc.


Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualifed tradesperson if you are unsure.

Hints:

- 1: General rule: Always use a larger screw and wall plug if you are not sure.
- **2**: Ensure you use the recommended drill bit to match the wall plug and hole size.
- **3**: Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.
- **4**: Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid the tiles splitting or cracking.
- **5**: Ensure wall plugs are well ftted and are a tight ft in the drilled hole.


Types of walls

No.1 "General Purpose" wall plug



Generally aerated blocks should not be used to support heavy loads, use a specialist ftting in this case. For light loads, general purpose wall plugs can be used.


No.2 "Plasterboard" wall plug



For use when attaching light loads on to plasterboard partitions.




You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.



For use with plasterboard partitions or hollow wooden doors.


No.4 "Cavity Fixing-Heavy Duty" wall plug



For use when ftting or supporting heavy loads such as shelving, wall cabinets and coat racks.


Safety: Always check the ftting and location to ensure your safety in and around the home.

No.5 "Hammer Fixing" wall plug



For use with walls stuck with plasterboard. The hammer fxing allows it to be fxed to the wall rather than the plasterboard. Always check the fxing is secure to the retaining wall.

No.6 "Shield Anchor" wall plug Heavy loads



For use with heavier loads such as TV & HiFi speakers and satelite dishes etc.

Fitting: From time to time check the ftting to ensure the wall plugs or screws do not become loose.