COLOURMATCH BARSTOOL

Assembly Instructions - Please keep for future reference

600/6060


600/6015

600/6008

600/5982

600/5975

600/5999



Dimensions

Width - 38.5cm Depth - 40cm Height - 64-86cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- At least 2 people are required to assemble this product.
- Do not discard any of the packaging until you have checked that you have all the parts and the pack of fittings.
- Assemble this product on a flat protected surface.
- Assemble all parts loosely before tightening any bolts.

- Discard all extra fittings and keep fittings out of reach of children.
- Maximum safe weight of user: 110kgs.
- Unit weight: 5.5 kgs.
- Dispose of all packaging carefully and responsibly.
- Retain assembly instruction for future reference.



 We do not recommend the use of power drill/drivers for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

Warnings

- · Do not stand on the chair.
- Do not use the chair as a step ladder.
- Do not sit with sharp objects in back pockets as this may damage the seat surface.
- Do not knock the surface of the seat against sharp solid surfaces.


Care and maintenance

- Please clean the table surface using either damp (not wet) cloth and a mild domestic soap solution or by using an appropriate polish.
- Do not use any abrasive materials when cleaning.
- From time to time check that there are no loose bolts on this unit.

Components - Parts

If you have damaged or missing components, call the **Customer Helpline**: 08456 400800


Please check you have all the parts listed below



Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



Assembly Instructions

Step 1

Attaching gaslift

Place the base 5 on a flat protected surface.
Position the decor ring 4 on the base and insert the gaslift 2 into the decor ring and hole of the base.




Important:


Remove plastic tip cover on gaslift before assembling.



Attaching footrest

Lay the seat 1 upside down onto a protected surface. Fix the footrest 3 onto the seat and tighten by turning in counter-clockwise direction.





Assembly Instructions

Step 3

Attaching the seat

Insert the gaslift 2 into the seat 1. Secure by pressing down the seat firmly.

Step 4

Securing footrest

Adjust the footrest 3 and make sure to centre align it with the seat. Then secure using stud bolt A as shown and tighten using allen key B.


Gaslift operation


To adjust the seat higher, lift up the lever under the seat and release at desired height.


To lower the seat, lift up the lever while **fully seated** on the stool.

To ensure proper operation of the gaslift, a person must sit fully on the seat. Sitting on the tip or edges of the seat may not activate the gaslift properly.

Assembly is complete.







If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800