
Gemini Barstool

Assembly Instructions - Please keep for future reference

600/0224

600/5054



Dimensions

Width - 52cm Depth - 42cm Height - 99cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800

A Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• We suggest you spend a short time reading through this leaflet and follow the simple step by step assembly instructions.

• Do not discard any of the packaging until you have checked that you have all the parts and the pack of fittings.

• Assemble this product on a flat surface.

• Assemble all parts loosely before tightening any bolts.

- Discard all extra fittings and keep fittings out of reach of children.
- Maximum safe weight of user: 110kgs.
- Unit weight: 5kg.
- Retain Assembly Instructions for future reference.



• We do not recommend the use of power drill/drivers *for inserting screws*, as this could damage

the unit. Only use hand screwdrivers.

• Dispose of all packaging carefully and responsibly.

Warnings

- Do not stand on the stool.
- Do not use the stool as a step ladder.

• Do not sit with sharp objects in back pockets as this may damage the seat surface. • Do not knock the surface of the seat against sharp solid surfaces.


Care and maintenance

• Please clean the seat surface using either damp (not wet) cloth and a mild domestic soap solution or by using an appropriate polish.

- Do not use any abrasive materials when cleaning.
- From time to time check that there are no loose bolts on this unit.

Components - Parts

Please check you have all the parts listed below



5 Lower leg (Ø2.2 x 72 x 49cm)

Components - Fittings If you have damaged or missing components, call the Customer Helpline: 08456 400800

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

			D
37mm Bolt x 4	30mm Bolt x 4	20mm Bolt x 6	Nut x 1
6	6	G	
Curved washer x 9	Allen key x 1	Spanner x 1	

Ruler - Use this ruler to help correctly identify the screws

0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150 155 160 165 170

Assembly Instructions


Step 1


Attaching legs

Position the upper leg 4 and lower leg 5 as shown. Align the holes and fix together using bolt **G**& nut**D**.



Important: Do not tighten the bolt at this stage.






Step 2


Attaching stretcher

Position the stretcher **3** between the legs as shown. Align the holes and fix together using bolts **B** with allen key **F**.



Important: Do not tighten bolt B at this stage but tighten bolt **G** with nut **D** using allen key and spanner G.






Assembly Instructions

Step 3

Attaching seat

Place the seat **2** on a flat protected surface.

Position the legs on the seat as shown. Align the holes and fix together using bolts **A** & curved washers **B**. Tighten the bolts using allen key **F**.



C

Step 4


Aligning the legs

Carefully turn over and place on a flat surface. Tighten the bolts on the stretcher **3** using allen key **6** while making adjustments to ensure the legs are even on the floor.

Attaching backrest

Turn over the barstool again to easily assemble the backrest 1 to the seat 2 as shown. Align the holes and fix together using bolts C& curved washers C. Tighten the bolts using allen key C.

Assembly is complete.



1

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800

1