Executive Bar Stool With Back Rest

Assembly Instructions - Please keep for future reference

600/0372

hygena



Dimensions

Width - 52cm

Depth - 47.5cm

Height - 85/107cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 0870 600 8990



Safety and Care Advice

Important – Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on page 2.
- · Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- Do not stand or put weight on the product during assembly, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



 We do not recommend the use of power drill/drivers for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

· Dispose of all packaging carefully and responsibly.

Care and maintenance

- · From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.
- To avoid any risk of suffocation to animals or children dispose of the plastic bags immediately
- As with all surfaces clean with a damp cloth and mild detergent, do not use bleach or abrasive products.

Safety during use

- Do not stand on this chair. Do not use this chair as a step ladder .
- At least every 4 months, check all bolts, screws and knobs, to be sure they are tight.
- Use this product only for seating one person at a time.
- If parts are missing, broken or damaged or worn, stop use of this product until repairs are made & using factory authorized parts.
- Do not use this chair unless all bolts, screws and knobs are firmly secured.
- Failure to follow these warnings could result in serious injury.


Note: if required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Parts

Please check you have all the parts listed below



1 Back x 1 (52X32cm)



4 Seat support x 1



2 Seat x 1 (39X39cm)



5 Gas lift x 1 (220mm)



3 Cover x 1



6 Base x **1** (D390mm)

Components - Fittings

If you have damaged or missing components, call the **Customer Helpline:0860 600 8990**

Please check you have all the fittings listed below.

Note: The quantities below are the correct amount to complete the assembly In some cases more fittings may be supplied than are required.



22mm Bolts x 4



40mm Bolts x 3



Washers x 4

Tools required



M6 Allen key (supplied)

Ruler - Use this ruler to help correctly identify the screws


Assembly Instructions

Step 1

Fitting the gaslift

a: Take off the cap on the top of gaslift **5**.

a:




b: Insert the gaslift **5** into the base **6**. Then slide the cover **3** over the top.

b:




NOTE: Ensure the gas lift is fully inserted and well fitted.



Step 2

Fitting the seat

Use the bolts **3** to fix the seat **2**.



Assembly Instructions

Step 3

Fitting the seat support


Use the bolts (A) and washers


© to fix the seat support **4**.

Step 4

Fitting the Unit

Carefully locate the seat 2 onto the base unit.





Assembly Instructions

Step5

Finishing the Unit

Carefully place the unit in the desired location.

Assembly is complete.



If you need help or have damaged or missing parts, call the **Customer Helpline: 0870 600 8990** 489-499 Avebury Boulevard Milton Keynes MK9 2NW, Argos Limited