


Hygena Chair

Assembly Instructions - Please keep for future reference

600/5968

600/5944

hygena



Dimensions

Width - 45cm
Depth - 53cm
Height - 83cm

Important – Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**



Safety and Care Advice

Important – Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on page 2

- Remove all fittings from the plastic bags and separate them into their groups.

- Keep children and animals away from the work area, small parts could choke if swallowed.

- Make sure you have enough space to layout the parts before starting.

- Do not stand or put weight on the product during assembly, this could cause damage.

- Assemble the item as close to its final position (in the same room) as possible.

- Assemble on a soft level surface to avoid damaging the unit or your floor.

- Parts of the assembly will be easier with 2 people.



- We do not recommend the use of power drill/drivers **for inserting screws**, as this could damage the unit. Only use hand screwdrivers.

- Dispose of all packaging carefully and responsibly.

- Maximum safe weight of user : 100 kgs.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.


- From time to time check that there are no loose screws on this unit.

- This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Components - Parts

If you have damaged or missing components, call the **Customer Helpline: 08456 400800**


Please check you have all the panels listed below



1 Chair back x 1



2 Seat x 1




3 Leg x 2


Components - Fittings

Please check you have all the panels listed below

Note : The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



A 65mm Long bolt x 4




B 50 mm Short bolt x 5



C Spring washer x 9



D Washer x 9




E Wood dowel x 2



F Allen key x 1

Ruler - Use this ruler to help correctly identify the screws




Assembly Instructions

Step 1


a: Insert wood dowels **E** into each centre hole in the back of the seat **2**.

a:



b: Insert short bolts **B** with spring washers **C** and washers **D** through the holes at the back of the seat **2** into the chair back **1**. Tighten bolts with allen key **F**.


b:



Do not fully tighten.

c: Turn over the chair. attach legs **3** to front corners of the seat frame **2**. Use long bolts **A** with spring washers **C** and washers **D** into each 2 holes in the front corners. Tighten bolts with allen key **F**.

c:



Assembly Instructions

Step 2

Note : Stand the chair on a level floor.

a: Tighten all bolts.


b: Sit on the chair to level the legs.

c: After sitting test, re - tighten bolts again, if adjustment needed.


d: Highly recommend to re - tighten all the bolts again after using the chair for 7 days.

Note : Please keep Allen key to re - tighten all bolts again when required.


a:




b:



c:



d:



If you need help or have damaged or missing parts, call the **Customer Helpline: 0845 6400800**