
## JAMAL SIDEBOARD

Assembly Instructions - Please keep for future reference

609/7196

609/7220





#### **Dimensions**

Width 120cm Depth 40cm Height 75cm

### Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts call the Customer Helpline 08456 400800



## Safety and Care Advice

### Important - Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on pages 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- Do not stand on the panels, this could cause damage.
- Assemble the unit as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



 We do not recommend the use of power drill/ drivers for inserting screws, as this could damage

the unit. Only use hand screwdrivers.

- Dispose of all packaging carefully and responsibly.
- Warning The unit weighs approximately 47.4kgs. Please lift with care.

#### Care and maintenance


- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.


Note If required the next page can be cut out and used as a reference throughout the assembly. Keep this page with these instructions for future reference.

## Components - Panels

If you have damaged or missing components call the Customer Helpline 08456 400800


### Please check you have all the panels listed below










**1** TOP (120 x 39.7cm)










**2** Left side ( 69 x 39.6cm)








10 Drawer front x 3 (35.7 x19.6cm) 16

Door x 2 (59.4 x 35.7cm)







3 | Right side (69 x 39.6cm)



4 Bottom (108.2 x 38cm)







5 Front Apron (108.2 x 6cm)

12 Drawer right x 3 (34 x14.5cm)





6 Left middle (60 x 38cm)







7 Right middle (60 x 38cm)

14 Drawer bottom x 3 (33.8 x30.6cm)




## Components - Fittings

### Please check you have all the fittings listed below

Note The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

	B	6
Locking Pin x 29	15mm Locking nut x 17	12mm Locking nut x 12
<b>D</b>		
Dowel 30mm x 6	12mm Screw x 30	38mm Screw x 12
		0
25mm Screw x 5	15mm Screw x 48	Left drawer runner x 3
0	<b>B</b>	
Left side runner x 3	Right drawer runner x 3	Right side runner x 3
<b>M</b>		
Shelf support x 8	45mm Screw x 6	Door Bracket x 4
<b>P</b>		
Wall plug x 2	Wall strap x 2	15mm Screw x 2
	•	0
25mm Screw x 2	Dowel 50mm x 12	Knob x 5
•		
Foot pad x 6		

### Tools required



### Ruler Use this ruler to help correctly identify the screws

0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150 155 160 165 170

### Step 1


#### **Fitting the Runners**


**Note:** Assemble on a soft level surface or on the original packing material to avoid damaging the unit or your floor.

**Note:** It would be useful to ask someone to help you at this stage.

a:Use 12mm Screws to fix Runners onto Left Middle panel 6.
Insert 50mm Dowel and 30mm Dowel Into Left Middle panel 6.

b:Use 12mm Screws to fix Runners onto Right Middle panel 7.
Insert 50mm Dowel and 30mm Dowel Into Right Middle 7.





### Step 2


### Fitting lock pin

**Note:** It would be useful to ask someone to help you at this stage.

a:Screw the Locking pin onto Left side and Right side .

Insert 50mm Dowel into the Right side and Left si


**b:**Screw the Locking pin A onto Front Apron 5. Insert 50mm Dowel and 30mm Dowel D into the Bottom 4.



### Step 3

#### Fitting front and bottom

**a:**Attach the Front apron 5 onto the Bottom 4 with Locking nut 6 to tighten.



### Step 4

#### **Fitting Side panel**

**Note:** It would be useful to ask someone to help you at this stage.

a:Attach the Left side 2 and Right side 3 onto the Bottom 4 with Locking nut B to tighten. Use 45mm Screw N to fix Foot 15

### Step 5

#### **Fitting Middle panel**

**Note:** It would be useful to ask someone to help you at this stage.

a: Attach the Left Middle
and Right Middle
onto the Unit with 45mm
Screw to tighten.


### Step 6


#### Fitting Top and to Unit


**Note:** It would be useful to ask someone to help you at this stage.

**a:**Screw the Locking pin **A** onto Top 1.

**b:**Attach the Top 1 onto the Unit with Locking nut **B** to tighten.








### Step 7

Fitting back.


a: Use 15mm Screws (H) to fix Back panel 16 onto the unit.



### Step 8

Fitting foot pad

a: Stick Foot pad vonto the unit.
Use 15mm Screw Roto fix wall strap onto the Unit.



### Step 9

#### Fitting drawers

a: Use 12mm Screws to fix Left drawer runner onto the Drawer left


**b**: Use 12mm Screws to fix Right drawer runner onto the Drawer Right.


c: Use 38mm Screws to fix Drawer left 11
Drawer right 12 onto
Drawer back 13.

**d**: Screw in Locking pins **A** into Drawer front 10.

e: Slide Drawer bottom
14 into the unit.
Use 12mm Locking nuts
6 to fix Drawer front 10
onto the unit.
Use 25mm Screws 6 to fix Drawer knob 10 onto the unit.

Repeat a to e with other 2 drawers.






### Step 10

### Fitting drawers

**a**: Carefully slide drawers into the unit. Make sure the front part and rear part of runners are engaged properly.





### Step 11


### Fitting Shelf.

**b:**Insert Shelf supports **M** into the holes in the unit.

Note Adjust the shelf supports to the desired height.

Carefully insert the shelf

8 into the unit.




### Step 12

### Fitting doors Bracket.


**Note:** It would be useful to ask someone to help you at this stage.

**a:** Use 15mm Screws **(H)** to fix Door brackets **(O)** onto Doors **(9)**.



**b:** Use 15mm Screws **H** to fix Doors **9** onto the unit.

Use 25mm Bolts (6 to fix Knobs (10 onto Doors (19)).





### Step 13

### Hinge adjustment

a: To move door up or down: loosen screws shown and move doors to suit.


Re-tighten screws.






b: To move door in or out: loosen screws shown and move doors to suit.


Re-tighten screws.






C: To move door left or right: loosen screws shown and move doors to suit.

Re-tighten screws.





Assembly is complete.

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800

### Step 14

### Fixing to wall

Note It would be useful to ask someone to help you at this stage.


It is strongly recommended that the unit is attached to the wall using Wall strap






Important When drilling into walls always check that there are no hidden wires or pipes etc. Make sure that the screws and wall plugs supplied are suitable for supporting the unit. Consult a qualified tradesperson if you are not sure.

a: With help, place the unit in the intend position.




To secure the unit, fix Wall strap (a) to the wall using Screw (5) (Masonry walls only).

Assembly is complete.



b:



If you need help or have damaged or missing parts, call the Customer Helpline  $\,:\,08456\;400800$ 

# A Guide to - Wall Mounting & Fixings

#### Important note:

If plastic wall plugs are supplied with your product:



- these are only suitable for use in masonry walls.

If you are in any doubt about the correct wall plugs for your wall, seek professional advice.

Failure of the product due to using incorrect fxings is the responsibility of the installer.



**Important**: When drilling into walls always check that there are no hidden wires or pipes etc.

Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualifed tradesperson if you are unsure.


#### Hints:

- 1: **General rule**: Always use a larger screw and wall plugif you are not sure.
- 2: Ensure you use the recommended drill bit to match the wall plug and hole size.
- **3**: Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.
- **4**: Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid the tiles splitting or cracking.
- **5**: Ensure wall plugs are well fitted and are a tight ft in the drilled hole.

### Types of walls


You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.

#### No.1 "General Purpose" wall plug




Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general purpose wall plugs can be used

#### No.2 "Plasterboard" wall plug




For use when attaching light loads on to plasterboard partitions.

#### No.3 "Cavity Fixing" wall plug




For use with plasterboard partitions or hollow wooden doors.

## No.4 "Cavity Fixing-Heavy Duty" wall plug




For use when fitting or supporting heavy loads such as shelving, wall cabinets and coat racks.

#### No.5 "Hammer Fixing" wall plug



For use with walls stuck with plasterboard. The hammer fxing allows it to be fxed to the wall rather than the plasterboard. Always check the fxing is secure to the retaining wall.

#### No.6 "Shield Anchor" wall plug Heavy loads



For use with heavier loads such as TV & HiFi speakers and satelite dishes etc.



**Safety**: Always check the fitting and location to ensure your safety in and around the home.

**Fitting**: From time to time check the ftting to ensure the wall plugs or screws do not become loose.