
Classic antique bunkbed frame - 190x90 cm

Assembly Instructions - Please keep for future reference

6566878



Important – Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline:** 0045 7668 8055 or e-mail: order@flexa.dk

Safety and Care Advice

Important - Please read these instructions fully before starting assembly

• Check you have all the components and tools listed on pages 2, 3 and 4.

• Remove all fittings from the plastic bags and separate them into their groups.

• Keep children and animals away from the work area, small parts could choke if swallowed.

• Make sure you have enough space to layout the parts before starting.

• Do not stand or put weight on the product, this could cause damage.

• Assemble the item as close to its final position (in the same room) as possible.

• Assemble on a soft level surface to avoid damaging the unit or your floor.

• Parts of the assembly will be easier with 2 people.



• We do not recommend the use of power drill/drivers *for inserting screws*, as this could

damage the unit. Only use hand screwdrivers.

• Dispose of all packaging carefully and responsibly.

Care and maintenance

• Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.

• From time to time check that there are no loose screws on this unit.

• This product should not be discarded with household waste. Take to your local authority waste disposal centre.

IMPORTANT - READ CAREFULLY -RETAIN FOR FUTURE REFERENCE ASSEMBLY:

Always follow the instruction. Current legislation requires that the high bed / bunk bed must be fitted with 4 safety-rails and a ladder or platform for the upper bunk. The high bed / bunk bed meets the European EN 747:2012 A1:2015 standards for security and durability.

MATTRESS:

This bed is designed to use a mattress size 190 cm long and 90 cm wide. The total thickness must not exceed 16,1 cm. The mattress top must not pass the marking on the ladder / the post for the safety-rail. **WARNING:**

High beds and the upper bed of bunk beds are not suitable for children under six years due to the risk of injury from falls. Bunk beds and high beds can present a serious risk of injury from strangulation if not used correctly. Never attach or hang items to any part of the bunk bed that are not designed to be used with the bed, for example, but not limited to ropes, strings, cords, hooks, belts and bags. Children can be become trapped between the bed and the wall, a roof pitch, the ceiling, adjoining pieces of furniture (e.g. cupboards) and the like. To avoid risk of serious injury the distance between the top safety barrier and the adjoining structure shall not exceed 75 mm or shall be more than 230 mm.

Do not use the high bed / bunk bed if any structural part is broken or missing.


MAINTENANCE INSTRUCTIONS:

Check regulary that all assembly fastenings are properly tightened. Ventilation of the room is necessary in order to keep the humidity low and to prevent mould in and around the bed.

Components - Parts


If you have damaged or missing components, call the **Customer Helpline: 0045 7668 8055**

Please check you have all the parts listed below



Components - Parts


Please check you have all the parts listed below



Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.




Tools required Phillips screwdriver (medium) Image: Constraint of the screw

Step 1

Insert dowels **D** to bedsides **10**– and to all the safety rails **12** and **14**

It may be necessary to tap the dowel in very gently with a small hammer.

Repeat same procedure for all bedsids 10 and all safety rails 12 and 14




Step 2

Insert the connecting double bolts to all the short legs 11

Twist /turn the bolt to follow the hole ø6,8 mm

Counter sunk 5 mm hole should face same direction as bedside drilling



Step 3

Attach leg 13 to endrails 7 and 9 with 4 screws 0 using the allen key

Attach leg 11 to endrails 7 and 9 with 4 screws 0 using the allen key


Repeat same procedure for both headboard and footboard

Step 4

Slide 1 panel 4 between endrail 7 and 9 followed by 8 panels 5 and finish with 1 panel 6

Attach legs 11/13 to endrails 7 and 9 with screws 0 using the allen key.

Repeat same procedure for both headboard and footboard



moisture during transportation/stocking.

Step 5

Attach bedside **10** and both safety rails **14** to the bed firstly by placing the dowels in holes in the legs.

Push barrel nuts ^(a) into the 2 small holes in bedside ⁽¹⁰⁾ push 1 connecting bolt ^(A) through each leg ⁽¹³⁾ to meet barrel nuts ^(a) and then fasten with the allen key.

Push 4 assembly screws through legs 13 to meet the safety rails 14 and then fasten with the allen key.

Step 6


Attach bedside 10 to the bed firstly by placing the dowels in the holes in the legs.

Push 2 barrel nuts ⁽¹⁾ into the small holes in bedside ⁽¹⁾ push 1 connecting bolt ^(A) through each leg ⁽¹⁾ to meet barrel nuts ⁽³⁾ then fasten with the allen key.

Step 7

Attach bedside 10 to the bed firstly by placing the dowels in the holes in the leg.

Push 2 barrel nuts B into the small holes in bedsides 10 push one connecting bolt A through each leg 11 to meet barrel nuts B and then fasten with the allen key.



Step 8

Attach the 2 beds by putting the one bed (with legs13) in top of the other bed.

Attach the connecting double bolt **()**in legs **11** with the upper bed by screws **()** through legs **13**

Step 9

Push 2 assembly screws through the leg 13 to meet the safety rails 12 and then fasten with the allen key.

> Ladder can be positioned left or right !


Step 10

Attach the tread 3 and 8 to the ladderside 15 with the screws **F**

Attach the treads 3 and 8 to the leg 11 and 13 with screws 0

Attach the ladderside 15 with the safety rails 12 with screws

Attach the ladderside 15 with the bedsides 10 with screws 10 Insert cover caps 10 in the holes.




Step 11

Place 1 slat 1 (No.8) in the bed, follow the measurement.

Push the bedsides 10 together when attaching the slat 1 to the bed with 2 screws Position the remaining 14 slats 1 in the bed with a distance of 64 mm between each.

Fasten each slat with 2 x screws



Step 12

Attach the safety list 2 inside the bed, on the front safety rails 12 Should be in the center of the front guards between the slats.

Attach it 2 to the safety rails 12 and bedside 10 with chipboard screws

Follow the measurement.

Attach the safety list 2 on the outside of the bed, on the back safety rails 14 should be in the center of the back guards.


Attach it 2 to the safety rails 14 and bedside 10 with chipboard screws

Follow the measurement.


Attach wall mounting brackets **O** to legs **11** with screws **B**.

Max. mattress height !

Assembly is complete.



Note: To acheive the single bed look shown on the picture, one end of the upper bunk (assembled parts 4, 5,6,7,9 and 13) should be swapped over with the lower bunk (assembled parts 4,5 ,6,7,9 and 11). Bunkbed as 2 single beds



If you need help or have damaged or missing parts, call the **Customer Helpline: 0045 7668 8055** E-mail: order@flexa.dk