


# Winslow Bar stool

Assembly Instructions - Please keep for future reference

600/5580

600/5597

600/5607



## Dimensions

Width - 40cm  
Depth - 53cm  
Height - 100cm

**Important** – Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the **Customer Helpline: 08456 400800**



# Safety and Care Advice

**Important – Please read these instructions fully before starting assembly**

- Check you have all the components and tools listed on page 2.

- Remove all fittings from the plastic bags and separate them into their groups.

- Keep children and animals away from the work area, small parts could choke if swallowed.

- Make sure you have enough space to layout the parts before starting.

- Do not stand or put weight on the product during assembly, this could cause damage.

- Assemble the item as close to its final position (in the same room) as possible.

- Assemble on a soft level surface to avoid damaging the unit or your floor.

- Parts of the assembly will be easier with 2 people.



- We do not recommend the use of power drill/drivers **for inserting screws**, as this could damage the unit. Only use hand screwdrivers.

- Dispose of all packaging carefully and responsibly.

- Maximum safe weight of user : 100 kgs.

## Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.


- From time to time check that there are no loose screws on this unit.

- This product should not be discarded with household waste. Take to your local authority waste disposal centre.


# Components - Parts

If you have damaged or missing components, call the **Customer Helpline: 08456 400800**


Please check you have all the panels listed below




**1** Chair back x 1



**2** Seat x 1



**3** Leg x 2



**4** Side stretcher rail x 2




**5** Front stretcher rail x 1

# Components - Fittings

Please check you have all the panels listed below

**Note** :The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.



**A** Bolt x 8



**B** Spring washer x 8



**C** Washer x 8



**D** Wood dowel x 2



**E** Screw x 6



**F** Allen key x 1




# Assembly Instructions

## Step 2

**a:** Fit the front stretcher rail **5** to the front legs. Screw in screw **E** into the pre-drilled holes on the front stretcher rail **5**.


**a:**



**b:** Attach legs **2** to front corners of the seat frame. Use bolts **A** with spring washers **B** and washers **C** into each 2 holes in the front corners. Tighten bolts with allen key **F**.

Screw in screw **E** into the pre-drilled holes on the front stretcher rail **5** using screwdriver.

**b:**




# Assembly Instructions


## Step 3

**Note :** Stand the chair on a level floor.

**a:** Tighten all bolts.




**b:**




**b:** Sit on the chair to level the legs.

**c:** After sitting test, re-tighten bolts again, if adjustment needed.



**d:** Highly recommend to re-tighten all the bolts again after using the chair for 7 days.

**Note :** Please keep Allen key to re-tighten all bolts again when required.



If you need help or have damaged or missing parts, call the **Customer Helpline: 0845 6400800**