

Serie | 6, Built-under freezer, 82 x 59.8 cm, flat hinge GUD15AFF0G





Included accessories

1 x ice cube tray

Optional accessories

KFZ10AX0: KUZ20SX0:

The freezer with 3 transparent freezer drawers and SuperFreezing: freezes new items placed inside even faster.

- An audible alarm system signals the door is open
- SuperFreezing: Protects frozen food from defrosting.

Technical Data

Energy Efficiency Class: F

Average annual energy consumption in kilowatt hour per year

(kWh/a): 224 kWh/annum

Sum of volume of frozen compartments: 106 l

Airborne acoustical noise emissions: 38 dB(A) re 1 pW

Airborne acoustical noise emission class: C

Product category: Upright freezer Construction type: Built-in Frost free system: No Climate class: SN-ST

Door panel options: Possible but accessory

Width of the appliance: 598 mm Depth of the product: 548 mm

Dimensions of the packed product (HxWxD): 890 x 620 x 670

mm

Warning signal / malfunction: visual and audible

Defrost process: manual

Cover door installation system: Fixed-mounted

Number of drawers/baskets (Stck): 3 Number of freezing flaps (Stck): 0

Lockable door: No

Thermometer freeze section: Analog

Light: No

Length of electrical supply cord: 230 cm

Door hinge: Right reversible Net weight: 36.7 kg Gross weight: 39.7 kg Multi-Flow Air Tower: No Number of compressors: 1

Number of independent cooling systems: ${\bf 1}$

Economy setting: No Fast freezing switch: Yes

Door bin adjustability - Freezer: No Tilt-out door bins in freezer: No Door bin adjustability - Freezer: No

Reversible Door Hinge: Yes Connection rating: 90 W Fuse protection: 13 A Frequency: 50 Hz

Approval certificates: CE, VDE Main colour of product: N/A

Door panel options: Possible but accessory

Installation type: Built-under Noise level: 38 dB(A) re 1 pW Energy Star Qualified: No Approval certificates: CE, VDE

Plug type: GB plug

Required cutout/niche size for installation (in): x x Dimensions of the packed product: $35.03 \times 26.37 \times 24.40$

Net weight: 81.000 lbs Gross weight: 87.000 lbs





Serie | 6, Built-under freezer, 82 x 59.8 cm, flat hinge GUD15AFF0G

The freezer with 3 transparent freezer drawers and SuperFreezing: freezes new items placed inside even faster.

Included accessories

- KFZ10AX0, KUZ20SX0

Functions

- Combined to Fridge/Freezer combination

Design features

- Fixed hinge
- Mechanical control
- Freezer malfunction warning signal: optical and acoustical warning system
- SuperFreezing function with automatic deactivation

Food freshness system

- 3 freezer drawers

Dimension and installation

- Dimensions: 82 cm H x 59.8 cm W x 54.8 cm D
- Niche Dimensions: 82 cm H x 60 cm W x 55 cm D

Key features - Fridge section

- Right hinged door, door reversible
- Connection value 90 W
- **-** 220 240 V

Key features - Freezer section

- GUD15AFF0G

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Design features


Dimension and installation

Performance and Consumption

- EU19_EEK_D: F
- Total Volume: 106 l
- Net Freezer Volume : 106 l
- Freezing capacity 24h : 7.4 kg
- Annual Energy Consumption: 224 kWh/a
- Climate Class: SN-T
- Noise Level : 38 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 10 H




Serie | 6, Built-under freezer, 82 x 59.8 cm, flat hinge GUD15AFF0G



Space for electrical connection next to the appliance on the left or right-hand side. Ventilation space in the base.

measurements in mm

measurements in mm Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.

