

N 50, Built-in oven, 60 x 60 cm, Stainless steel  
B1ACE4HNOB



COOKING PASSION SINCE 1877



A



Neff CircoTherm® - the unique hot-air system for simultaneous baking and roasting on up to 3 levels.

- ✓ CircoTherm® – Smart hot-air solution that lets you bake on up to three levels at once.
- ✓ LCD-Display – simple, straightforward with large characters for clear reading
- ✓ Cliprails – Place dishes exactly where you want them in your oven.

#### Features

##### Technical Data

Gross weight : 34.4 kg  
 Color / Material Front : Stainless steel  
 Construction type : Built-in  
 Integrated Cleaning system : Catalytic partial, Hydrolytic  
 Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm  
 Dimensions : 595 x 594 x 548 mm  
 Dimensions of the packed product (HxWxD) : 675 x 690 x 660 mm  
 Control Panel Material : Glass  
 Door Material : Glass  
 Net weight : 32.3 kg  
 Usable volume of cavity : 71 l  
 Cooking method : Conventional heat, Full width grill, Hot Air, Hotair gentle, Hot air grilling, Pizza setting  
 First cavity material : Other  
 Number of interior lights : 1  
 Approval certificates : CE, VDE  
 Length of electrical supply cord : 120 cm  
 Interior Lights - cavity 1 : 1  
 Ease of access : Clip rails  
 Clock function : Alarm, Off, On  
 Included accessories : 2 x combination grid, 1 x universal pan  
 Broil Element Wattages cavity 1 : 2700 W  
 Convection Element Wattages cavity 1 : 1600 W  
 Energy efficiency rating : A  
 Energy consumption per cycle conventional (2010/30/EC) : 0.97 kWh/cycle  
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.81 kWh/cycle  
 Energy efficiency index (2010/30/EC) : 95.3 %  
 Connection rating : 2990 W  
 Fuse protection : 13 A  
 Voltage : 220-240 V  
 Frequency : 60; 50 Hz  
 Plug type : no plug  
 Color / Material Front : Stainless steel  
 Alternative colors available : B1ACE4HW0B  
 Energy input : Electric  
 Approval certificates : CE, VDE  
 Required cutout/niche size for installation (in) : x x  
 Dimensions of the packed product : 26.57 x 25.98 x 27.16  
 Net weight : 71.000 lbs  
 Gross weight : 76.000 lbs  
 Length of electrical supply cord : 120 cm  
 Net weight : 32.3 kg

#### Optional accessories

Z11AB15A0 : Baking tray, non-stick ceramic coated , Z11AU15A0 : , Z11CB10E0 : Baking tray, grey enamelled , Z11CR10X0 : Baking and roasting grid (standard) , Z11CU10E0 : , Z11GT10X3 : Glass roasting dish, 5,4l , Z11TE25X0 : , Z11TF25X0 : , Z11TF36X0 : 3 level telescopic rails, full ext , Z11TI15X0 : Cliprails , Z11TJ25X0 : , Z11TJ35X0 : , Z1352X0 : , Z13CV05S0 : Cover Strip , Z1913X0 : Baking Stone



4 242004 225034

N 50, Built-in oven, 60 x 60 cm, Stainless steel  
B1ACE4HNOB



COOKING PASSION SINCE 1877

## Features

### Design

- LCD Display (White)
- Bar handle
- 4 shelf positions
- Cavity inner surface: enamel grey

### Features

- Control panel lock
- Heating up indicator  
Automatic start
- Interior halogen light

### Cleaning

- EcoClean Direct : back panel
- EasyClean

### Programmes/functions

- Oven with Multifunction oven with 6 cooking functions: heating methods: CircoTherm®, Top/bottom heat, Circo-roasting, Full surface grill, CircoTherm® intensive, CircoTherm® gentle
- Cooling fan

### Accessories

- 1 Clip rail, Stop function
- 1 x universal pan, 2 x combination grid

### Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A  
Energy consumption per cycle in conventional mode:0.97 kWh  
Energy consumption per cycle in fan-forced convection mode:0.81 kWh  
Number of cavities: Main cavity Heat source: electrical Cavity volume:71 litre
- Total connected load electric: 2.99 KW
- 120 cm Cable length
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 50, Built-in oven, 60 x 60 cm, Stainless steel  
 B1ACE4HNOB



COOKING PASSION SINCE 1877

Dimensioned drawings

