
WOW CUBES SMALL SIDEBOARD

Assembly Instructions - Please keep for future reference

146/3426

183/9191

170/4941



Dimensions

Width - 79cm

Depth - 34cm

Height - 79cm

Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800



Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on page 2 and 3.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- Do not stand or put weight on the panels during assembly, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor
- Parts of the assembly will be easier with 2 people.



 We do not recommend the use of power drill/driver for inserting screws,

as this could damage the unit. Only use hand screwdrivers.

 Dispose of all packaging carefully and responsibly.

Glue safety - Take care when using glue, please follow the advice below

Skin contact: Remove contamination by washing with soap and water. This produre should also be followed prior to eating and drinking.

Eye contact: Rinse immediately with clean water for 15 minutes and seek medical advice.

If swallowed: Seek medical advice immediately. If possible show product information or label to the medical advisor.


Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.

Components - Panels

Please check you have all the panels listed below



19 Drawer support (28.6 x 5cm)



Components - Fittings

If you have damaged or missing components, call the **Customer Helpline: 08456 400800**

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

	1	
A Company	B	C S
Locking pin x 6	12mm Locking nut x 4	9mm Locking nut x 2
0	6 • • • • • • • • • • • • • • • • •	6
30mm Dowel x 30	57mm Screw x 10	20mm Small dowel x 4
G	(1)	0 0 0 0 0 0
30mm Small dowel x 2	31mm Screw x 4	Drawer runner x 1 set
		0
12mm Screw x 10	Hinge x 4	Plastic fastener x 8
		O <000 (%)
16mm Screw x 8	Glue x 2	15mm Screw x 16
	0	R (Attition
Shelf support x 4	Plastic plug x 6	15mm Screw x 2
S		
WALL STRAP X 2		

Tools required

Phillips screwdriver (medium & large)

Flatblade screwdriver (medium)



7mm Masonry drill bit (for use with wall plug)




Small hammer

Ruler/tape measure

Eye protection (when using a hammer or glue)

Ruler - Use this ruler to help correctly identify the screws





Step 1

Fitting drawer runner

a: Use screws 1 to fix drawer runners 1 onto the left side 12 and right side 13.



Caution:


Always check the assembly method is correct before applying glue.


b: Place a small amount of glue \(\mathbb{N} \) into the dowel holes. Insert dowels \(\mathbb{D} \) into left side \(\frac{12}{2} \) and right side \(\frac{13}{3} \).




Fitting the middle panel

a: Place a small amount of glue \(\mathbb{N} \) into the dowel holes. Insert dowels \(\mathbb{D} \) into the middle rail \(\frac{3}{2} \) and support rail \(\frac{4}{2} \).








Step 2 - continued

b: Place a small amount of glue into the dowel holes. Attach support rail and middle rail 3 together.

b:




Step 3


Fitting the side

a: Place a small amount of glue into the dowel holes. Attach middle rail 3 and back support 5 and the left side 12 together with screws 6, using the screwdriver to tighten.

a:




b: Place a small amount of glue into the dowel holes. Attach right side 13 and assembled unit together with screws , using the screwdriver to tighten.



Step 3 - continued

c: Slide back panel 6 into the back grooves of the unit as shown.

C:




Step 4

Fitting the bottom


a: Place a small amount of glue \(\) into the dowel holes. Attach the bottom panel \(\) and assembled unit together with screws \(\), using a screwdriver to tighten.

a:



b: Place a small amount of glue **\(\)** into the dowel holes. Insert dowels **\(\)** into base **\(\)** and base side **\(\)**.






Step 4 - continued


C:

C: Place a small amount of glue into the dowel holes. Attach the base 8 and base side 9 together as shown.



d: Place a small amount of glue **n** into the dowel holes. Attach the base panel unit to the bottom panel as shown.


d:




Step 5

Fitting the top panel

a: Screw locking pins A into top panel 1. Insert locking pins as far as shown.






Step 5 - continued

b: Carefully place the table top panel 1 onto the unit.

Insert locking nuts **B** into left side **12** and right side **13**, then use a screwdriver to turn locking nuts **B** clockwise to lock.

b:



Step 6


Fitting the shelve

a: Place shelf supports **!** into the unit.

NOTE: Adjust the shelf supports to the desired height.

Slide shelf 7 into the unit.


a:



Step 7

Fitting the doors


a: Attach big bend hinges to left door 10 and right door 11 with screws ousing a screwdriver to tighten.



Step 7 - continued

b: Attach left door 10 and right door 11 to the assembled unit with screws **①** using a screwdriver to tighten.

b:




Step 8

Fitting the drawer

a: Use screws tho fix drawer left 17 and drawer right 18 onto the drawer back 15 together.

Place a small amount of glue into the dowel holes. Use dowels to fix the bottom panel onto the unit.


Insert dowels **G** into left side 17 and right side 18.




Step 8 - continued


b: Slide drawer bottom 19 into the unit.





C: Screw the locking pins into the drawer front I14. Insert locking pins as far as shown.








d: Attach drawer front 14 onto the unit.

Insert locking nuts **©** into the unit, then use a screwdriver to turn locking nuts clockwise to lock.










e:Attach drawer runners **1** and the drawer unit together with screws **1**.

e:



Step 9

Finish the unit

a: Slide the drawer into the unit.

Use plastic plugs **②** to cover the screw holes.

b: Insert plastic fasteners into the back panel grooves and secure with screws , tighten with a screwdriver.

Use the screw **R** to fix wall straps **S** to the back of the top panel.

Secure the other ends of strap to the wall using appropriate screws, washers and wall plugs for your wall type.

WARNING:


Ensure the area to be drilled is free from hidden electrical wires and water or gas pipes.

NOTE:


Wall fixings are not included. Please source suitable wall fixings for your wall type, if in doubt consult a qualified tradesperson.

Assembly is complete.

a:







If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800

A Guide to - Wall Mounting & Fixings

Important note:

If plastic wall plugs are supplied with your product:



- these are only suitable for use in masonry walls.

If you are in any doubt about the correct wall plugs for your wall, seek professional advice.

Failure of the product due to using incorrect fxings is the responsibility of the installer.



Important: When drilling into walls always check that there are no hidden wires or pipes etc.

Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualifed tradesperson if you are unsure.


Hints:

- 1: **General rule**: Always use a larger screw and wall plug if you are not sure.
- 2: Ensure you use the recommended drill bit to match the wall plug and hole size.
- **3**: Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.
- **4**: Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid the tiles splitting or cracking.
- **5**: Ensure wall plugs are well ftted and are a tight ft in the drilled hole.

Types of walls


You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone or wood.

No.1 "General Purpose" wall plug




Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general purpose wall plugs can be used.

No.2 "Plasterboard" wall plug




For use when attaching light loads on to plasterboard partitions.

No.3 "Cavity Fixing" wall plug



For use with plasterboard partitions or hollow wooden doors


No.4 "Cavity Fixing-Heavy Duty" wall plug



For use when fitting or supporting heavy loads such as shelving, wall cabinets and coat racks.


Safety: Always check the ftting and location to ensure your safety in and around the home.

No.5 "Hammer Fixing" wall plug



For use with walls stuck with plasterboard. The hammer fxing allows it to be fxed to the wall rather than the plasterboard. Always check the fxing is secure to the retaining wall.

No.6 "Shield Anchor" wall plug Heavy loads



For use with heavier loads such as TV & HiFi speakers and satelite dishes etc.



Fitting: From time to time check the ftting to ensure the wall plugs or screws do not become loose.