Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Home

Supplier's address: -

Model identifier: 3123939

Type of light source:


Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	LED				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	No		
Product parameters					

rioduct parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
	nption in on- 00 h), rounded st integer	2	Energy efficiency class	G	
indicating if it re in a sphere (36	us flux (фuse), efers to the flux 60º), in a wide n a narrow cone	110 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 000	
On-mode power (P _{on}), expressed in W		2,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	83	
Outer	Height	500	Spectral power	See image	
dimensions	Width	400	distribution in the	in last page	
without	Depth	30	1		

separate control gear, lighting control parts and non- lighting control parts,		range 250 nm to 800 nm, at full-load	
if any (millimetre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,321 0,347
Parameters for LED and OLED lig	ht sources:	· · ·	
R9 colour rendering index value	6	Survival factor	0,90
the lumen maintenance factor	0,96		
(a),			

(a)_{'-'} : not applicable;

(b)'-' : not applicable;



Colorimetric Parameters

Chromaticity Coordinate: x = 0.3212 y = 0.3471 / u' = 0.1970 v' = 0.4789 (duv=8.05e-03) CCT= 5992K Prcp WL: Ld=507.4nm Purity=3.7% Peak WL: Lp=451nm FWHM: =22.7nm Ratio:R=13.8% G=80.9% B=5.4%

Render In	ndex: Ra = 8	83.3					
R1 =81	R2 =88	R3 =93	R4 =82	R5 =81	R6 =84	R7 =89	
R8 =69	R9 =6	R10=71	R11=81	R12=58	R13=83	R14=96	R15=75