4 Drawer Chest



Dimensions

Width - 75cm

Depth - 40cm

Height - 74.5cm



Important - Please read these instructions fully before starting assembly

If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800

A Safety and Care Advice

Important - Please read these instructions fully before starting assembly

- *Warning:* This unit weighs approximately 26kgs. Please lift with care.
- Check you have all the components and tools listed on pages 2 and 3.

• Remove all fittings from the plastic bags and separate them into their groups.

- Keep children and animals away from the work area, small parts could choke if swallowed.
- Parts of the assembly will be easier with 2 people.

• Make sure you have enough space to layout the parts before starting.

- Do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor (use opened out unit carton).



• We do not recommend the use of power drill/drivers *for inserting screws*,

as this could damage the unit. Only use hand screwdrivers.

- **Safety note:** If there is any chance of this unit being pulled over by children etc. it is recommended that the unit is secured to a wall using suitable fixings (not supplied).
- Dispose of all packaging carefully and responsibly.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Note: If required the next page can be cut out and used as reference throughout the assembly. Keep this page with these instructions for future reference.



Components - Fittings

Please check you have all the fittings listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.





Step 1

Prepare the drawer fronts

Screw 2 metal dowels **B** into the holes shown on the back of each drawer front **6**.

Note: Tighten metal dowels up fully against the panels.

Step 2

Prepare the drawer sides

Insert a small locking nut **D** into the hole shown on the left drawer side **7** and right drawer side **8**.

Note: Arrow on locking nut **must** point towards hole in edge of panel.

Step 3

Attach the drawer sides to the drawer front

Push the left drawer side 7 and right drawer side 8 onto the back of the drawer front 6.

Turn the small locking nuts **D** on the left drawer side **7** and right drawer side **8**.

Note: Turn the locking nuts **D** clockwise to secure panels - more than 1/2 a turn.



Note: Due to the manufacturing process, the holes for the locking nut can be on either surface of the drawer sides.





Note: The locking nuts can be on either surface of the drawer sides. Make sure that the small groove is on the inside, as shown.

Step 4

Fit the drawer base

Slide the drawer base **10** down the grooves in the drawer sides **7** and **8** and down into the groove in the drawer front **6**.

Step 5

Fit the drawer back

Fit the drawer back 9 between the drawer sides 7 and 8.

Make sure that the drawer base **10** fits into the groove in the drawer back **9**.

Hold the drawer back **9** in position and tap the knock-in pegs **0** through the holes in the drawer sides **7** and **8**.

Step 6

Attach the handles

Attach a handle **1** to each drawer front **6** using 2 screws **1 b**.

Step 7

Fit the wedgefixes

Turn the drawer assemblies over and slide 2 wedgefixes into the front and back grooves, as shown, and tighten up the screws.



Step 8

2nd screw **F**.

1.

into the left side 1.

Note: Wooden dowels must not stick out from the edge by more than 10mm or they may damage other panels.

Screw 2 metal dowels B into the left side 1.

Prepare the left side

a: Place 4 runners H on left side **1**. Slide back top of runner and use 2nd hole from the front to fit 1st screw **F**.





6

Step 9

Prepare the right side

a: Place 4 runners (f) on right side 2. Slide back top of runner and use 2nd hole from the front to fit 1st screw (F).



b: Slide runner back the other way and use 2nd hole from the back to fit 2nd screw **F**.





C:

Tap a wooden dowel **A** into the right side **2**.

Screw 2 metal dowels **b** into the right side **2**.



Step 10

Prepare the 2 rails

Insert 2 large locking nuts **()** into the holes in the 2 rails **(4)**.

Tap 1 wooden dowel A into each end of the 2 rails 4.



Step 11

Fit the 2 rails

Push the 2 rails **4** onto right side **2** as shown.

Use a screwdriver to tighten the 2 large locking nuts **G** fitted to the 2 rails.

Note: Turn the large locking nuts **G** as far as they will go - more than 1/2 a turn.



Step 12

Fit the left side

Fit the left side **1** to the 2 rails **4**.

Use a screwdriver to tighten the 2 large locking nuts \bigcirc fitted to the 2 rails \bigcirc .

Note: Turn the large locking nuts **O** as far as they will go - more than 1/2 a turn.

Stand the unit up.



Step 13

Prepare the top

Screw 2 metal dowels **B** into the top **3**.

Note: Tighten metal dowels up fully against the panel.



Step 14

Fit the top

Lower the top **3** onto the side panels 1 and 2.

Use a screwdriver to tighten the 2 large locking nuts C fitted to the inside of the left side **1** and right side **2**.

Note: Turn the large locking nuts **C** as far as they will go - more than 1/2 a turn.

Lay the unit down onto its front again.

Step 15

Fit the back and plastic nails

a: Square up the unit by making sure that measurement **x to x** equals y to y.

b: Place the foldy back **5** onto the unit.

Nail **E** around the outside edges of the back 5.

Note: Nails should be spaced about 150mm apart.

Tap 2 plastic nails K into the bottom edge of each of the sides 1 and 2.

Stand the unit up for the next step.

Warning: The unit is heavy. Lift with care.



The measurement from top corner X to bottom corner X must be a: equal to the measurement from top corner Y to bottom corner Y



Step 16

Fit the drawers

Starting with the bottom drawer, slide both the runners (forward and locate the drawer sides 7 and 8 between them, lining up the holes in the drawer wrap with the 2nd 'threaded' holes in the runners (f).

Working from the inside of the drawer, insert 2 screws G through the drawer sides and out into the 2nd threaded hole in the runner H.

Note: Do not overtighten the screws **G**. If they catch on the runner you may need to loosen them slightly.

Assembly is complete



Warning: The unit is heavy. Lift with care.



If you need help or have damaged or missing parts, call the Customer Helpline: 08456 400800 and quote the reference numbers on the component pages. Argos Ltd, 489-499 Avebury Boulevard, Central Milton Keynes, MK9 2NW