

Series 6, Built-in double oven MBA5785S6B



A

The built-in double oven with meatprobe and AutoPilot: automatically prepares your dishes to the point of doneness you like.

- **Meatprobe:** measures the optimal core temperature of the roast.
- **AutoPilot 30:** Perfectly cooks dishes thanks to 30 pre-set automatic programmes.
- **Pop-out controls:** Make the front of the oven easy to clean and give it a sleek look.
- **Cooking tips:** Access food trends and cooking advice via the Home Connect app.
- **Home Connect takes the guesswork out of cooking new recipes**

Technical Data

Installation type: Built-in
 Dimensions: 888 x 594 x 550 mm
 Dimensions of the packed product (HxWxD): 960 x 660 x 690 mm
 Control Panel Material: Stainless steel
 Door Material: Glass
 Net weight: 60.0 kg
 Usable volume of cavity: 71 l
 Cooking method: Defrost, Full width grill, Hotair gentle, Hot Air, Conventional heat, Pizza setting, low temperature cooking, Hot air grilling, warming
 Oven control: electronic
 Number of interior lights: 1
 EAN code: 4242005185238
 Energy efficiency rating: A
 Energy consumption per cycle conventional (2010/30/EC): 1.02 kWh/cycle
 Energy consumption per cycle forced air convection (2010/30/EC): 81 kWh/cycle
 Energy efficiency class (2010/30/EC) - cavity 2: B
 Energy consumption per cycle conventional - cavity 2 (2010/30/EC): 83 kWh/cycle
 Energy efficiency index (2010/30/EC): 95.3 %
 Energy efficiency index cavity 2 (2010/30/EC): 120.3 %
 Connection rating: 6300 W
 Fuse protection: 32 A
 Voltage: 220-240 V
 Frequency: 50 Hz
 Plug type: no plug (electrical connection by electrician), fixed connection
 Included accessories: 3 x combination grid, 1 x universal pan

Optional accessories

HEZ327000	Pizza stone
HEZ531010	Baking tray, non-stick ceramic coated
HEZ532010	Universal pan, non-stick ceramic coated
HEZ538000	1fold telescopic rail, level independent
HEZ634000	Baking and roasting grid (standard)
HEZ664000	Baking and roasting grid (steam)
HEZ915003	Glass roasting dish, 5,4 L
HZ629070	Air Fry & Grill tray
HZ638000	Full ext rails, level independent



Series 6, Built-in double oven MBA5785S6B

The built-in double oven with meatprobe and AutoPilot: automatically prepares your dishes to the point of doneness you like.

Design

- LCD-display control (white)
- Interior halogen light, Light on/off when oven door opened/closed
- Rotary dial, Retractable control dials, round
- Straight bar handle

Features

- Home Connect ready
- Electronic door lock
- Control panel lock Automatic safety switch off Residual heat indicator Door contact switch
- Digital temperature display with proposal
- Automatic start Heating-up indicator AutoPilot Temperature probe
- Electronic clock timer

Top oven additional features

- Cavity volume: 34 litre capacity
- Full glass inner door
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: Drop down oven door

Main oven additional features

- Pyrolytic Cleaning in top oven
- Cavity volume: 71 litre capacity
- Full glass inner door
- AutoPilot, 30
- Single-point meat probe
- 5 shelf positions
- Door hinge big cavity: Drop down door

Top oven

- Oven with 4 heating methods: conventional top/bottom heat, Large-area grill, Small area grill, bottom heat
- Temperature range 30 °C - 275 °C

Main oven

- Oven with 9 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, pizza function, low temperature cooking, defrost, keep warm, Hotair gentle
- Temperature range 30 °C - 275 °C
- Fast pre-heating function

Cleaning

- Pyrolytic self-cleaning function

Accessories

- 3 x combination grid, 1 x universal pan
- 1 set of level independent telescopic rails, Stop function

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)

- Energy consumption per cycle in conventional mode:0.83 kWh
- Number of cavities: Top Cavity Heat source: electrical
- Energy efficiency rating (acc. EU Nr. 65/2014): B(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.83 kWh
- Energy consumption per cycle in fan-forced convection mode:0.81 kWh
- Number of cavities: Main Cavity Heat source: electrical
- Total connected load electric: 6.3 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxh): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxh): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

