Components

Floating Shelf

Simple Assembly Instructions - Please keep for future reference

Al x Shelf



B 1 x Support (pre-fixed in the shelf)



Fittings









IMPORTANT

4-04

- 1. Read these instructions carefully and familiarise yourself with the procedure before assembling the unit.
- 2. Check that you have all the component parts following the list on the back cover and familiarise yourself with each part before proceeding.
- *3. Take all the fittings out of the plastic bag and separate them into their groups.*
- 4. Ensure you have enough sp ace to lay out all the parts before assembly.
- 5. To avoid scratching it is recommended that you assemble the unit on a soft level surface.



Assembly Instructions

Assembly Instructions

Stage 1 - Wall Mounting

Stage 2 - Finishing the Unit



Cleaning

As with all surfaces clean with a damp cloth and mild detergent, do not use bleach or abrasive products.

Fitting

From time to time please ensure there are no loose screws on the product.



A Guide to

A Guide to

Wall Mounting & Fixings

Wall Mounting & Fixings

IMPORTANT:

When drilling into walls always check that there are no hidden wires or pipes etc. Make sure that the screws and wall plugs being used are suitable for supporting your unit. Consult a qualified tradesperson if you are unsure.



HINTS:

- 1) General Rule 🗥 Always use a larger screw and wall plug if you are not sure.
- 2) Ensure you use the recommended drill bit to match the wall plug and hole size.
- 3) Ensure you drill the hole horizontally, do not force the drill or enlarge the hole.
- 4) Take extra care when drilling high walls, ceilings and ceramic tiles. Ensure the plug is fitting below the ceramic tile to avoid splitting or cracking.
- 5) Ensure wall plugs are well fitted and are a tight fit in the drilled hole.

Types Of Walls

You can use one of the following types of wall plug if your walls are made of brick, breeze block, concrete, stone, wood or plaster board.

No.1 "Standard" Wall Plug General Wall Materials



These come in various sizes and are made from plastic or sometimes wood fiber.

No.2 "General Purpose" Wall Plug Aerated / Breeze Block

Generally aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, a General Purpose Plug can be used. No.3 "Shield Anchor" Wall Plug Heavy Loads



For use with heavier loads such as TV & HiFi Speakers and Satellite Dishes etc.

No.4 "Cavity Fixing" Wall Plug



For use with plaster board partitions or hollow wooden doors.

No.5 "Cavity Fixing - Heavy Duty" Wall Plug



For use when fitting or supporting heavy loads such as shelving, wall cabinets, coat racks.

No.6 "Hammer Fixing" Wall Plug



For use with walls stuck with plaster board. The hammer fixing allows it to be fixed to the wall rather than the plaster board. Always check the fixing is secure to the retaining wall.

CARE & MAINTENANCE



Always check the fitting and location to ensure your safety in and around the home.



From time to time check the fitting to ensure the wall plugs or screws do not become

loose.