

# Series 4, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HQA534BS3B





## Included accessories

2 x combination grid 1 x universal pan

## **Optional accessories**

# Perfect results: Hotair Steam for delicious baking results.

- Added Steam Function: by adding steam, baked food turn out crispy on the outside and fluffy on the inside.
- **Hotair Steam:** food turns out crispy on the outside and juicy on the inside.
- **LED-display control, red:** easy-to-use thanks to the time functions.
- **3D Hotair:** even heat distribution for perfect results on up to three levels.
- **Pop-out controls:** Make the front of the oven easy to clean and give it a sleek look.

# Technical Data

Gross weight : 38.5 kg Built-in / Free-standing : Built-in Integrated Cleaning system : CGV R65 BO, Hydrolytic Min. required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm Dimensions : 595x594x548 mm Dimensions of the packed product (HxWxD) : 675 x 660 x 690 mm Control Panel Material : Stainless steel Door Material : Glass Net weight : 36.4 kg Usable volume of cavity : 71 l Number of interior lights : 1 Length electrical supply cord : 120.0 cm Interior Lights - cavity 1 : 1 Pull-out system : Accessory Included accessories : 2 x combination grid, 1 x universal pan Broil Element Wattages cavity 1 : 2700 W Convection Element Wattages cavity 1 : 1600 W Energy efficiency class (2010/30/EC) : A+ Energy consumption per cycle conventional (2010/30/EC) : 0.94 kWh/cycle Energy consumption per cycle forced air convection (2010/30/ EC): 0.69 kWh/cycle Energy efficiency index (2010/30/EC) : 81.2 % Connection Rating : 2800 W Fuse protection : 13 A Voltage : 220-240 V Frequency : 50; 60 Hz Plug type : No plug (electrical connection by electrician) Energy input : Electric Required cutout/niche size for installation (in) : x Dimensions of the packed product : 26.57 x 25.98 x 27.16 Net weight : 80.000 lbs Gross weight : 85.000 lbs Length electrical supply cord : 120.0 cm Net weight : 36.4 kg





# Series 4, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HQA534BS3B

# Perfect results: Hotair Steam for delicious baking results.

#### Type of oven / heating system:

- Oven with 8 heating methods: 3D Hotair, Conventional heat, Hot air grilling, Full width grill, Pizza setting, Bottom heat, Hotair gentle, Hotair steam
- Temperature range 50 °C 275 °C
- Cavity volume: 71 l

# Hook-in racks / rails

- Number of shelf levels: 5 PC
- Telescopic shelf rails as optional accessory

# Design:

- Rotary Control, Pop-out controls
- Cavity inner surface: enamel
- Extra large capacity oven

#### Cleaning:

- EcoClean Direct: coating of back panel
- Cleaning Assistance (manually)
- Full glass inner door

#### Comfort:

- LED-display control (red)
- Electronic clock
- automatic start
- Heating-up control
- Bar handle
- Fast preheat
- Halogen interior lighting
- Water bowl with a volume of 250 ml
- Integral cooling fan

#### Accessory:

- 2 x combination grid, 1 x universal pan

## **Environment and Safety:**

- Low door temperature
- Triple glazed door glazed CoolTouch door
- Child lock

# **Technical Information**


- Length of mains cable: 120 cm
- Nominal voltage: 220 240 V
- Total connected load electric: 2.8 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
  Energy consumption per cycle in conventional mode:0.94 kWh
  Energy consumption per cycle in fan-forced convection mode:0.69 kWh
  Number of cavities: 1 Heat source: electrical Cavity volume:71 l


#### Dimensions:

- Appliance dimension (HxWxD): 595 mm x 594 mm x 548 mm
- Niche dimension (HxWxD): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"




Series 4, Built-in oven with added steam function, 60 x 60 cm, Stainless steel HQA534BS3B






measurements in mm

Installation with a hob.



measurements in mm



A: 19.5 mm B: Space for appliance connection 320 x 115 mm