


**Series 6, Gas hob, 75 cm, Tempered glass, Black
PPQ7A6B90**



Optional accessories

- HEZ211310 : Simmer cap
- HEZ298105 : Simmer plate
- HEZ298114 : Small pot support
- HEZ298127 : Wok ring

The tempered-glass gas hob with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- Tilt & Stay legs for easy cleaning of cooktop - 1st in India

Technical Data

Product name/family : gas hob w integrated controls
Built-in / Free-standing : Built-in
Energy input : Gas
Total number of positions that can be used at the same time : 5
Type of control setting devices : sword knobs
Min. required niche size for installation (HxWxD) : 45 x 560-562 x 480-492 mm
Width of the appliance : 752 mm
Dimensions : 58x752x520 mm
Dimensions of the packed product (HxWxD) : 145 x 793 x 597 mm
Net weight : 19.0 kg
Gross weight : 20.5 kg
Residual heat indicator : Without
Location of control panel : Front
Basic surface material : Tempered glass
Color of surface : Black
Color of frame : Black
Length electrical supply cord : 100.0 cm
Knob Material : Plastic
Sealed Burners : No
Power of heating element (kW) : 1 kW
Power of 3rd heating element (kW) : 1.75 kW
Power of 5th heating element (kW) : 3 kW
Connection Rating : 1 W
Gas connection rating : 11500 W
Fuse protection : 3 A
Voltage : 220-240 V
Frequency : 60; 50 Hz
Energy input : Gas
Gas type : Nat gas H/E/(L) 20 (25) mbar
Alternative gas type : Liquid gas G30,31 28-30/37mbar
Plug type : No plug (electrical connection by electrician)
Appliance Dimensions (h x w x d) (in) : x x
Dimensions of the packed product : 5.70 x 23.50 x 31.22
Net weight : 42.000 lbs
Gross weight : 45.000 lbs



Series 6, Gas hob, 75 cm, Tempered glass, Black PPQ7A6B90

**The tempered-glass gas hob with
FlameSelect: achieve perfect cooking
results thanks to nine precisely defined
power levels.**

Design

- Tempered glass hob surface, black
- Flush or slightly raised installation.: install the hob either flush or slightly raised on the worktop
- Cast iron continuous separable pan supports

Usage convenience

- FlameSelect: precisely adjust the flame in nine defined and repeatable levels.
- Sword control knobs: easily access knobs in front with strong grip for effortless turning.
- Automatic ignition: just push and turn the knob to ignite the flame.

Burners and power

- 5 Gas burners
- Left front: Economy burner up to 1 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Center front: Wok burner up to 4 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Right front: Standard burner up to 1.75 KW (depending on gas type)

Safety

- Safety gas cut-off: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: NG H/E 20mbar, E+ 20/25mbar
- Preset for natural gas (20mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 58 x 752 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 492)
- Min. worktop thickness: 30 mm
- Power cord: 1 m
- Connected load: 11.5 KW

**Series 6, Gas hob, 75 cm, Tempered glass,
Black
PPQ7A6B90**

