N 50, Fully-integrated dishwasher, 60 cm S155HCX27G













Optional accessories

Z7710X0	inlet and outlet hose extention
Z780BI01	decorative strips stainless steel 81,5c
Z7860X3	Stainless steel protection set 81,5 cm
Z7863X0	Cutlery basket
Z7863X1	Rack insert for stemware dishwasher
Z7863X8	
Z7865X6	
Z7870X0	Accessories dishwasher
Z7871X0	Silver polishing cassette
Z7880X0	Accessories dishwashers
Z788BI00	Connection rail for divided furniture

The dishwasher with a Flex Cutlery Drawer that's flexible to load and displays the time remaining.

- $\sqrt{}$ Home Connect Add your dishwasher to your home network and enjoy the infinite possibilities of connected services
- $\sqrt{\mbox{ Flex 2 Baskets}}$ Flexible baskets, Rack Matic and Flex Cutlery Drawer offers easy loading solutions
- $\sqrt{\mbox{ Chef 70^{\circ}C}}$ The pro programme that vanishes stubborn residues.
- $\sqrt{}$ TimeLight the time remaining in the programme is projected onto the floor
- $\sqrt{\ }$ Extra Dry: for difficult-to-dry loads select the extra drying option

Features

Technical Data

Energy Efficiency Class : D

Energy Consumption for 100 cycles Eco Programme: 85 kWh

Maximum number of place settings: 14

The water consumption of the eco programme in liters per cycle : 9.5

-

Programme duration: 4:55 h

Airborne acoustical noise emissions : 46 dB(A) re 1 pW

Airborne acoustical noise emission class : C

Cleaning performance : A Water consumption : 9.5 |

Total annual energy consumption 220 days : 205 kWh Total annual water consumption 220 days : 2090 |

Construction type: Built-in
Removable work top: No
Door panel options: Not possible
Height of removable worktop: 0 mm
Height of the appliance: 815 mm
Adjustable feet: Yes - all from front
Maximum adjustability feet: 60 mm
Adjustable plinth: both horizontal and vertical

Net weight: 35.6 kg Gross weight: 37.5 kg Connection rating: 2400 W Fuse protection: 10 A Voltage: 220-240 V Frequency: 50; 60 Hz

Length of electrical supply cord: 175.0 cm

Plug type: GB plug Length inlet hose: 165 cm Length outlet hose: 190 cm Hidden heating element: Yes

Water protection system description : Triple water protection 24h

Child Safety : No Water softener : Yes Top basket type : R3

Adjustable upper basket : Rackmatic 3-stage

Bottom basket type : R3 3rd Rack : 3rd Rack 1.1

Optional accessories : Z7710X0, Z780Bl01, Z7860X3, Z7863X0, Z7863X1, Z7863X8, Z7865X6, Z7870X0, Z7871X0, Z7880X0,

Z788BI00

Number of place settings: 14

Color / Material panel : Stainless steel colour, lacqu. Dimensions of the product (HxWxD) : $815 \times 598 \times 550\,$ mm Dimensions of the packed product (HxWxD) : $880 \times 670 \times 660\,$ mm





Feature:

New for 2021

Performance

- Energy Efficiency Class¹: D
- Energy² / Water³: 85 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration⁴: 4:55 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

Programmes / functions

- \bullet 6 programmes: Eco 50 °C, Auto 45-65 °C , Chef 70 °C, Classic 60 °C, Glass 40 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Power Zone, Extra Speed
- Easy Clean Programme
- Silence on Demand (via app)

Flexible design elements

- Flex 2 baskets with coloured TouchPoints
- Flex Cutlery Drawer loading on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Ball bearing wheels on upper basket
- Low friction wheels on bottom basket
- Anti-slip protection strips in upper basket
- Rack Stopper to prevent derailing of bottom basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf
- Glass rack in bottom basket

Innovations and technology

- Home Connect Wi Fi enabled, for dishwasher control
- Heat exchanger.
- Efficient SilentDrive BLDC motor
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®
- Neff Sparkle glass care system

Design features

- Push button top controls
- Time Light Light projection on the floor
- Aqua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.*
- Self-cleaning filter system with 3 piece corrugated filter
- Acoustic end of cycle indicator, remaining programme time indicator on top edge, water fault indicator
- Time delay (3, 6 or 24 hours)
- Large item spray head, including Steam protection plate
- Stainless steel interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- ¹ Scale of Energy Efficiency Classes from A to G
- ² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- ³ Water consumption in litres per cycle (in programme Eco 50 °C)
- ^⁴ Duration of programme Eco 50 °C
- * Please find warranty terms under https://www.siemens-home.bsh-group.com/uk/customer-service/warranty/additional-warranties



Dimensioned drawings measurements in mm