## Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

## General product parameters:

Parameter	Value		Parameter	Value		
Rated capacity (kg)	Rated capacity	6,0	Dimensions in cm	Height	85	
	Rated washing	10,5		Width Depth	60 59	
	capacity	47,7		Depth	39 A	
Energy Efficiency Index		66,4	Energy efficiency class			
Washing efficiency index		1,031	Rinsing effectiveness (g/kg dry textile)		5,00	
		1.050			4,5	
Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer- dryer, using the eco 40–60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used			Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used		3,05	
Water consumption in litre per cycle, for the eco 40–60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water		41	Water consumption in litre per cycle wash and dry cycle of the househol dryer at a combination of full and h Actual water consumption will depe the appliance is used and on the ha the water	old washer– half loads. end on how		
Maximum temperature inside the treated textile (°C)	Rated washing capacity	27	Weighted remaining moisture			
	Half	23	23 content (%)		52,5	
	Quarter	0				
Spin speed (rpm)	Rated washing capacity	1400	Spin-drying efficiency class	В		
	Half	1400				
	Quarter	1400				
Eco 40–60 programme duration (h:min)	Rated washing capacity	3:59	wash and dry cycle duration (h:min)	Rated capacity	/ 7:59	
	Half	3:00		Half	5:09	
	Quarter	2:40				
Airborne acoustical noise emissions during the spinning phase for the eco 40–60 washing cycle at rated washing capacity (dB(A) re 1 pW)	72		Airborne acoustical noise emission class for the spinning phase for the eco 40–60 programme at rated washing capacity	А		
Туре	Free-standing					
Off-mode (W)	0,49		Standby mode (W)		-	
Delay start (W)	3,95		Networked standby (W)	1,95		
This product has been designed to	o release silv	er ion	s during the washing cycle	No	)	
Additional information:						
http://global.hisense.com/						