

**Series 2, Free-standing dishwasher,
60 cm, Silver inox
SMS2HVI67G**



Optional accessories

SGZ0IC00 :
SGZ1010 : inlet and outlet hose extension
SMZ5100 : Vario-cutlery basket
SMZ5300 : GlassSecure Tray

**Connected dishwasher with noise
reduction at any time via the Home
Connect App.**

- **ExtraDry:** extra drying option for difficult-to-dry loads.
- **Silence Programme:** the quietest way to run your dishwasher.
- **VarioDrawer:** 3rd level loading for cutlery and smaller kitchen utensils.
- **Rackmatic:** even more adjustment options and thus maximum flexibility.
- **Home Connect:** home appliances with smart connectivity for an easier everyday life.

Technical Data

Energy Efficiency Class: D
 Energy Consumption for 100 cycles Eco Programme: 85 kWh
 Maximum number of place settings: 14
 The water consumption of the eco programme in liters per cycle: 9.0 l
 Programme duration: 4:30 h
 Airborne acoustical noise emissions : 46 dB(A) re 1 pW
 Airborne acoustical noise emission class: C
 Cleaning performance: A
 Water consumption: 9.0 l
 Total annual water consumption 220 days: 1980 l
 Built-in / Free-standing: Free-standing
 Removable top: Yes
 Door panel options: Not possible
 Height of removable worktop: 30 mm
 Height of the appliance: 845 mm
 Adjustable feet: Yes - all
 Maximum adjustability feet: 20 mm
 Adjustable plinth: No
 Net weight: 49.5 kg
 Gross weight: 51.0 kg
 Connection Rating: 2400 W
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 175.0 cm
 Plug type: GB plug
 Length inlet hose: 165 cm
 Length outlet hose: 190 cm
 Hidden heating element: Yes
 Child safety devices: Button suspension
 Water softener: Yes
 Top basket type: low
 Adjustable upper basket: Rackmatic 3-stage
 Bottom basket type: low
 3rd Rack: 3rd Rack 1.0
 Optional accessories: SMZ5300, SGZ0IC00, SGZ1010, SMZ5100
 Included accessories 2: no
 Number of place settings: 14
 Color / Material panel: Stainless steel colour, lacqu.
 Color / Material body: Silver inox
 Color / Material top: Stainless steel colour, lacqu.
 Dimensions of the product (HxWxD): 845 x 600 x 600 mm
 Dimensions of the packed product (HxWxD): 880 x 650 x 680 mm



4 242005 468676

Series 2, Free-standing dishwasher, 60 cm, Silver inox SMS2HVI67G

Connected dishwasher with noise reduction at any time via the Home Connect App.

Performance

- Energy Efficiency Class¹: D
- Energy² / Water³: 85 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration⁴: 4:30 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C
- Noise level (silence programme): 45 dB(A) re 1 pW

Programmes / functions

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65°, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Half Load, SpeedPerfect+
- Add-On functions via Home Connect app: Hygiene+, Silence on Demand
- Machine Care

Flexible design elements

- Vario baskets
- VarioDrawer - loading of cutlery on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in bottom basket
- Upper rack cup shelf

Innovations and technology

- Home Connect ready on WLAN
- Heat exchanger - Hygienic and efficient drying
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- AquaSensor III
- AquaMix - Glass protection system

Design features

- Remaining programme time indicator (min)
- Time delay (3, 6 or 24 hours)
- Self-cleaning filter system with 3 piece corrugated filter
- Leak protection system
- Tamperproof controls
- Anti-Fingerprint surface coating
- Stainless steel/Polinox interior
- Dimensions (HxWxD): 84.5 x 60 x 60cm

¹ Scale of Energy Efficiency Classes from A to G


² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C

**Series 2, Free-standing dishwasher, 60 cm,
Silver inox
SMS2HVI67G**

measurements in mm



socket
() values with extension kit