



CUGGL ISIZE HIGHBACK BOOSTER SEAT

care & instruction manual



**For use by children of height ranges from
100 – 150 cm**

**IMPORTANT
RETAIN FOR FUTURE REFERENCE
READ CAREFULLY**

Do not install or use this booster seat until you read and understand the instructions in this manual and in your vehicle owner's manual.

**IF YOU HAVE ANY PROBLEMS, PLEASE DO
NOT RETURN THIS PRODUCT TO THE PLACE
OF PURCHASE. PLEASE CONTACT CUSTOMER
SERVICE BY CALLING 0345 640 2020**

Table of contents

If you need help.....	3
Warnings.....	3
General warnings	3
Usage warnings	5
Injury warnings	6
Vehicle warnings	7
Certifications	7
Airbag warnings.....	8
Damage warnings.....	8
Height limitations	10
Parts list	11
Vehicle seating positions.....	12
Safe vehicle seat belt systems.....	13
Unsafe vehicle seat belt systems.....	14
Assembling/disassembling backrest	15
Preparing booster seat for use	16
Headrest height adjustment.....	16
Securing child and booster seat in vehicle.....	17
Installation	19
Aircraft installation	20
Instruction manual storage	20
Removing/installing fabric seat cover.....	20
Care and maintenance.....	21
Technical specifications.....	21

If you need help

Please fill in the information below for future reference. The model number and manufacturing date can be found on a label on the underside of the booster seat.

Model Number: _____

Manufacture Date: _____

Date of Purchase: _____

Warnings

General warnings

The safety of your child and the effectiveness of this booster seat depend on:

1. **Selecting a suitable location** for the booster seat in your vehicle.
2. **Properly routing the vehicle seat belt.**
3. **Properly securing both your child and the booster seat in the vehicle** using a seat belt designed to restrain both the booster seat and your child. Many seat belts are **NOT** safe to use with this booster seat. Please review the sections "Safe/Unsafe vehicle seat belt systems" carefully. If in doubt about installing this booster seat, consult the vehicle owner's manual or call the Customer Service Department.

FAILURE TO PROPERLY READ, FOLLOW AND USE THESE INSTRUCTIONS AND THE BOOSTER SEAT LABELS INCREASES THE RISK OF SERIOUS INJURY OR DEATH IN A SUDDEN STOP OR CRASH. Your child's safety depends on the proper installation and use of this booster seat. Even if this booster seat seems easy to install and use, it is **VERY IMPORTANT** to read and understand these instructions and the vehicle owner's manual.

NO BOOSTER SEAT CAN GUARANTEE PROTECTION WHEN THE VEHICLE IS SERIOUSLY IMPACTED.

However, when correctly installed, a booster seat will substantially improve the chances for survival and reduce the risk of serious injury in most crashes.

Carefully follow the instructions in this manual and in your vehicle owner's manual. If there is a discrepancy between the two, the vehicle owner's manual must take precedence with regards to seat belts and/or airbags.

! ADULT ASSEMBLY REQUIRED.

! USE THIS BOOSTER SEAT FORWARD-FACING ONLY.

! DO NOT USE THIS BOOSTER SEAT without properly assembling it.

! DO NOT allow children to play with this booster seat.

! NEVER leave children alone in a vehicle under any circumstance.

! It is recommended that children are not left in their Enhanced Child Restraint System unattended.

! Set a good example by **ALWAYS** wearing your seat belt. Make it a firm rule that the vehicle does not move until everyone is buckled up. **MAKE NO EXCEPTIONS.**

! It is advised against loaning a booster seat. **DO NOT USE A SECOND-HAND BOOSTER SEAT** or a booster seat whose history you do not know.

! When disposing a child restraint system, ensure to dispose of the unit in a way others cannot reuse it.

! Store the booster seat in a safe place when not in use. **DO NOT** place heavy objects on top of the booster seat while in storage.

! DO NOT remove any stickers or warnings as they contain important information.

Usage warnings

- ! **ALWAYS** assist your child when getting into and out of the booster seat.
- ! **NEVER** let your child lean on the armrest when getting into or exiting the booster seat to prevent the seat from tipping.
- ! **ENSURE** that the booster seat is level, stable and does not rock side-to-side. If the booster seat is not stable, try another seating location.
- ! **DO NOT ADD ANYTHING BEHIND OR UNDER THE BOOSTER SEAT.**

It is recommended to keep your child in a forward-facing car seat with a harness until they reach the top height or weight limit allowed by your car seat's manufacturer. Once your child outgrows the forward-facing car seat with a harness, it's time to travel in a booster seat, but still in the back seat.

Please study the section "Vehicle seating positions".

- ! **DO NOT** use any load bearing contact points other than those described in the instructions and marked in the child restraint.
- ! **DO NOT** allow others to install or use this booster seat unless they read and understand all the instructions and labels.
- ! **DO NOT GIVE THIS BOOSTER SEAT** to someone else without also giving them this instruction manual.
- ! To ensure proper booster seat use, keep and store this instruction manual and refer to it when necessary.
- ! **DO NOT LEAVE A BOOSTER SEAT UNSECURED IN YOUR VEHICLE.** In a collision or sudden stop, an unsecured booster seat can injure other occupants. Remove it or make sure that it is securely attached to the vehicle with the vehicle's 3-point lap-and-shoulder belt, even when not in use.

Injury warnings

- ! **INJURIES MAY OCCUR EVEN IF YOU ARE NOT IN A CRASH** if the booster seat is not properly installed or if your child is not properly secured in the booster seat.
- ! The rigid items and plastic parts of an Enhanced Child Restraint System shall be so located and installed that they are not liable, during everyday use of the vehicle, to become trapped by a movable seat or in a door of the vehicle.
- ! **DO NOT** leave folding vehicle seats unlatched. In the event of a sudden stop or crash, a loose seat back could prevent the booster seat from protecting the child as well as it should.
- ! The vehicle front seat headrest that the child faces while in the booster seat should be in its lowest position. **ENSURE** that the back of the vehicle seat facing the child is completely padded with no hard or potentially harmful objects.
- ! It is recommended that any luggage or other (loose) objects liable to cause injuries in the event of a sudden stop or collision shall be properly secured as loose objects will keep moving, potentially causing serious injuries.
- ! The Enhanced Child Restraint System shall not be used without the cover. It **MUST** always be used with the fabric cover provided by the manufacturer.
- ! The Enhanced Child Restraint System cover should not be replaced with any other than the one recommended by the manufacturer, because the cover constitutes an integral part of the restraint performance.
- ! **PARTS OF THE BOOSTER SEAT COULD BECOME HOT ENOUGH TO BURN THE CHILD IF LEFT IN THE SUN.** Contact with these parts can injure your child. **ALWAYS** touch the surface of any metal or plastic parts before putting your child in the booster seat. Cover the booster seat with a towel or blanket when the vehicle is parked in direct sunlight. **KEEP AWAY FROM SUNLIGHT, OTHERWISE IT MAY BE TOO HOT FOR THE CHILD'S SKIN.**

Vehicle warnings

- !** **ONLY** use the vehicle's 3-point lap-and-shoulder belt system when restraining a child in this booster seat. **DO NOT** use this booster seat with 2-point vehicle belts (lap-belt only or shoulder-belt only). Your child would be seriously injured in the event of a crash.
- !** **DO NOT** use this booster seat with unsafe vehicle seat belts listed in section "Unsafe vehicle seat belt systems" of this manual.
- !** **DO NOT** use this booster seat if it can't be properly installed. It is possible that your vehicle has no suitable seating position for this booster seat due to seat belt type, and/or airbag system. Read and follow these instructions, and your vehicle owner's manual carefully.

Certifications

1. This is an Enhanced Child Restraint System, intended to use as a Non-integral Universal Enhanced Child Restraint System (i-Size booster seat) from 100-150cm.
2. It is approved to the latest UN Regulation R129/03.

Product Booster seat

Suitable for Child height 100cm-150cm (Reference age 4-12 years)

Installation Forward facing (in vehicle travel direction)

If in doubt, consult either the Enhanced Child Restraint System manufacturer or the retailer.

- !** Only suitable for use in the listed vehicles fitted with 3-point safety-belts.

The Enhanced Child Restraint **IS CERTIFIED** for use in the following classes of vehicles **ONLY**: multi-purpose passenger vehicles, passenger cars, and trucks. Cuggl has also validated compliance through independent laboratory testing.

This restraint is **NOT CERTIFIED** for aircraft use.

This child restraint must **NOT** be used in homes, boats, buses, motorcycles, motor homes, or any other vehicles that have non-forward-facing seats, missing seat belts, or whose seat belts do not meet the requirements of this child restraint.

Airbag warnings

! NEVER PLACE THIS BOOSTER SEAT IN A VEHICLE SEATING LOCATION THAT HAS AN ACTIVE FRONTAL AIRBAG. An inflating airbag may cause serious injury or death. Refer to your vehicle owner's manual for information about airbags and child restraint installation.

This booster seat may be used in a rear seating position equipped with side impact airbags providing they are:

- Roof mounted;
- "Curtain" type deployment;
- Will **NOT** interfere with, impact or in any way reposition the booster seat when inflated.

! If a vehicle's front seat location must be used, ALWAYS disable the airbag. Failure to disable the airbag system can result in serious injury or death. Follow the vehicle owner's manual for instructions on disabling the front airbag system.

Please refer to your vehicle owner's manual for airbag type, and for appropriate use with child restraints.

Damage warnings

! It is recommended that the booster seat should be changed when it has been subject to violent stresses in an accident.

! DO NOT USE A BOOSTER SEAT THAT HAS BEEN IN AN ACCIDENT OF ANY KIND. An accident can cause damage to the booster seat that you cannot see.

! DO NOT use this booster seat if it is damaged in any way or has missing parts.

! NEVER use a cut, frayed or damaged vehicle seat belt.

- ! **DO NOT** tamper with or modify the booster seat, for any reason. Any unauthorised alterations or additions to the device without the approval of the Type Approval Authority can cause serious injury or death in a sudden stop or crash.
- ! **DO NOT** use anything to raise the booster seat off the vehicle seat. Untested modifications, such as adding extra padding, could affect the safety of the booster seat and result in serious injury or death in a crash.
- ! **DO NOT, EXCEPT AS DESCRIBED IN THESE INSTRUCTIONS, MODIFY YOUR BOOSTER SEAT, DISASSEMBLE ANY PART OR CHANGE THE WAY THE VEHICLE SEAT BELTS ARE USED.** This includes any accessories or parts by other manufacturers as non-tested accessories can affect the safety of the booster seat.

Height requirements


It is advised that your child remains in a high-back booster for as long as possible per the height requirements of the child restraint.

! WARNING: DO NOT USE THIS BOOSTER SEAT IF YOUR CHILD DOES NOT MEET ALL THE REQUIREMENTS BELOW.

To use this booster seat, your child **MUST MEET ALL** of the following requirements:

- **Forward-facing:**
between
100 - 150 cm
- **Age:** at least
four (4) years old.
- Shoulder belt
MUST lie across the **MIDDLE**
of the child's shoulder and
chest, and lap portion
MUST be positioned low
across child's hips ①.
- Child's ears **MUST BE**
BELOW the top of the
booster seat ②. If tops of
ears are above the top of
the booster seat headrest,
child is too large for the
booster seat.


! WARNING: Check your
child's height frequently.
DO NOT GUESS.



Parts list

- A. Headrest
- B. Shoulder belt positioning guides
- C. Backrest
- D. Base
- E. Headrest height adjustment handle

Pre-installed: Fabric seat covers and EPE energy-absorbing foam



IF YOU HAVE ANY PROBLEMS, PLEASE DO NOT RETURN THIS PRODUCT TO THE PLACE OF PURCHASE. PLEASE CONTACT CUSTOMER SERVICE BY CALLING 0345 640 2020

Vehicle seating positions

WARNING

FAILURE TO PROPERLY SECURE YOUR CHILD AND THE BOOSTER SEAT IN YOUR VEHICLE INCREASES THE RISK OF SERIOUS INJURY OR DEATH IN THE EVENT OF A SUDDEN STOP OR CRASH.

IMPROPER PLACEMENT OF THE BOOSTER SEAT INCREASES THE RISK OF SERIOUS INJURY OR DEATH.

Some seating positions in your vehicle may **NOT** be safe for this booster seat. Some vehicles have **NO** seating positions which are compatible with this booster seat due to seating surface, seat belt type and/or airbag system. Read and follow these instructions, and your vehicle owner's manual carefully.

Children aged 13 and under **MUST** ride in the rear seats, away from front airbags. The only exception is if the airbags are turned off. When using a booster seat in a vehicle with active airbags, refer to the vehicle owner's manual for additional installation instructions and precautions. For rear seat installation, adjust the front seat forward enough to ensure the child's feet do not hit the backrest of the front seat.



Only use this booster seat in forward-facing vehicle seats. Side-facing or rear-facing seats in vans or trucks **CANNOT** be used.


THE VEHICLE SEAT MUST FACE FORWARD. DO NOT use the booster seat with the following vehicle seats:

- Seats which face sides of vehicle.
- Seats which face rear of vehicle.
- Rear seats of small extended cab pickup trucks.



- The front of the booster seat **MUST NOT** hang over the edge of the vehicle seat by more than 5 cm (2 inches).

Refer to the vehicle owner's manual for child restraint installation instructions for your specific vehicle.



- ! **DO NOT** use this booster seat in a seating position where the vehicle seat belt or seat belt buckle is not easily accessible with the booster seat secured in place.

Safe vehicle seat belt systems


- ! **WARNING:** SEAT BELTS DIFFER FROM VEHICLE TO VEHICLE AND FROM SEATING LOCATION TO SEATING LOCATION WITHIN THE SAME VEHICLE. NOT ALL VEHICLE SEAT BELTS CAN BE USED WITH THIS BOOSTER SEAT. You must determine if your vehicle's seat belts are compatible for use with this booster seat. If you are unsure, consult your vehicle owner's manual or call customer service.

- ! This booster seat is suitable for use in the listed vehicles fitted with 3-point safety-belts.

Review your vehicle owner's manual for vehicle seat belt use with child restraints.

Unsafe vehicle seat belt systems


This booster seat can be installed properly using **MOST** vehicle 3-point lap-and-shoulder seat belts. However, some vehicle seat belts are not safe to use as their anchoring points for the lap belt may not allow for a secure installation. **NEVER** use any unsafe vehicle seat belt systems.



DO NOT USE ANY OF THE FOLLOWING VEHICLE SEAT BELT SYSTEMS WITH THIS BOOSTER SEAT:

! NEVER use a lap-only belt.

! NEVER use a seat belt that does not lock in the event of a sudden stop or crash.



! NEVER use a cut, frayed or damaged vehicle seat belt.


! NEVER use motor driven automatic seat belts.

! NEVER use a vehicle seat belt system where the lap and shoulder belts have independent retractors.

! NEVER use a seat belt system whose anchor points allow the booster seat to slide from side to side when buckled in.

Assembling/disassembling backrest

1. With both the backrest and seat base facing upwards, insert plastic bar on the bottom of the backrest into the corresponding slot at the rear of the seat base ①.
2. While placing your knee on the seat base to hold it in place, slowly swing the backrest upwards, whereby locking the backrest into place ②.
3. Secure fabric ③.
4. To remove backrest, slightly lift up and gently push backrest backwards while applying a small amount of force.



Preparing booster seat for use

! WARNING: Incorrect use of the vehicle's 3-point lap-and-shoulder seat belt system is the most common mistake people make. It is **VERY** important to read, understand and follow **ALL** instructions and warnings. **DO NOT** mistake comfort for safety. The vehicle's 3-point lap-and-shoulder seat belt **MUST** be snugly adjusted at all times.

! ENSURE the vehicle shoulder belt's position is correct for your child's size. **CHECK OFTEN.**

! WARNING: **DO NOT** use this booster seat if the midpoint of your child's head is above the top of the booster seat headrest.




Headrest height adjustment

Your booster seat has eight (8) height adjustments. Adjust the headrest to properly position the vehicle seat belt as the child grows.

Adjust headrest height so that the shoulder belt is **ALIGNED** with or **JUST ABOVE** the top of the child's shoulders.

1. When adjusting the headrest height, have your child lean forward.
2. Grasp the headrest adjustment handle and pull upwards, push downwards until desired height is achieved.


TIP: If it is too difficult to pull headrest upwards, use both hands to push headrest up from the bottom of the headrest.



Securing child and booster seat in vehicle

! WARNING: FAILURE TO PROPERLY SECURE YOUR CHILD IN THE BOOSTER SEAT INCREASES THE RISK OF SERIOUS INJURY OR DEATH IN THE EVENT OF A SUDDEN STOP OR CRASH. In a crash, the booster seat provides **NO** protection for your child unless the vehicle 3-point lap-and-shoulder belt is properly secured. Follow these instructions carefully to properly secure your child.

! DO NOT use this booster seat if it can't be properly leveled, stabilised, and installed as per this instruction manual. It is possible that your vehicle has no suitable seating position for this booster seat due to seating surface, seat belt type and/or airbag system. Read and follow these instructions, and your vehicle owner's manual carefully.



! WARNING: You **MUST** use the vehicle 3-point lap-and-shoulder belt when restraining the child in the booster seat **1**.



! WARNING: Vehicle belts **MUST** be tight, adjusted to the child's body, and should not be twisted **1**.

! NEVER use a vehicle lap-only belt to secure child in booster seat **2**.


! NEVER USE A LOOSE SHOULDER BELT.

! NEVER position the shoulder belt under the child's arm **3** or place the shoulder belt behind the child's back **4**.



! Lap portion of lap-and-shoulder belt MUST be low and snug across the hips, with the pelvis firmly cuggl


engaged, just touching the child's thighs. The lap portion **MUST NOT** be lying across the child's stomach as this can cause major injuries to the child in case of a sudden stop or crash.



! DO NOT allow the child to slouch, slide down in the seat, or create slack in the belt system **5**. If child will not keep vehicle belt properly positioned, **DO NOT** use this booster seat.

! DO NOT position vehicle belt over top of the armrests **6**.

! The vehicle seat headrest should not create a gap between vehicle seat and booster seat 7. If so, remove the vehicle headrest.



! DO NOT use any load bearing contact points other than those described in the instructions and marked in the child restraint.


IF IN DOUBT ABOUT THESE POINTS OR ANY QUESTIONS RELATED TO INSTALLATION, PLEASE CONTACT CUSTOMER SERVICE.

Installation

! WARNING: DUE TO VARYING ANGLES OF VEHICLE SEAT BELT RETRACTORS, EXCESS SLACK IN THE VEHICLE BELT SYSTEM MIGHT NOT BE REMOVED AUTOMATICALLY. Once the lap and shoulder portions of the seat belt are properly positioned and the buckle is attached, **FEED ANY REMAINING SLACK OF THE SEAT BELT MANUALLY BACK INTO THE RETRACTOR TO TIGHTEN THE WHOLE SYSTEM.**

1. Place the booster seat flush against a forward-facing vehicle seat. The vehicle seat **MUST** be equipped with a 3-point lap-and-shoulder belt. Booster must be level, stable and not rock side-to-side (see "Vehicle seating positions").
2. Place child on the booster seat with child's back flat against the vehicle seat.

3. Thread both sides of the lap belt under BOTH armrests. Thread the lower end of the shoulder belt under the armrest on the buckle side ①. ENSURE that the belt is snug across the child's hips. It is important to ensure that the lap strap is worn low down, so that the pelvis is firmly engaged, just touching their thighs and is NOT across their stomach.



4. Buckle the vehicle seat belt into place and ensure it is secure by gently pulling on it.

! BOTH SIDES OF THE LAP BELT MUST PASS UNDER BOTH ARMRESTS, AND THE LOWER END OF THE SHOULDER BELT MUST PASS UNDER THE ARMREST ON THE BUCKLE SIDE.

! Any straps holding the restraint to the vehicle should be tight, any straps restraining the child should be adjusted to the child's body, and all straps should not be twisted.

! NEVER USE A VEHICLE LAP-ONLY BELT WHEN USING THIS BOOSTER SEAT.

! Teach your child that seat belts are not toys and should **NEVER** be played with, regardless of whether the car is in motion or not.


! **ALWAYS** be aware of what your children are doing in the back seat.

Aircraft installation

This restraint is **NOT CERTIFIED** for aircraft use. Aircraft seats are not equipped with 3-point lap-and-shoulder belts which are required for use with this booster seat.

Instruction manual storage

We recommend that you store your instruction manual in the mesh pocket on the side of booster seat base.



Removing/installing fabric seat cover

TO REMOVE:

Headrest:


Gently grasp the back of the fabric seat cover from the top of the headrest and slide off the cover from the back toward the front ①.

Backrest:

Detach both the top and bottom hook-and-loop tabs located behind seat ② ③.

Base:

Detach hook-and-loop tab from back of seat ④.



TO INSTALL:

To reinstall fabric covers, repeat previous steps in reverse order.

Care and maintenance

Please be sure to use only original Cuggl replacement seat covers, as the seat cover is important to the proper functioning of the system. Replacement seat covers are available from Argos.

! The child seat must not be used without the seat cover.

CLEANING YOUR SEAT COVER:

- **MACHINE WASH SEPARATELY** using cold water - delicate cycle.
- **DO NOT BLEACH.**
- **DRIP DRY** to prevent cover from shrinking.

CLEANING THE PLASTIC SHELL:

- **SPONGE CLEAN** using warm water and mild soap.
- **TOWEL DRY.**
- **DONOT** use solvents, abrasive cleaners, or disassemble booster in any way, except as instructed.

Technical specifications

Product title	CUGGL ISIZE HIGHBACK CAR SEAT
Argos Cat. No.	5250044
Supplier Ref. No.	L101199
Height group	100cm - 150cm
Safety compliance	Car seat complies with ECE R129
Product weight	4.1 kg
Product unfolded size	43.5cm x 39.5cm x 66cm

If you encounter any problems with this product please call our customer care team on 0345 640 2020

Produced in China for Argos Limited
Sainsbury's Supermarkets Ltd, London,
EC1N 2HT, UK. [Argos \(N.I.\) Ltd](#) and Sainsbury's
(N.I.) Ltd. Forestside Shopping Centre, Upper
Galwally, Belfast, BT8 6FX, UK.