


Cat. No. 6029731 KINGSTON OAKSTAIN PAIR OF CHOC CHAIRS
6029779 KINGSTON OAKSTAIN PAIR OF CREAM CHAIRS
6029803 KINGSTON WALNUTSTAIN PAIR OF CHOC CHAIRS
6029834 KINGSTON WALNUTSTAIN PAIR OF CREAM CHAIRS

Simple Assembly Instruction

Page 1

Please keep for reference




IMPORTANT


- 1. Please read these instructions carefully to familiarise yourself with the assembly procedure.*
- 2. Check that you have all the component parts and fittings listed on the next page.*
- 3. Ensure you have enough space to lay out all the parts before assembly.*
- 4. To avoid scratching it is recommended that you assemble the chair on a soft level surface.*
- 5. The maximum weight of user - 100kgs*




Ⓐ Front Leg x 2




Ⓑ Seat x 1



Ⓒ Back Stand x 1




Ⓓ Long JCBC Screw x 4



Ⓔ Short JCBC Screw x 6




Ⓕ Spring Washer x 10



Ⓖ Flat Washer x 10



Ⓖ Wooden Dowel x 2



Ⓙ Allen Key x 1

1. Place the chair seat (B) on top of the table. Insert the front legs (A) into the seat as shown in the **fig.1**. Secure the short JCBC screws (E) using spring washers (F) and flat washers (G) as shown in **Fig.1**.

Insert the dowels (H) into the holes of the chair seat as shown in **Fig.1**.

Do not fully tighten all screws at this stage.




Fig.1

2. Fix the back stand (C) onto the dowels as shown in **Fig.2**. Secure the long JCBC screws (D) using spring washers (F) and flat washers (G) as shown in **Fig.2**.

Secure the short JCBC screws (E) using spring washers (F) and flat washers (G) as show in **Fig.2**.

Do not fully tighten all screws at this stage.




Fig.2

3. Fully tighten all screws using allen key (I).

Finally, zap on the velcro tape at the bottom of the seat.




Fig.3