## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

Model identifier: LM0206

Type	of	light	source:
-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0	

Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	G9				
(or other electric interface)					
Mains or non-mains:	MLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	No		

## **Product parameters**

Parameter		Value	Parameter	Value		
General product parameters:						
٠,	nption in on- 00 h), rounded st integer	3	Energy efficiency class	F		
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	320 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode power (P <sub>on</sub> ), expressed in W		3,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimensions without separate control gear, lighting control	Height	50	Spectral power distribution in the range 250 nm to 800 nm, at full-load	See image		
	Width	18		in last page		
	Depth	18				

	1				
parts and non-					
lighting con-					
trol parts, if					
any (millime-					
tre)					
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent	-		
		power (W)			
		Chromaticity coordi-	0,439		
		nates (x and y)	0,399		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	0	Survival factor	0,90		
the lumen maintenance factor	0,93				
Parameters for LED and OLED mains light sources:					
displacement factor (cos φ1)	0,00	Colour consistency	6		
		in McAdam ellipses			
Claims that an LED light source	_(b)	If yes then replace-	-		
replaces a fluorescent light		ment claim (W)			
source without integrated bal-		(11)			
last of a particular wattage.					
Flicker metric (Pst LM)	0,1	Stroboscopic effect	0,1		
		metric (SVM)			

(a)'-': not applicable; (b)'-': not applicable;

