## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Habitat

Supplier's address: Customer services, Argos (N.I.) Ltd, Forestside Shopping Centre, Upper Galwal-

ly, Belfast, United Kingdom, BT8 6FX.

			COO 40 CT	
	באו	nfificare	6824967	
IVIOUCI	IUC		0024307	

Type	of ligh	nt so	urce:
------	---------	-------	-------

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	other elec-		
(or other electric interface)	tric interface		
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

## **Product parameters**

Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		1	Energy efficiency class	F		
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		110 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2700		
On-mode power (P <sub>on</sub> ), expressed in W		1	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	83		
Outer dimen- Height		6.5	Spectral power dis-	See image		
sions without	Width	4.5	tribution in the	in last page		
separate con- trol gear, light-		4.5	range 250 nm to 800 nm, at full-load			

ing control parts and non-lighting control parts, if any (millimetre)							
Claim of equivalent power <sup>(a)</sup>		-	If yes, equivalent power (W)	-			
			Chromaticity coordinates (x and y)	0,4620 0,4113			
Parameters for	LED and OLED lig	ht sources:					
R9 colour rende	ring index value	33	Survival factor	0,926			
the lumen maintenance factor		102.47%					
Parameters for	Parameters for LED and OLED mains light sources:						
displacement factor (cos φ1)		0,48	Colour consistency in McAdam ellipses	2			
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.		_(b)	If yes then replace- ment claim (W)	-			
Flicker metric (Pst LM)		0,0	Stroboscopic effect metric (SVM)	0,0			

(a)<sub>'-'</sub> : not applicable;

(b)<sub>'-'</sub> : not applicable;

			Information of LED module			
	Model no.	LED Model No.	Outer Dimensions (Diameter)	Outer Dimensions (Height)	Survival factor	Lumen Maintenance factor
1	6824967	YFZC2	4.5	6.5	100%	102.47%

