

PRODUCT FICHE

Hisense



Fridge/freezer combination

740298
RB470N4SICUK

USP :

Wi-Fi operation	Integrated
Metal Cooling	Yes
Smart Fresh	Yes
Total No Frost	Yes
Moisture Fresh Crisper Pro	Yes
XXL SpaceBox drawer	Yes
Super cool	Super Cool
Convert Function	Yes
Air movement	Multi Air Flow
Quick Freeze	Yes
Electronic control on door	Yes
Inverter compressor	Yes
Type of display	LED display separate control for upright freezer
Super freeze	Super Freeze
Door bottle container	1 single container without stopper
Memory in case of current failure	Save your settings in case of power fail
Illuminated interior of refrigerator compartment	LED strip on the ceiling
Temperature indicator	Digital temperature indicator for freezer and refrigerator
Slot-in: possibility to put the appliance into the kitchen niche 60 cm	Yes
Convert Cool Fresh Box	Yes
Wheels	2
Sound and visual signal for high temperature in refrigerator	Sound and visual signal for high temperature in refrigerator: white signal
Too high temperature in freezing compartment	Sound alarm and white light
Door opened indicator	Door Alarm
Refrigerant	R600A
Hidden condenser	Dynamic condenser
Bottle rack	Wine Rack



Basic information :

Number of stars	No
Possibility of remote update for maintenance	No
Basic color of product	N/A
Product name / Family	Fridge/freezer combination
Brand	HISENSE
Commercial code	RB470N4SICUK
Internal article number	740298
EAN code	3838782612206
Product category	Bottom freezer
Installation type	N/A
Type of control	Electronic
Construction type	No
Main colour of the product	BK065B; Grey metallic textured
Door panel options	N/A
Connection Rating	110 W
Current	13
Voltage	220-240 V
Frequency	50 Hz
Marks of conformity	UKCA,CE
Number of compressors	1
Length of electrical supply cord	200 cm
Plug type	GB
Total volume	361 l

Capacity in 0.75l (Bordeaux bottles)	0
Number of independent cooling systems	1
Height	2000 mm
Width	600 mm
Depth	663 mm
Width at door open	644
Door hinge	Right reversible
Adjustable feet	Yes - front only
Height of the packed product	2060 mm
Width of the packed product	640 mm
Depth of the packed product	775 mm
Net weight	71,5 kg
Product type	2 doors
Gross weight	73,5 kg
Color / Material body	Coil coated sheet
Color / Material door	Colaminated steel

Features :

Interior colour	BK070; White
Short description of the product	HZF4068SND - RB470N4SICUK - RL_PREM
Energy Smart appliance, able to optimise consumption pattern (2017/1369/EU)	No
Eco label	No
Interior light	Yes
Capability of wireless communication	Yes, integrated
Defrost process fridge section	Automatic
Defrost process freezer section	Automatic
Fast cooling	Yes
Door opened indicator freezer	Yes
Temperature setting independent of external temp.	Yes
Temperature adjustable freezer	Yes
Freezer section with thaw water drainage system	Yes
Interior ventilator fridge section	No
Number drawers / baskets in the freezer	3
Number of freezing compartments with doors / interior doors	0
Automatic motor-driven ice-maker	No
Bottle holder	Yes
Number of shelves in fridge compartment	5
Number of Adjustable Shelves in fridge compartment	3
Material of the shelves	Glass
Thermometer fridge section	Digital
Thermometer freezer section	Digital
Number of temperature zones	2
Temperature range	M
Vegetable compartment	Yes
Included accessories	Ice tray - 1 Egg rack - 1/8
Reversible door hinge	Yes

Energy label information / Performance :

Maximum ambient temperature	43 °C
Minimum ambient temperature	10 °C
Temperature rise time	9,0 h
Annual energy consumption (EU 2019/2016)	168,8 kWh/a
Application of EU Energy Label Regulation	Yes
Airborne acoustical noise emission class	B
Sum of volumes of frozen compartments	106 l
Total volume	361 l
Energy Efficiency Index	63,8
Low-noise appliance	No
QR code	1079576
Only for wine storage appliance	No
Winter setting	No
Other refrigerating appliance	No
Freezer compartment with 0*	0,0 l
Star Rating	N/A
Energy Efficiency Class (EU 2019/2016)	C
Fresh food compartment volume	229,0 l
Freezer compartment volume 4*	106,0 l
Chill compartment volume	26,0 l
Freezing capacity	13,0 Kg/24h
Climate class	N, T, ST, SN
Noise level	35 dB re 1 pW
Frost free system	Full
Fast freezing	Yes

