20014539

Appliance status: R Valid from: 4. 04. 2024 00:00:00 Last modification: 2. 01. 2025 02:42:37

PRODUCT FICHE



Washer dryer 20014539 WD3S8043BB3

USP:

Wi-FI operation	Integrated
ConnectLife	Yes
Programmes	16 programmes
Type of display	LED display
Drum	Long lasting stainless steel drum
Drum type	RainDrop drum
Aqua JetWash	Yes
Temperature setting	Yes
Steam function	Yes
Door opening angle	135 °
Drum volume	541



Basic information:

Brand	HISENSE
Product name/family	Washer dryer
Commercial code	WD3S8043BB3
Internal article number	20014539
EAN code	6901101831262 1887801
Construction type	Free-standing
Installation type	Free-standing
Removable top	N/A
Cover door / Double door	No
Loading type	Front loader
Door hinge	Left
Colour panel	Black
Colour body	Black
Connection Rating	1750 W
Current	10,0
Voltage	220-240 V
Frequency	50 Hz
Length electrical supply cord	150 cm
Plug type	Euro/schuko
Net weight	58,0 Kg
Gross weight	60,0 Kg
Main colour of product	Black
Type of control	Mechanical
Adjustable feet	Yes - all
Width of the product	595 mm
Height of the product	845 mm
Depth of the product	510 mm
Min width of installation niche	0 mm
Max width of installation niche	0 mm
Min height of installation niche	0 mm
Max height of installation niche	0 mm
Depth of installation niche	0 mm
Width of the packed product	660 mm
Height of the packed product	890 mm
Depth of the packed product	575 mm

Features:

Spin speed options	Reduction
Foam control	N/A
Balance control	Yes
Water protection system	Yes
Cold wash option	Yes
Digital countdown indicator	Yes
Start delay options	No delay
Quick wash	Yes
Rinse hold	N/A
Water plus	N/A

20014539

Door opening	N/A
Tub material	Carbotech
Drum volume	541
Drum material	Stainless steel
Hot & cold water intake?	No
Control setting for drying	Electronic
Adjustable drying temperature	Yes
Reverse tumble action	Yes
Quick dry	Yes
Included accessories	N/A
Stop delay or a start delay option	Start
Software update	No
Short description	WD3S8043BB3

Energy label information / Performance :

Energy efficiency class (washing)	Α
Razred energijske učinkovitosti (pranje&sušenje)- Energy efficiency class (washing&drying)	D
Washing efficiency index (washing&drying)	1.03
Washing efficiency index (washing&drying) Washing efficiency index (washing&drying)	1,05
Spin-drying efficiency class	В
Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at	A
rated washing capacity	^
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	72 dB re 1 pW
Spin speed (rpm) [Half]	1400 rpm
Spin speed (rpm) [Quarter]	1400 rpm
Spin speed (rpm) [Rated washing capacity]	1400 rpm
Rated capacity (kg) [Washing]	8.0 kg
Rated capacity (kg) [Drying]	5,0 kg
Rinsing effectiveness (g/kg dry textile) [Washing]	4,2 g/kg
Rinsing effectiveness (g/kg dry textile) [Washing&drying]	4,2 g/kg
Energy Efficiency Index [Washing]	36,3
Energy Efficiency Index [Washing&drying]	66.9
Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer-dryer,	·
using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used	0,55 KWIING
Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used	2,66 kWh/kg/cycle
Water consumption in litre per cycle, for the program eco 40-60 of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	36 l/cycle
Water consumption in litre per cycle, for the wash&dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	80 l/cycle
Remaining moisture content (%) [Half]	52 %
Remaining moisture content (%) [Quarter]	52 %
Remaining moisture content (%) [Rated washing capacity]	52 %
Maximum temperature inside the treated textile (°C) [Half]	27 °C
Maximum temperature inside the treated textile (°C) [Quarter]	25 °%
Maximum temperature inside the treated textile (°C) [Rated washing capacity]	28 %
Eco 40-60 programme duration (h:min) [Half]	168
Eco 40-60 programme duration (h:min) [Quarter]	123
Eco 40-60 programme duration (h:min) [Rated washing capacity]	218
Wash and dry cycle duration (h:min) [Rated capacity]	479
Wash and dry cycle duration (h:min) [Half]	329
Energy consumption Standby mode (W)	0,49 W
Energy consumption Off-mode (W)	0,49 W
Energy consumption Delay start (W)	4,0 W
. , , , ,	