Product Informa on Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

General product parameters:

Parameter	Value		Parameter	Value	
	Rated capacity	5,0		Height	85
Rated capacity (kg)	Rated washing	8,0	Dimensions in cm	Width	60
	capacity			Depth	51
Energy Efficiency Index Washing efficiency index		36,3	Energy efficiency class Rinsing effec veness (g/kg dry		A
		66,9			D
		1,031			5,00
noting endered index		1,055	tex le)		4,2
Energy consump on in kWh per kg per cycle, for the washing cycle of the household washer- dryer, using the eco 40-60 programme at a combina on of full and par al loads. Actual energy consump on will depend on how the appliance is used		0,33	Energy consump on in kWh per kg per cycle, for the wash and dry cycle of the household washerdryer at a combina on of full and half loads. Actual energy consump on will depend on how the appliance is used		2,66
Water consump on in litre per cycle, for the eco 40-60 programme at a combina on of full and par al loads. Actual water consump on will depend on how the appliance is used and on the hardness of the water		36	Water consump on in litre per cycle, for the wash and dry cycle of the household washer- dryer at a combina on of full and half loads. Actual water consump on will depend on how the appliance is used and on the hardness of the water		80
Maximum temperature inside the treated tex le (°C)	Rated washing capacity	28	Weighted remaining moisture	53,0	
	Half	27	content (%)		
	Quarter	25			
Spin speed (rpm)	Rated washing capacity	1400		В	
	Half	1400	Spin-drying efficiency class		
	Quarter	1400			
Eco 40-60 programme dura on (h:min)	Rated washing capacity	3:38	wash and dry cycle dura on (h:min)	Rated capacity	7:59
	Half	2:48		Half	5:29
	Quarter	2:03			5.25
Airborne acous cal noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	72		Airborne acous cal noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	A	
Туре	Free-standing				
Off-mode (W)	0,49		Standby mode (W)	0,49	
Delay start (W)	4,00		Networked standby (W)	2,00	
			ring the washing cycle		

h p://global.hisense.com/