Product information sheet - (EU) 2019/2014

Supplier's name or trade mark: HOTPOINT

Supplier's address: VIA CARLO PISACANE, 1 20016 PERO (MI) ITALY

Model identifier: RD 964 JD UK N

General product parameters:

Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated ca- pacity	6,0	Dimensions in cm	Height	85
	Rated washing ca- pacity	9,0		Width	60
				Depth	54
Energy Efficiency Index	EEIW	68,3	- Energy efficiency class	EEIW	С
	EEIWD	66,9		EEIWD	D
Washing officionay indov	Iw	1,04	Rinsing effectiveness (g/kg dry tex- tile)	I _R	3,0
Washing efficiency index	JW	1,04		J _R	3,5
Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used	0,072		Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used	0,512	
Water consumption in litre per cycle, for the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	50		Water consumption in litre per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	65	

Parameter	Value		Parameter	Value	
Maximum temperature inside the treated textile (°C)	Rated washing capacity	38	Remaining moisture content (%)	Rated washing ca- pacity	54
	Half	37		Half	54
	Quarter	34		Quarter	54
Spin speed (rpm)	Rated washing capacity	1351	Spin-drying efficiency class	В	
	Half	1351			
	Quarter	1351			
Eco 40-60 programme duration (h:min)	Rated washing capacity	3:40	Wash and dry cycle duration (h:min)	Rated ca- pacity	9:20
	Half	2:50		Half	5:10
	Quarter	2:10			
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	81		Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	D	
Туре	Free-standing				
Off-mode (W)	0,50		Standby mode (W)	0,50	
Delay start (W) (if applicable)	4,00		Networked standby (W) (if applicable)	-	
Minimum duration of the gu	ıarantee offe	ered by the	supplier: 24 months	l	

This product has been designed to release silver ions
during the washing cycle

No

Additional information:

Weblink to the supplier's website, where the information in point 9 of Annex II to Commission Regulation (EU) 2019/2023 is found: https://docs.whirlpool.eu