NOTE: Please read all instructions carefully before using this product

Table of Contents

Safety Notice

Hardware Identifier

**Assembly Instruction** 

Parts List

Warranty

**Ordering Parts** 

Model CB-729


Retain This Manual for Reference

170712

OWNER'S MANUAL



# CB-729 OLYMPIC WIDTH WEIGHT BENCH



### **PURE-TEC LIMITED**

www.puretecfitness.com

Email: service@puretecfitness.com

### TABLE OF CONTENTS

BEFORE YOU BEGIN	1
IMPORTANT SAFETY NOTICES	2
HARDWARE PACK	4
ASSEMBLY INSTRUCTIONS	5
EXPLODED DIAGRAM	9
PARTS LIST	10
WARRANTY	11
ORDERING PARTS	11

### **BEFORE YOU BEGIN**

Thank you for selecting the MARCY CB-729 Olympic Weight Bench. For your safety and benefit, please read this manual carefully before using the machine. As the official representative for Marcy, we are committed to providing complete customer satisfaction. If you have any questions, or find there are missing or damaged parts, we guarantee you complete satisfaction through direct assistance from our factory. To avoid unnecessary delays, please contact our Customer Solutions Department, Monday – Friday 9am – 5pm. GMT

Pure-Tec Limited
Tel: +44 (0) 1482 221098
Email: service@puretecfitness.com
Monday - Friday 0900 – 1700 GMT

www.puretecfitness.com

### **IMPORTANT SAFETY NOTICE**

### **PRECAUTIONS**

This exercise machine is built for optimum safety. However, certain precautions apply whenever you operate a piece of exercise equipment. Be sure to read the entire manual before you assemble or operate your machine. In particular, note the following safety precautions:


- 1. Keep children and pets away from the machine at all times. DO NOT leave children unattended in the same room with the machine.
- 2. Only one person at a time should use the machine.
- If the user experiences dizziness, nausea, chest pain, or any other abnormal symptoms, STOP the workout at once. CONSULT A PHYSICIAN IMMEDIATELY.
- 4. Position the machine on a clear, leveled surface. DO NOT use the machine near water or outdoors.
- 5. Keep hands and feet away from all moving parts.
- 6. Always wear appropriate workout clothing when exercising. DO NOT wear robes or other clothing that could become caught in the machine. Running or aerobic shoes are also required when using the machine.
- 7. Use the machine only for its intended use as described in this manual. DO NOT use attachments not recommended by the manufacturer.
- 8. Do not place any sharp object around the machine.
- 9. Disabled person should not use the machine without a qualified person or physician in attendance.
- 10. Before using the machine to exercise, always do stretching exercises to properly warm up.
- 11. Never operate the machine if the machine is not functioning properly.
- 12. A spotter is recommended during exercise.

### **CARE AND MAINTENANCE**

- 1. Inspect and tighten all parts before using the machine.
- 2. The machine can be cleaned using a damp cloth and mild non-abrasive detergent. DO NOT use solvents.
- 3. Maximum weight on Crutch: 135 kgs.
- 4. Maximum user weight: 135 kgs.
- 5. Maximum weight on Leg Developer: 45 kgs.

WARNING: BEFORE BEGINNING ANY EXERCISE PROGRAM, CONSULT YOUR PHYSICIAN. THIS IS ESPECIALLY IMPORTANT FOR INDIVIDUALS OVER THE AGE OF 35 OR PERSONS WITH PRE-EXISTING HEALTH PROBLEMS. READ ALL INSTRUCTIONS BEFORE USING ANY FITNESS EQUIPMENT. PURE-TEC LIMITED ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE SUSTAINED BY OR THROUGH THE USE OF THIS PRODUCT. SAVE THESE INSTRUCTIONS.


### **WARNING LABEL REPLACEMENT**



The Warning Label shown here has been placed on the Cross Brace. If the label is missing or illegible, please contact Customer Solutions, at service@puretecfitness.com for a replacement. Apply the label in location shown.

### HARDWARE PACK

NOTE: The following parts are not drawn to scale. Please use your own ruler or scale to measure the size.




### **ASSEMBLY INSTRUCTION**

Tools Required for Assembling this Machine: Two Adjustable Wrenches and Allen Wrenches. NOTE: It is strongly recommended that two or more people assemble this machine to avoid possible injury.


### STEP 1 (See Diagram 1)

- A.) Do not tighten Nuts and Bolts until instructed to do so.
- B.) Connect the two Upright Beams (#1) by a Cross Brace (#3) in the Mid-span. Secure each end of the Cross Brace with two M10 x 3 1/8" Carriage Bolts (#25), one Bracket (#10), two Ø ¾" Washers (#35), and two M10 Aircraft Nuts (#32).
- C.) Insert two Crutches (#2) into the two Upright Beams. Secure each Crutch with a Lock Knob (#12) at selected height.




### STEP 2 (See Diagram 2)

- A.) Attach the Main Seat Support (#4) to the Front Post (#5). Secure it with three M10 x 5/8" Allen Bolts (#40) and three Ø 3/4" Washers (#35).
- B.) Attach the Main Seat Support to the Cross Brace (#3). Secure it with two M10 x 2 5/8" Carriage Bolts (#26), one Bracket (#10), two Ø 3/4" Washers (#35), and two M10 Aircraft Nuts (#32).
- C.) Attach the Diagonal Support (#6) to the Main Seat Support and Front Post. Secure each end with one M8 x 3/4" Allen Bolt (#28) and one Ø 5/8" Washers (#37).
- D.) Securely tighten all Nuts and Bolts installed in Step-1 and Step-2.




### STEP 3 (See Diagram 3)

- A.) Attach the Leg Developer (#7) to the open bracket on the Front Post (#5). Secure it with one M8 x 3" Allen Bolt (#30), two Ø 5/8" Washers (#37), and one M8 Aircraft Nut (#33).
- B.) Attach the pivot on Backrest Support (#8) to the open bracket on Main Seat Support (#4). Secure it with one M12 x 3 ½" Allen Bolt (#39), two Ø 1" Washers (#36), and one M12 Aircraft Nut (#34).
- C.) Attach the pivot on Incline Support (#9) to the open bracket on Backrest Support. Secure it with one M10 x 2 3/8" Allen Bolt (#31), two Ø 3/4" Washers (#35), and one M10 Aircraft Nut (#32). Attach the other end of Incline Support onto the selected slot on Main Seat Support to obtain the desired Backrest incline.
- D.) Note: Do not over tighten the Nut and Bolt to the pivot. The Backrest Support and Incline Support need to be able to move smoothly.



### STEP 4 (See Diagram 4)

- A.) Attach the Backrest Board (#14) to the Backrest Support (#8). Secure it with two M8 x 1 3/4" Allen Bolts (#29) and two Ø 5/8" Washers (#37).
- B.) Attach the Seat Pad (#13) to Main Seat Support (#4). Secure it with four M6 x 1 ¼" Hex Bolts (#27) and four Ø ½" Washers (#38).
- C.) Insert two Foam Tubes (#11) halfway through the holes on the Leg Developer (#7). Push four Foam Rolls (#17) onto the Tubes from each end. Plug four Foam Roll End Caps (#19) to each End.
- D.) Slide an Olympic Sleeve (#41) onto the weight post on Leg Developer. Attach a Spring Clip (#24) onto Olympic Sleeve.



# EXPLODED DIAGRAM

### **PARTS LIST**

KEY NO.         DESCRIPTION         QUANTITY           1         Upright Beam         2           2         Crutch         2           3         Cross Brace         1           4         Main Seat Support         1           5         Front Post         1           6         Diagonal Support         1           7         Leg Developer         1           8         Backrest Support         1           9         Incline Support         1           10         Bracket         3           11         Foam Tube         2           12         Lock Knob         2           13         Seat Pad         1           14         Backrest Board         1           15         Ø 2" End Cap         3           16         2 3/8" x Ø 2" Crutch Sleeve         2           17         Foam Roll         4           18         Ø 5/8" x ½" Bushing         2           19         Foam Roll End Cap         4           20         Ø 1" End Cap         1           21         Ø 3" End Cap         2           22         Backrest Support Bushing         2
3       Cross Brace       1         4       Main Seat Support       1         5       Front Post       1         6       Diagonal Support       1         7       Leg Developer       1         8       Backrest Support       1         9       Incline Support       1         10       Bracket       3         11       Foam Tube       2         12       Lock Knob       2         13       Seat Pad       1         14       Backrest Board       1         15       Ø 2" End Cap       3         16       2 3/8" x Ø 2" Crutch Sleeve       2         17       Foam Roll       4         18       Ø 5/8" x ½" Bushing       2         19       Foam Roll End Cap       4         20       Ø 1" End Cap       1         21       Ø 3" End Cap       2         22       Backrest Support Bushing       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4
4 Main Seat Support 1 5 Front Post 1 6 Diagonal Support 1 7 Leg Developer 1 8 Backrest Support 1 9 Incline Support 1 10 Bracket 3 11 Foam Tube 2 12 Lock Knob 2 13 Seat Pad 1 14 Backrest Board 1 15 Ø 2" End Cap 3 16 2 3/8" x Ø 2" Crutch Sleeve 2 17 Foam Roll 4 18 Ø 5/8" x ½" Bushing 2 19 Foam Roll End Cap 4 20 Ø 1" End Cap 1 21 Ø ¾" End Cap 2 22 Backrest Support Bushing 2 23 2 3/8" x 1 1/8" End Cap 1 24 Spring Clip 1 25 M10 x 3 1/8" Carriage Bolt 4 26 M10 x 2 5/8" Carriage Bolt 4 28 M8 x ¾" Allen Bolt 2 29 M8 x 1 ¾" Allen Bolt 2 29 M8 x 1 ¾" Allen Bolt 2
5       Front Post       1         6       Diagonal Support       1         7       Leg Developer       1         8       Backrest Support       1         9       Incline Support       1         10       Bracket       3         11       Foam Tube       2         12       Lock Knob       2         13       Seat Pad       1         14       Backrest Board       1         15       Ø 2" End Cap       3         16       2 3/8" x Ø 2" Crutch Sleeve       2         17       Foam Roll       4         18       Ø 5/8" x ½" Bushing       2         19       Foam Roll End Cap       4         20       Ø 1" End Cap       1         21       Ø 3/4" End Cap       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 ½" Hex Bolt       4         28       M8 x 3/4" Allen Bolt       2
6       Diagonal Support       1         7       Leg Developer       1         8       Backrest Support       1         9       Incline Support       1         10       Bracket       3         11       Foam Tube       2         12       Lock Knob       2         13       Seat Pad       1         14       Backrest Board       1         15       Ø 2" End Cap       3         16       2 3/8" x Ø 2" Crutch Sleeve       2         17       Foam Roll       4         18       Ø 5/8" x ½" Bushing       2         19       Foam Roll End Cap       4         20       Ø 1" End Cap       4         21       Ø 3¼" End Cap       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       4         27       M6 x 1 ¼" Hex Bolt       4         28       M8 x 3¾" Allen Bolt       2         29       M8 x 1 ¾4" Allen Bolt
7       Leg Developer       1         8       Backrest Support       1         9       Incline Support       1         10       Bracket       3         11       Foam Tube       2         12       Lock Knob       2         13       Seat Pad       1         14       Backrest Board       1         15       Ø 2" End Cap       3         16       2 3/8" x Ø 2" Crutch Sleeve       2         17       Foam Roll       4         18       Ø 5/8" x ½" Bushing       2         19       Foam Roll End Cap       4         20       Ø 1" End Cap       1         21       Ø 3¼" End Cap       2         22       Backrest Support Bushing       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 ¼" Hex Bolt       4         28       M8 x ¾" Allen Bolt       2         29       M8 x 1 ¾" Allen Bol
8       Backrest Support       1         9       Incline Support       1         10       Bracket       3         11       Foam Tube       2         12       Lock Knob       2         13       Seat Pad       1         14       Backrest Board       1         15       Ø 2" End Cap       3         16       2 3/8" x Ø 2" Crutch Sleeve       2         17       Foam Roll       4         18       Ø 5/8" x ½" Bushing       2         19       Foam Roll End Cap       4         20       Ø 1" End Cap       1         21       Ø 3/4" End Cap       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       4         28       M8 x 1 3/4" Allen Bolt       2         29       M8 x 1 3/4" Allen Bolt       2
9
10 Bracket 3 11 Foam Tube 2 12 Lock Knob 2 13 Seat Pad 1 14 Backrest Board 1 15 Ø 2" End Cap 3 16 2 3/8" x Ø 2" Crutch Sleeve 2 17 Foam Roll 4 18 Ø 5/8" x ½" Bushing 2 19 Foam Roll End Cap 4 20 Ø 1" End Cap 1 21 Ø 3/4" End Cap 2 22 Backrest Support Bushing 2 23 2 3/8" x 1 1/8" End Cap 1 24 Spring Clip 1 25 M10 x 3 1/8" Carriage Bolt 4 26 M10 x 2 5/8" Carriage Bolt 2 27 M6 x 1 ¼" Hex Bolt 4 28 M8 x 3/4" Allen Bolt 2 29 M8 x 1 3/4" Allen Bolt 2
11 Foam Tube 2 12 Lock Knob 2 13 Seat Pad 1 14 Backrest Board 1 15 Ø 2" End Cap 3 16 2 3/8" x Ø 2" Crutch Sleeve 2 17 Foam Roll 4 18 Ø 5/8" x ½" Bushing 2 19 Foam Roll End Cap 4 20 Ø 1" End Cap 1 21 Ø 3/4" End Cap 2 22 Backrest Support Bushing 2 23 2 3/8" x 1 1/8" End Cap 1 24 Spring Clip 1 25 M10 x 3 1/8" Carriage Bolt 4 26 M10 x 2 5/8" Carriage Bolt 4 27 M6 x 1 ¼" Hex Bolt 4 28 M8 x 3/4" Allen Bolt 2 29 M8 x 1 3/4" Allen Bolt 2
11 Foam Tube 2 12 Lock Knob 2 13 Seat Pad 1 14 Backrest Board 1 15 Ø 2" End Cap 3 16 2 3/8" x Ø 2" Crutch Sleeve 2 17 Foam Roll 4 18 Ø 5/8" x ½" Bushing 2 19 Foam Roll End Cap 4 20 Ø 1" End Cap 1 21 Ø 3/4" End Cap 2 22 Backrest Support Bushing 2 23 2 3/8" x 1 1/8" End Cap 1 24 Spring Clip 1 25 M10 x 3 1/8" Carriage Bolt 4 26 M10 x 2 5/8" Carriage Bolt 4 27 M6 x 1 ¼" Hex Bolt 4 28 M8 x 3/4" Allen Bolt 2 29 M8 x 1 3/4" Allen Bolt 2
13 Seat Pad 1 14 Backrest Board 1 15 Ø 2" End Cap 3 16 2 3/8" x Ø 2" Crutch Sleeve 2 17 Foam Roll 4 18 Ø 5/8" x ½" Bushing 2 19 Foam Roll End Cap 4 20 Ø 1" End Cap 1 21 Ø 3/4" End Cap 2 22 Backrest Support Bushing 2 23 2 3/8" x 1 1/8" End Cap 1 24 Spring Clip 1 25 M10 x 3 1/8" Carriage Bolt 4 26 M10 x 2 5/8" Carriage Bolt 4 27 M6 x 1 ¼" Hex Bolt 4 28 M8 x 3/4" Allen Bolt 2 29 M8 x 1 3/4" Allen Bolt 2
14       Backrest Board       1         15       Ø 2" End Cap       3         16       2 3/8" x Ø 2" Crutch Sleeve       2         17       Foam Roll       4         18       Ø 5/8" x ½" Bushing       2         19       Foam Roll End Cap       4         20       Ø 1" End Cap       1         21       Ø 3/4" End Cap       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 ¼" Hex Bolt       4         28       M8 x 3/4" Allen Bolt       2         29       M8 x 1 3/4" Allen Bolt       2
15       Ø 2" End Cap       3         16       2 3/8" x Ø 2" Crutch Sleeve       2         17       Foam Roll       4         18       Ø 5/8" x ½" Bushing       2         19       Foam Roll End Cap       4         20       Ø 1" End Cap       1         21       Ø 3¼" End Cap       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 ¼" Hex Bolt       4         28       M8 x 3¾" Allen Bolt       2         29       M8 x 1 ¾" Allen Bolt       2
16       2 3/8" x Ø 2" Crutch Sleeve       2         17       Foam Roll       4         18       Ø 5/8" x ½" Bushing       2         19       Foam Roll End Cap       4         20       Ø 1" End Cap       1         21       Ø 3¼" End Cap       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 ¼" Hex Bolt       4         28       M8 x 3¼" Allen Bolt       2         29       M8 x 1 ¾" Allen Bolt       2
Foam Roll 4  18 Ø 5/8" x ½" Bushing 2  19 Foam Roll End Cap 4  20 Ø 1" End Cap 1  21 Ø ¾" End Cap 2  22 Backrest Support Bushing 2  23 2 3/8" x 1 1/8" End Cap 1  24 Spring Clip 1  25 M10 x 3 1/8" Carriage Bolt 4  26 M10 x 2 5/8" Carriage Bolt 2  27 M6 x 1 ¼" Hex Bolt 4  28 M8 x ¾" Allen Bolt 2  29 M8 x 1 ¾" Allen Bolt 2
18       Ø 5/8" x ½" Bushing       2         19       Foam Roll End Cap       4         20       Ø 1" End Cap       1         21       Ø 3¼" End Cap       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 ¼" Hex Bolt       4         28       M8 x 3¾" Allen Bolt       2         29       M8 x 1 ¾" Allen Bolt       2
19 Foam Roll End Cap 4 20 Ø 1" End Cap 1 21 Ø 3/4" End Cap 2 22 Backrest Support Bushing 2 23 2 3/8" x 1 1/8" End Cap 1 24 Spring Clip 1 25 M10 x 3 1/8" Carriage Bolt 4 26 M10 x 2 5/8" Carriage Bolt 2 27 M6 x 1 1/4" Hex Bolt 4 28 M8 x 3/4" Allen Bolt 2 29 M8 x 1 3/4" Allen Bolt 2
19 Foam Roll End Cap 4 20 Ø 1" End Cap 1 21 Ø 3/4" End Cap 2 22 Backrest Support Bushing 2 23 2 3/8" x 1 1/8" End Cap 1 24 Spring Clip 1 25 M10 x 3 1/8" Carriage Bolt 4 26 M10 x 2 5/8" Carriage Bolt 2 27 M6 x 1 1/4" Hex Bolt 4 28 M8 x 3/4" Allen Bolt 2 29 M8 x 1 3/4" Allen Bolt 2
20       Ø 1" End Cap       1         21       Ø ¾" End Cap       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 ¼" Hex Bolt       4         28       M8 x ¾" Allen Bolt       2         29       M8 x 1 ¾" Allen Bolt       2
21       Ø ¾" End Cap       2         22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 ¼" Hex Bolt       4         28       M8 x ¾" Allen Bolt       2         29       M8 x 1 ¾" Allen Bolt       2
22       Backrest Support Bushing       2         23       2 3/8" x 1 1/8" End Cap       1         24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 ¼" Hex Bolt       4         28       M8 x 3¼" Allen Bolt       2         29       M8 x 1 ¾" Allen Bolt       2
23 2 3/8" x 1 1/8" End Cap 1 24 Spring Clip 1 25 M10 x 3 1/8" Carriage Bolt 4 26 M10 x 2 5/8" Carriage Bolt 2 27 M6 x 1 1/4" Hex Bolt 4 28 M8 x 3/4" Allen Bolt 2 29 M8 x 1 3/4" Allen Bolt 2
24       Spring Clip       1         25       M10 x 3 1/8" Carriage Bolt       4         26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 1/4" Hex Bolt       4         28       M8 x 3/4" Allen Bolt       2         29       M8 x 1 3/4" Allen Bolt       2
25 M10 x 3 1/8" Carriage Bolt 4 26 M10 x 2 5/8" Carriage Bolt 2 27 M6 x 1 ¼" Hex Bolt 4 28 M8 x ¾" Allen Bolt 2 29 M8 x 1 ¾" Allen Bolt 2
26       M10 x 2 5/8" Carriage Bolt       2         27       M6 x 1 1/4" Hex Bolt       4         28       M8 x 3/4" Allen Bolt       2         29       M8 x 1 3/4" Allen Bolt       2
28 M8 x ¾" Allen Bolt 2 29 M8 x 1 ¾" Allen Bolt 2
29 M8 x 1 ¾" Allen Bolt 2
29 M8 x 1 ¾" Allen Bolt 2
30 M8 x 3" Allen Bolt 1
31 M10 x 2 3/8" Allen Bolt 1
M10 Aircraft Nut 7
M8 Aircraft Nut 1
M12 Aircraft Nut 1
35 Ø ¾" Washer 11
36 Ø 1" Washer 2
37 Ø 5/8" Washer 6
38 Ø ½" Washer 4
39 M12 x 3 ½" Allen Bolt 1
40 M10 x 5/8" Allen Bolt 3
41 Olympic Sleeve 1

## PURE-TEC LIMITED

### LIMITED WARRANTY

Pure-Tec. warrants this product to be free from defects in workmanship and material, under normal use and service conditions. Please refer to <a href="www.puretecfitness.com">www.puretecfitness.com</a> for warranty conditions. This warranty extends only to the original purchaser and is valid for home use only. Pure-Tec's obligation under this Warranty is limited to replacing damaged or faulty parts at Pure-Tec's option.

All returns must be pre-authorised by Pure-Tec. This warranty does not extend to any product or damage to a product caused by or attributable to freight damage, abuse, misuse, improper or abnormal usage, purchasers own repairs or for products used for commercial or rental purposes. No other warranty beyond that specifically set forth above is authorised by Pure-Tec.

Pure-Tec is not responsible or liable for indirect, special or consequential damages arising out of or in connection with the use or performance of the product or other damages with respect to any economic loss, loss of property, loss of revenues or profits, loss of enjoyments or use, costs of removal, installation or other consequential damages or whatsoever natures.

The warranty extended hereunder is in lieu of any and all other warranties and any implied warranties of merchantability or fitness for a particular purpose is limited in its scope and duration to the terms set forth herein.

Your statutory rights are not affected.

### ORDERING REPLACEMENT PARTS

Replacement parts can be ordered by contacting our Customer Solutions Department,

www.puretecfitness.com

Email: service@puretecfitness.com

When ordering replacement parts, please give the following information,

- 1. Model
- 2. Description of Parts
- 3. Part Number
- 4. Date of Purchase