

COMMISSION DELEGATED REGULA	TION (EU) 201	9/2014			
General product parameters:					
Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated 8,0			Height	85
	capacity Rated		Dimensions in cm	Width	60
	washing capacity	12,0		Depth	60
Energy Efficiency Index		30,9	Energy efficiency class		Α
		66,9			D
Washing efficiency index		1,031	Rinsing effectiveness (g/kg dry textile)		5,00
		1,031			5,0
Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used		0,32	Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used		3,7
Water consumption in litre per cycle, for the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water		45	Water consumption in litre per cycl wash and dry cycle of the househol dryer at a combination of full and h Actual water consumption will deprete be appliance is used and on the hat the water	old washer- half loads. 94 pend on how	
Maximum temperature inside the treated textile (°C)	Rated washing capacity	30	Weighted remaining moisture	53,9	
	Half	29	content (%)		
	Quarter	24			
Spin speed (rpm)	Rated washing capacity	1400	Spin-drying efficiency class		3
	Half	1400		Б	
	Quarter	1400			
Eco 40-60 programme duration (h:min)	Rated washing capacity	3:59	wash and dry cycle duration (h:min)	Rated capacity	9:59
	Half	3:00		Half	7:24
	Quarter	2:58		Hall	7.24
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	72		Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	Δ	
Туре	Free-standing				
Off-mode (W)	0,49		Standby mode (W)	-	
Delay start (W)	4,00		Networked standby (W)	2,00	
This product has been designed to Additional information:	release silver	ions durin	g the washing cycle	N	o
https://www.hisense-europe.com/					

Product Information Sheet

