



Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

http://global.hisense.com/

General product parameters:					
Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capacity	0,0	Dimensions in cm	Height	85
	Rated washing	0,0		Width	60
	capacity	0,0		Depth	55
Energy Efficiency Index		31,2	Energy efficiency class		А
		67,0			D
Washing efficiency index		1,031	Rinsing effectiveness (g/kg dry textile)		5,0
		1,035			4,
Energy consumption in kWh per kg per cycle, for the washing cycle of the household washerdryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used		0,31	Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used		3,0
Water consumption in litre per cycle, for the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water		41	Water consumption in litre per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water		, 90
Maximum temperature inside the treated textile (°C)	Rated washing capacity	27	Weighted remaining moisture	54,0	
	Half	26	content (%)		
	Quarter	22			
Spin speed (rpm)	Rated washing capacity	1400	Coin du in a fficience des	В	
	Half	1400	Spin-drying efficiency class		
	Quarter	1400			
Eco 40-60 programme duration (h:min)	Rated washing capacity	3:59	wash and dry cycle duration	Rated capacity	7:2
	Half	3:00	(h:min)	Half	5:0
	Quarter	2:58			3.0
Airborne acoustical noise emissions during the spinning ohase for the eco 40-60 washing cycle at rated washing capacity dB(A) re 1 pW)	72		Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	A	
Гуре	Free-standing				
Off-mode (W)	0,49		Standby mode (W)	-	
Delay start (W)	4,00		Networked standby (W)		
This product has been designed to	release silver	ions during	g the washing cycle		No
Additional information:				1	

