




HISENSE WD3S9043BW3



308 kWh/100° 34 kWh/100°

6.0 kg 9.0 kg

89 L 39 L

7:59 3:48

AB CDEFG 72dB A B C D

2019/2014

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

Supplier's name or trade mark: HISENSE

Supplier's address: Partizanska cesta 12, 3320 Velenje, SI

Model identifier: WD3S9043BW8

General product parameters:

Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capacity	6,0	Dimensions in cm	Height	85
	Rated washing capacity	9,0		Width	60
				Depth	55
Energy Efficiency Index	EEI _w	36,0	Energy efficiency class	EEI _w	A
	EEI _{wd}	66,9		EEI _{wd}	D
Washing efficiency index	I _w	1,031	Rinsing effectiveness (g/kg dry textile)	I _R	4,50
	J _w	1,058		J _R	3,5
Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used		0,34	Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washerdryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used		3,08
Water consumption in litre per cycle, for the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water		39	Water consumption in litre per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water		89
Maximum temperature inside the treated textile (°C)	Rated washing capacity	32	Weighted remaining moisture content (%)	53,9	
	Half	27			
	Quarter	24			
Spin speed (rpm)	Rated washing capacity	1400	Spin-drying efficiency class	B	
	Half	1400			
	Quarter	1400			
Eco 40-60 programme duration (h:min)	Rated washing capacity	3:48	wash and dry cycle duration (h:min)	Rated capacity	7:59
	Half	2:54		Half	5:29
	Quarter	2:43			
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)		72	Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity		A
Type		Free-standing			
Off-mode (W)		0,49	Standby mode (W)		0,49
Delay start (W)		4,00	Networked standby (W)		-
Minimum duration of the guarantee offered by the manufacturer : 24 months					
This product has been designed to release silver ions during the washing cycle				No	
Additional information:					
https://www.hisense-europe.com/					