



HISENSE

WF511245BBR



32 kWh / 100

12.0 kg
3:59
43 L

AB CDEFG
72 dB **ABCD**

2019/2014

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

General product parameters:

| Parameter | Value | | Parameter | Value | |
|--|----------------|------|---|---------------|----|
| Rated capacity (kg) | 12,0 | | Dimensions in cm | Height | 85 |
| | | | | Width | 60 |
| | | | | Depth | 60 |
| | 30,9 | | Energy efficiency class | A | |
| Washing efficiency index | 1,031 | | Rinsing effectiveness (g/kg) | 5,00 | |
| Energy consumption in kWh per cycle, based on the eco 40-60 programme. Actual energy consumption will depend on how the appliance is used. | 0,324 | | Water consumption in litre per cycle, based on the eco 40-60 programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water. | 43 | |
| Maximum temperature inside the treated textile (°C) | Rated capacity | 29 | Weighted remaining moisture content (%) | 52,8 | |
| | Half | 26 | | | |
| | Quarter | 23 | | | |
| Spin speed (rpm) | Rated capacity | 1400 | Spin-drying efficiency class | B | |
| | Half | 1400 | | | |
| | Quarter | 1400 | | | |
| Programme duration (h:min) | Rated capacity | 3:59 | Type | Free-standing | |
| | Half | 3:00 | | | |
| | Quarter | 2:58 | | | |
| Airborne acoustical noise emissions in the spinning phase (dB(A) re 1 pW) | 72 | | Airborne acoustical noise emission class (a) (spinning phase) | A | |
| Off-mode (W) | 0,49 | | Standby mode (W) | - | |
| Delay start (W) | 4,00 | | Networked standby (W) | 2,00 | |

This product has been designed to release silver ions during the washing cycle

No

Additional information:

<https://www.hisense-europe.com/>

