

EPSON EB-X41(V11H843041)

EB-X41, Mobile Projector, XGA, 1024 x 768, 4:3, 3,600 lumen-2,235 lumen (economy), 15,000:1, Wireless LAN IEEE 802.11b/g/n (optional), Cinch audio in, Composite in, HDMI in, VGA in, USB 2.0 Type B, USB 2.0 Type A, 2.5 kg, 2W Speaker, AV mute slide, Automatic keystone correction, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner, Carrying Case, Power cable, Quick Start Guide, Remote control incl. batteries, User manual (CD), Warranty card, 24 months Carry in, Lamp: 12 months or 1,000 h



White brightness alone cannot bring the true colors you see every day. While other manufacturers of 1-chip DLP technology believe they can improve image quality by just increasing the brightness of their projectors' white light output, Epson ensures that its projectors combine brightness and True Color to create vibrant and realistic images with 3LCD technology across every projector model. Even though its compact size enables it to be carried from room to room, the EB-X40 projector is capable of highly visible images thanks to its high brightness and superior contrast ratio. Room lights don't have to be dimmed to see bright and clearly projected images, allowing meeting participants to concentrate better for improved productivity. The EB-40 series is easier to control than ever through its auto power on feature. There is no need to turn on the power using the remote control or the power button on the projector itself because start-up is activated with cable insertion.

Key Selling Points

- True Colors
- High brightness
- Quick, convenient control

Product Features

True Colors

White brightness alone cannot bring the true colors you see every day. While other manufacturers of 1-chip DLP technology believe they can improve image quality by just increasing the brightness of their projectors' white light output, Epson ensures that its projectors combine brightness and True Color to create vibrant and realistic images with 3LCD technology across every projector model.

High brightness

Even though its compact size enables it to be carried from room to room, the EB-X40 projector is capable of highly visible images thanks to its high brightness and superior contrast ratio. Room lights don't have to be dimmed to see bright and clearly projected images, allowing meeting participants to concentrate better for improved productivity.

Quick, convenient control

The EB-40 series is easier to control than ever through its auto power on feature. There is no need to turn on the power using the remote control or the power button on the projector itself because start-up is activated with cable insertion.

Main Specifications

Product Description	Epson EB-X41 - 3LCD projector - portable
Device Type	3LCD projector
Colour	White
Built-in Devices	Speaker
Brightness (White)	3600 lumens
Brightness (Colour)	3600 lumens
Contrast Ratio	15000:1 (dynamic)
Resolution	XGA (1024 x 768)
Native Aspect Ratio	4:3
Colour Support	1.07 billion colours
Bulb type	UHE 210 Watt
Bulb life cycle	Up to 6000 hour(s) / up to 10000 hour(s) (economic mode)
Video Input	RGB, composite video
Speakers	Speaker(s) - integrated
Power	AC 120/230 V (50 - 60 Hz)
Power Consumption Operational	282 Watt

Dimensions (WxDxH)	30.2 cm x 23.7 cm x 8.2 cm
Weight	2.5 kg
Manufacturer Warranty	2 years warranty

Extended Specification

General

Device Type	3LCD projector
Built-in Devices	Speaker
Enclosure Colour	White

Projector

Brightness (White)	3600 lumens
Brightness (Colour)	3600 lumens
Brightness (Reduced)	2235 lumens
Contrast Ratio	15000:1 (dynamic)
Image Size	76 cm - 762 cm
Projection Distance	1.8 m - 2.17 m
Throw Ratio	1.48 - 1.77:1
Resolution	XGA - XGA (1024 x 768)
Native Aspect Ratio	4:3
Colour Support	1.07 billion colours
Max Sync Rate (V x H)	120 Hz
Bulb type	UHE 210 Watt
Bulb life cycle	Up to 6000 hour(s) / up to 10000 hour(s) (economic mode)
Features	sRGB colour profile,Blackboard Mode,Auto Vertical Keystone,EPSON 3LCD technology,Dynamic Mode,Theater Mode

Lens

Focus Type	Manual
Lens Aperture	F/1.49-1.72
Zoom Type	Manual
Zoom Factor	1.2x
Keystone Correction Direction	Horizontal,vertical
Vertical Keystone Correction	-30 / +30
Horizontal Keystone Correction	-30 / +30

Video Input

Analogue video Signal	RGB,composite video
Video Interfaces	VGA,HDMI,composite video

Speakers

Type	Integrated
Sound Output Mode	Mono

Output Power / Channel	2 Watt
Speakers	1 x mixed channel

Expansion / Connectivity

Interfaces	1 x component video / RGB input - 15 pin HD D-Sub (HD-15) 1 x composite video input - RCA 1 x HDMI input - 19 pin HDMI Type A 1 x USB 2.0 - 4 pin USB Type B 1 x USB 2.0 - 4 pin USB Type A 1 x audio line-in - RCA x 2
------------	--

Miscellaneous

Included Accessories	Carrying case,wireless remote control
Security Features	Security lock slot (cable lock sold separately),password protection,Wireless LAN Lock

Power

Power Source	AC
Nominal Voltage	AC 120/230 V (50 - 60 Hz)
Power Consumption Operational	282 Watt
Power Consumption Stand by	0.2 Watt

Dimensions &Weight

Width	30.2 cm
Depth	23.7 cm
Height	8.2 cm
Weight	2.5 kg

Manufacturer Warranty

Service &Support	Limited warranty - 2 years - carry-in Limited warranty - lamp - 1 year / 1000 hours
------------------	--

Environmental Parameters

Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80%
Sound Emission	37 dBA
Sound Emission (Economic Mode)	28 dBA

Product data is provided by CNET,we do not warrant the accuracy and completeness of the material contained in this data sheet