

EPSON EB-W05(V11H840041)
EB-W05,Mobile Projector,WXGA,1280 x 800,16:10,HD ready,3,300 lumen-2,050 lumen (economy),15,000:1,USB 2.0 Type A,USB 2.0 Type B,VGA in,HDMI in,Composite in,Cinch audio in,Wireless LAN IEEE 802.11b/g/n (optional),2.5 kg,2W Speaker,AV mute slide,Automatic keystone correction,Built-in speaker,Horizontal and vertical keystone correction,Long lamp life,Quick Corner,Power cable,Quick Start Guide,Remote control incl. batteries,User manual (CD),Warranty card,24 months Carry in,Lamp:12 months or 1,000 h

Do you love the big-screen experience, but also need a projector that will deliver striking presentations? This projector has the tools for the job. Designed with portability in mind, it's easy to transport and set up.



Key Selling Points

- Bigger is better
- High-quality images
- Long-lasting solution

Product Features

- Bigger is better
Whether you're watching blockbusters or delivering a presentation, this projector can achieve an impressive display. It's great quality too, with technology that makes the display up to three times brighter.
- High-quality images
Even in bright rooms, this powerful yet affordable projector delivers exceptionally bright yet colorful images with clear details.
- Long-lasting solution
Looking for a long-term, hassle-free and affordable solution for your projection needs? With this model's long-lasting lamp light source, you will get that.

Main Specifications

| | |
|-------------------------------|--|
| Product Description | Epson EB-W05 - 3LCD projector - portable |
| Device Type | 3LCD projector - High Definition 720p |
| Colour | White |
| Built-in Devices | Speaker |
| Brightness (White) | 3300 lumens |
| Brightness (Colour) | 3300 lumens |
| Contrast Ratio | 15000:1 (dynamic) |
| Resolution | WXGA (1280 x 800) |
| Native Aspect Ratio | 16:10 |
| Colour Support | 1.07 billion colours |
| Bulb type | UHE 210 Watt |
| Bulb life cycle | Up to 6000 hour(s) / up to 10000 hour(s) (economic mode) |
| Video Input | RGB, composite video |
| Speakers | Speaker(s) - integrated |
| Power | AC 120/230 V (50 - 60 Hz) |
| Power Consumption Operational | 282 Watt |
| Dimensions (WxDxH) | 30.2 cm x 23.7 cm x 8.2 cm |
| Weight | 2.5 kg |

| | |
|-----------------------|------------------|
| Manufacturer Warranty | 2 years warranty |
|-----------------------|------------------|

Extended Specification

General

| | |
|------------------|--------------------------|
| Device Type | 3LCD projector - HD 720p |
| Built-in Devices | Speaker |
| Enclosure Colour | White |

Projector

| | |
|-----------------------|--|
| Brightness (White) | 3300 lumens |
| Brightness (Colour) | 3300 lumens |
| Brightness (Reduced) | 2050 lumens |
| Contrast Ratio | 15000:1 (dynamic) |
| Image Size | 84 cm - 813 cm |
| Projection Distance | 1.68 m - 2.02 m |
| Throw Ratio | 1.3 - 1.56:1 |
| Resolution | WXGA - WXGA (1280 x 800) |
| Native Aspect Ratio | 16:10 |
| Colour Support | 1.07 billion colours |
| Max Sync Rate (V x H) | 120 Hz |
| Bulb type | UHE 210 Watt |
| Bulb life cycle | Up to 6000 hour(s) / up to 10000 hour(s) (economic mode) |
| Features | sRGB colour profile,Blackboard Mode,Auto Vertical Keystone,EPSON 3LCD technology,Dynamic Mode,Theater Mode |

Lens

| | |
|--------------------------------|---------------------|
| Focus Type | Manual |
| Lens Aperture | F/1.49-1.72 |
| Zoom Type | Manual |
| Zoom Factor | 1.2x |
| Keystone Correction Direction | Horizontal,vertical |
| Vertical Keystone Correction | -30 / +30 |
| Horizontal Keystone Correction | -30 / +30 |

Video Input

| | |
|-----------------------|--------------------------|
| Analogue video Signal | RGB,composite video |
| Video Interfaces | VGA,HDMI,composite video |

Speakers

| | |
|------------------------|-------------------|
| Type | Integrated |
| Sound Output Mode | Mono |
| Output Power / Channel | 2 Watt |
| Speakers | 1 x mixed channel |

Expansion / Connectivity

| | |
|------------|--|
| Interfaces | 1 x component video / RGB input - 15 pin HD D-Sub (HD-15) 1 x composite video input - RCA 1 x HDMI input - 19 pin HDMI Type A 1 x USB 2.0 - 4 pin USB Type B 1 x USB 2.0 - 4 pin USB Type A 1 x audio line-in - RCA x 2 |
|------------|--|

Miscellaneous

| | |
|----------------------|---|
| Included Accessories | Wireless remote control |
| Security Features | Security lock slot (cable lock sold separately),password protection,Wireless LAN Lock |

Power

| | |
|-------------------------------|---------------------------|
| Power Source | AC |
| Nominal Voltage | AC 120/230 V (50 - 60 Hz) |
| Power Consumption Operational | 282 Watt |
| Power Consumption Stand by | 0.2 Watt |

Dimensions &Weight

| | |
|--------|---------|
| Width | 30.2 cm |
| Depth | 23.7 cm |
| Height | 8.2 cm |
| Weight | 2.5 kg |

Manufacturer Warranty

| | |
|------------------|--|
| Service &Support | Limited warranty - 2 years - carry-in Limited warranty - lamp - 1 year / 1000 hours |
|------------------|--|

Environmental Parameters

| | |
|--------------------------------|----------|
| Min Operating Temperature | 5 °C |
| Max Operating Temperature | 35 °C |
| Humidity Range Operating | 20 - 80% |
| Sound Emission | 37 dBA |
| Sound Emission (Economic Mode) | 28 dBA |

Product data is provided by CNET,we do not warrant the accuracy and completeness of the material contained in this data sheet