## TAKE YOUR FUN UP A NOTCH

Reach new possibilities with the OMEN by HP 27-inch QHD 165Hz Gaming Monitor. Quick performance and vibrant color let you get lost in the games you love most, while the sleek design functions to look and feel great on your desk.



\*Product image may differ from actual product



#### NO LAG. ALL SPEED.

Frame by frame, experience all the action with no distractions. To keep things smooth, this display boasts a fast 165Hz refresh rate and 1ms response time to cut motion blur<sup>1</sup>, so every pixel keeps up with you. Leave screen tearing and lag in the dust, thanks to AMD FreeSync<sup>™</sup> Premium technology<sup>2</sup>.

HDR

#### SEE A WORLD YOU CAN STEP INTO

Mistake virtual for IRL while you explore your favorite worlds with the crisp visuals of QHD resolution<sup>3</sup>. For lifelike gameplay, escape into a wide array of vibrant colors, hues, and shades with the 99% sRGB and 95% DCI-P3 color gamut<sup>1</sup>. Even in shadow, easily make out details and shading with HDR and up to 400 nits of brightness<sup>1</sup>.

	$\Box$
U	

#### **REFINE YOUR PLAY SPACE**

Made to impress in and out of game, the new OMEN look blends sophistication and fun to elevate what a gaming setup can look like. It's equipped with ports perfect for connecting your gaming PC, console, and even a work PC. Thanks to the easy cable management and the adjustable stand, your desk will be just how you like it.



#### ALL YOUR FUN, CUSTOM

Play around with every possible setting in OMEN Gaming Hub<sup>4</sup>-a one-stop shop for customizing your ecosystem. Make your monitor, any PC, and select accessories work better together the way you want. From hardware to software enhancements, OGH elevates play in an easy and simple way.









evesafe

### Featuring







#### QHD Resolution

Get lost in the captivating definition and sharp details of 3.7 million pixels. 2560 x 1440 Quad HD resolution transforms all your content for a remarkable entertainment experience on this 27" diagonal monitor.<sup>3</sup>

165Hz refresh rate

Crisp action and responsive gameplay with virtually no artifacting or screen tearing.<sup>1</sup>

#### HDR

Explore new worlds with richer colors thanks to a peak brightness of 400 nits.

#### More Colors to Play With

Get deeper hues and a wide array of colors with 99% sRGB and 95% DCI-P3 for precisely recreated colors so lifelike you get lost in your gameplay.<sup>1</sup>

#### 1ms Response Time with Overdrive

Eliminates motion blur for crisp, fluid gameplay no matter what's happening on-screen.<sup>1</sup>

#### AMD FreeSync<sup>™</sup> Premium Technology

Game confidently with a high refresh rate, low framerate compensation, and low latency.<sup>2</sup>

#### Plenty of ports

Easily connect your devices with two HDMI 2.0 ports, one DisplayPort™ 1.4, and one 3.5mm headphone jack.<sup>5</sup>

#### New Design Unlocked

The new OMEN look blends sophistication and fun to elevate your gaming setup.

**IPS** Technology

Image accuracy and consistency across wide 178-degrees viewing angles, no matter where you stand.

#### VESA Certified ClearMR Display

Easily compare the amount of motion blur between VESA Certified ClearMR displays with Clear Motion Ratio (CMR).<sup>6</sup>

Console Compatible

Over 140 test cases to ensure it's compatible with your choice of console.

#### Fully adjustable stand

Find comfort while you game with tilt, pivot, and 100mm height adjustments.

#### HP Eye Ease with Eyesafe® Certification

Keep your screen time comfortable with beautiful colors while reducing blue light.

#### **OMEN** Gaming Hub

From software enhancements to hardware control, and live services, OGH elevates play in easy and simple way.<sup>4</sup>

Materials that Matter Contains 85% post-consumer recycled plastics.<sup>7</sup>

Thoughtful Product Packaging 100% recyclable packaging that can stay out of landfills.<sup>8,9</sup>

Mindful metals Engineered to contain 10% recycled metals.<sup>10</sup>

Effortless Joypad OSD Button Easy on-screen display settings with the joypad OSD button.

Integrated Cable Management Help keep your workspace clean and organized.



## **Specifications**

#### **Display specifications**

Display size Native resolution QHD (2560 x 1440)<sup>1,2</sup> **Resolution (maximum)** QHD (2560 x 1440 @ 165 Hz) **Resolutions supported** 640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 1920 x 1200; 2560 x 1440 Display type IPS Panel bit depth True 8 bit Aspect ratio 16.9 HDR Support HDR 400 **Display scan frequency** 60-165 Hz (DisplayPort™); 55-144 Hz (HDMI) (Vertical) 30-255 kHz (Horizontal) **Response time** 1ms GtG (with overdrive) Brightness 400 nits<sup>1</sup> Contrast ratio 1000:1<sup>1</sup> (Static) 10000000:1<sup>1</sup> (Dynamic) Pixel pitch 0.23 x 0.23 mm Pixels per inch (ppi) 109 ppi Viewing angle 178° (Vertical) 178° (Horizontal) **Backlight type** Edge-lit Backlight lamp life 30,000 hours **Display colors** Up to 16.7 million colors supported **Display Color Gamut** 99% sRGB: 95% DCI-P3 **Display features** On-screen controls; Pivot rotation; Anti-glare; Height adjustable; AMD Freesync™ Premium; Gaming Console Compatible; HP Eye Ease (Eyesafe® certified); HDR **Display User Control Options** Management; Information; Exit; Input; Color; Image; Power; Menu; Gaming Low blue light modes Yes, HP Eye Ease (Eyesafe® Certified) Flicker-free Yes Screen treatment Anti-glare Hardness ЗH Bezel 3-sided borderless VESA mount 100 mm x 100 mm (bracket included) Height adjustment range 100 mm Tilt -5 to +20° Pivot  $\pm 90^{\circ}$ 

### **Connectivity and communications**

Port and Connectors 2 HDMI 2.0 1 DisplayPort<sup>™</sup> 1.4 1 x 3.5 mm Audio Jack (Audio Out) HDCP Yes, DisplayPort<sup>™</sup> and HDMI Power supply 100 - 240 VAC 50/60 Hz (Internal) Power consumption 80 W (maximum), 65 W (typical), 0.5 W (standby)

### Logistics and Physical

Product color Black Detachable stand Yes Base area footprint 846 x 826 in Dimensions with stand (L x W x H) 24.16 x 8.79 x 20.62 in Weight 16.34 lb (with stand) Packaged Dimensions (L x W x H) 2752 x 6.3 x 1756 in Packaged weight 22.94 lb Pallet dimensions (W x D x H) pallet: 44.49 x 27.91 x 75.83 in (20 ft & 40 ft); pallet: 44.49 x 27.91 x 93.5 in (40 ft HQ); slip sheet: 44.49 x 27.91 x 88.78 in (20 ft &40 ft); slip sheet: 44.49 x 27.91 x 88.78 in (40 ft HQ) Pallet weight

pallet: 663.26 lb (20 ft & 40 ft); pallet: 823.57 lb (40 ft HQ); slip sheet: 801.57 lb (20 ft & 40 ft); slip sheet: 801.57 lb (40 ft HQ) **Pallet (layers)** 4 layers per pallet (20 ft & 40 ft); 5 layers per pallet (40 ft HQ); 5 layers per slip sheet **Products per layer** 7 (slip sheet and pallet)

Products per pallet

28 sets per pallet (20 ft & 40 ft); 35 sets per pallet (40 ft HQ); 35 sets per slip sheet

## Certification and compliance

#### **Environmental specifications**

Low Halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 85% ITE-derived closed loop plastic  $^{3,45.6}$ 

Certifications BIS; BSMI; CB; CCC; CE; CEL; CSA; EAC; FCC; ISO 9241-307; KC/KCC; Microsoft WHQL Certification; NOM; PSB; TUV Bauart; TUV LBL; VCCI; WEEE; ISC; California Energy Commission (CEC); WW application; ICE; Ukraine certificates; TÜV Flicker free certified;

UAE safety; UAE RoHS; South Africa safety Operating temperature range 41 to 95°F Operating humidity range

20 to 80% RH

## Additional information

Part Number P/N: 780H4AA#ABA UPC/EAN code: (ABA) 197029616500 Ad embargo date 5/28/2023 Manufacturer Warranty Protected by a one-year HP limited warranty. Certain restrictions and exclusions apply.<sup>9</sup> What's in the box Monitor; DisplayPort™ cable; Warranty card; Quick Setup Poster; AC power cord Country of origin Made in China



## Footnotes

## **Key Selling Points Footnotes**

<sup>1</sup>All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary, either higher or lower.

<sup>2</sup> Requires a monitor and AMD Radeon graphics, both with FreeSync Premium support. AMD FreeSync<sup>™</sup> Premium requires mandatory low framerate compensation and at least 120 Hz refresh rate at minimum FHD. See www.amd.com/freesync for complete details. Confirm capability with your system manufacturer before purchase. GD-161.

- <sup>3</sup> Quad high-definition (QHD) content required to view QHD images.
- <sup>4</sup> Account required for full functionality. See OMEN Gaming Hub terms and conditions

### **Feature Messaging Footnotes**

<sup>5</sup> AC Power cord and DisplayPort<sup>™</sup> cable included. All other cables sold separately.

<sup>6</sup> VESA Certified ClearMR is the high-performance Monitor and Display Compliance Test Specification from VESA that provides a clear numerical value based on the ratio of clear pixels to blurry pixels. See https://www.clearm.org/ for more details.

<sup>7</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT® standard.

<sup>8</sup> 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.

<sup>9</sup> Recycling facilities not available in all locations.

<sup>10</sup> Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.

## **Technical Specifications Footnotes**

<sup>1</sup>All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

<sup>2</sup> DisplayPort<sup>™</sup> 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 2560 x 1440 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 2560 x 1440 and include one DisplayPort<sup>™</sup> or one HDMI outputs to drive the monitor at the Preferred Mode.

<sup>3</sup> External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Hologen.

<sup>4</sup> ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.

<sup>5</sup> 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers
<sup>6</sup> Molded pulp cushions are made from 100% recycled wood fiber and organic materials.

<sup>7</sup> Included cables may vary by country.

<sup>8</sup> Host PC requires Windows 10. OMEN Gaming Hub is available on the Microsoft store

<sup>9</sup> Warranty may vary by country. See www.HP.com/go/support for details.

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty, HP shall not be liable for technical or editorial errors or omissions contained herein. DisplayPort<sup>™</sup> is a trademark owned by the Video Electronics Standards Association (VESA<sup>®</sup>) in the United States and other countries. USB Type-C<sup>®</sup> and USB-C<sup>®</sup> are registered trademarks of USB Implementers Forum. Microsoft, Encarta, MSN, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

