

Overview

Keep things simple with a wireless HP LaserJet Pro MFP powered by JetIntelligence Toner cartridges.

Keep things simple with a compact HP LaserJet Pro powered by JetIntelligence Toner cartridges. Print professional documents from a range of mobile devices,[1] plus scan, copy, fax, and help save energy with a wireless MFP designed for efficiency.

Designed for efficiency

Print, scan, copy, and fax with a compact HP LaserJet MFP that fits into tight workspaces.

Mobile printing made simple

Print from iPhone® and iPad® with AirPrint®, which automatically scales jobs to the correct paper size.[3]

HP quality—print after print

Produce sharp text, bold blacks, and crisp graphics with precision black toner.














Features



Print, scan, copy, and fax with one compact device

Fast first page print time from ready mode







AirPrint® 1.5 with media presence sensor



HP ePrint

[1] App or software and HP ePrint account registration also may be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting

[3] Mobile device must have iOS v7.0 or higher. Learn more at http://www.hp.com/go/mobileprinting

Specifications

Print Resolution Technologies	HP FastRes 600, HP FastRes 1200
Print quality black (best)	Up to 600 x 600 dpi, HP FastRes 1200 (1200 dpi quality)
Print speed black (ISO, A4)	Up to 22 ppm
Print speed black (ISO, letter)	Up to 23 ppm
Print speed	Print speed up to 23 ppm (black)
Functions	Print, copy, scan, fax
Duplex printing	Manual duplex
Duty cycle (monthly, A4)	Up to 10,000 pages
Duty cycle (monthly, letter)	Up to 10,000 pages ^[9]
Printer smart software features	HP ePrint, Apple AirPrint™, Instant-on Technology, HP Auto-On/Auto-Off, JetIntelligence cartridges; HP Smart App
Copier smart software features	ID Copy
Scanner advanced features	No
Fax smart software features	No
Energy savings feature technology	HP Auto-on/Auto-off Technology
Replacement cartridges	HP 17A Original Black LaserJet Toner Cartridge CF217A(~1600), HP 19A Original LaserJet Imaging Drum CF219A(~12000). ^[5]
Connectivity, standard	Hi-Speed USB 2.0 port (device); built-in Fast Ethernet 10/100Base-TX network port; Phone line port (in/out), wireless
Connectivity, optional	No
Modem	33.6 kbps
Network capabilities	10/100 Ethernet
Wireless capability	Standard (Wi-Fi 802.11b/g/n)
Mobile printing capability	Apple AirPrint™; HP ePrint; Google Cloud Print 2.0; Mopria-certified; Wi-Fi Direct; HP Smart App
Network protocols, supported	TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/ DHCP/ AutoIP; WINS; SNMP v 1/2/3; and HTTP/HTTPS
Software included	For Windows OS: HP Software Installer, HP Software Uninstaller (exclude Win8+), HP PCLmS Printer Driver, HP Device Experience (DXP), HP Web Services Assist (HP Connected), Device Setup & Software, Online user manuals, HP Printer Assistant, HP Scan Driver, HP Scan Application, HP Fax Driver (4:1 bundle only), HP Fax Application (4:1 bundle only), HP Product Improvement Study; For Mac OS: Welcome Screen, (Directs users to HP.com or OS App Source for LaserJet Software)

Compatible Operating Systems

Power supply type

Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple® OS X EI Capitan (v10.11) OS X Yosemite (v10.10) OS X Mavericks (v10.9), OS X Mountain Lion (v10.8); 1 GB HD; Internet required; USB; Linux (For more information, see http://hplipopensource.com/hplip-web/index.html)^[18]

Environmental	Mercury free
ENERGY STAR® certified	Yes
Energy efficiency	ENERGY STAR® qualified
Blue Angel compliant	Yes; Blue Angel RAL-UZ 205
Copy speed (black, normal quality, A4)	Up to 22 cpm
Copy speed black (normal, letter)	Up to 23 cpm
Digital sending standard features	Scan to email; Scan to network folder
Fax Resolution Black (best)	Up to 300 x 300 dpi (halftone enabled)
Faxing	Yes
Scan speed (normal, A4)	Up to 12 ppm
Scan speed (normal, letter)	Up to 11 ppm
Scan file format	JPEG, PDF, PNG
Scan input modes	Front control panel, scanning via HP LaserJet Scan (Windows®); HP Director (Macintosh) or TWAIN-compliant or WIA-compliant software
Scan technology	CIS
Scanner type	ADF, Flatbed
Display area (imperial)	2.12 x 1.60 in
Display area (metric)	54 x 40.5 mm
Display	2.7 in touch screen, LCD (color graphics)
Minimum dimensions (W \times D \times H)	423.1 x 288.6 x 279.5 mm
Minimum dimensions (W \times D \times H)	16.66 x 11.34 x 11 in
Weight	7.6 kg
Weight	16.76 lb (17.86 lb)
Power consumption	255 watts (active printing), 4.2 watts (ready),1.0 watts (sleep), 0.05 watts (Auto Off/Wake on USB, enabled at shipment), 0.05 watts (Auto-off/Manual-on), 0.05 (Manual Off) ^[2]

Internal

	What's in the box	HP LaserJet Pro MFP M130fw; HP Black LaserJet Toner Cartridge ~700 pages; HP LaserJet Imaging Drum ~12,000 pages; Power cord; Phone cord; USB cable; Getting started guide; Set up poster; Support flyer; Printer documentation and software on CD-ROM; Errata, declaration (some countries) ^[1]
--	-------------------	--

Warranty one year limited warranty

Additional specifications

Acoustic power emissions	6.5 B(A) (printing at 23 ppm)
Acoustic power emissions (active copy)	6.4 B(A)
Acoustic power emissions (active scan)	5.7 B(A)
Acoustic power emissions (ready)	2.6 B(A)
Acoustic pressure emissions bystander (active copy)	51 dB(A)
Acoustic pressure emissions bystander (active scan)	42 dB(A)
Acoustic pressure emissions bystander (active, printing)	51 dB(A)
Acoustic pressure emissions bystander (ready)	16 dB(A)
Auto fax reduction supported	Yes
Automatic document feeder capacity	35 sheets
Automatic paper sensor	No
Best technical electricity consumption (TEC)	0.615 kWh/Week
Bit depth	24-bit
Blue Angel (sleep mode)	1.0 Watts
Bottom margin (A4)	4 mm
Cable included	Yes, 1 USB; 1 USB PC to Printer
Color scanning	Yes
Compatible Network Operating Systems	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple® OS X EI Capitan (v10.11) OS X Yosemite (v10.10) OS X Mavericks (v10.9), OS X Mountain Lion (v10.8); 1 GB HD; Internet required; USB; Linux (For more information, see http://hplipopensource.com/hplip-web/index.html)
Control panel	2.7 in touch screen, LCD (color graphics)
Copier scaling (ADF)	25 to 400%
Copier settings	Number of Copies; Lighter/Darker; Optimize; Paper; Multi-Page Copy; Draft Mode
Copies, maximum	Up to 99 copies

Copy reduce / enlarge settings	25 to 400%
Copy resolution (black graphics)	600 x 400 dpi
Copy resolution (black text)	600 x 400 dpi
Count of cartons per pallet layer	7
Count of layers in pallet	7 (NA), 6 (EMEA&APJ)
Country of origin	G3Q60A#697, Made in Brazil; G3Q60A#AB0, Made in Vietnam; G3Q60A#ABT, Made in Vietnam; G3Q60A#ABY, Made in Vietnam; G3Q60A#AC8, Made in Brazil; G3Q60A#ACQ, Made in Vietnam; G3Q60A#B13, Made in Vietnam; G3Q60A#B19, Made in Vietnam; G3Q60A#BAZ, Made in Vietnam; G3Q60A#BBU, Made in Vietnam; G3Q60A#BGJ, Made in Vietnam; G3Q60A#BGM, Made in Vietnam
Distinctive ring detection supported	Yes
Downloadable software	From 123.hp.com: HP Easy Start (Guided Software Install for Windows and Mac); From HP.com for Windows OS: Full-solution software and drivers (Same solution as "Software Included"), Basic-solution software and drivers (with installer), Product Documentation and Support; From HP.com for Mac OS: Full-solution software and drivers; For Mobile OS: See "HP Mobile Printing" (http://www8.hp.com/us/en/ads/mobility/overview.html); From In-OS app stores: Gotham (HP AiO Remote for Win 8), HP recommended printer drivers and software; From HP.com for printer administrators: HP ePrint Software (ePrint Mobile Driver for Windows), Linux Print Drivers, ReadIris Software
Driver updates	www.hp.com/support/ljM129MFP
Duplex ADF scanning	No
Electromagnetic compatibility	CISPR 22:2008 / EN 55022:2010 - Class B, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2013, EN 55024:2010, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6, GB9254-2008, GB17625.1-2012
Fax Auto Redial	Yes
Fax Broadcast Locations	119
Fax PC Interface Supported	Yes
Fax Polling	Yes (poll to receive only)
Fax Remote Retrieval	No
Fax Speed Dials, Maximum Number	Up to 120 numbers (119 group dials)
Fax Transmission Speed	4.2 kB/s
Fax delayed sending	Yes
Fax forwarding	Yes
Fax memory	Up to 1000 pages
Fax memory	Up to 1000 pages
Fax phone TAM interface supported	Yes
Fax resolution black	203 x 196 dpi

Fax telephone mode supported	Yes
Fax transmission speed (letter)	3 sec per page ^[15]
File Format Supported	PDF; JPG
First copy out black (A4)	As fast as 7.8 sec
First copy out black (letter)	As fast as 7.4 sec
First page out black (A4, ready)	As fast as 7.3 sec
First page out black (A4, sleep)	As fast as 8.8 sec
First page out black (letter, ready)	As fast as 7.3 sec
First page out black (letter, sleep)	As fast as 8.8 sec
HP ePrint capability	Yes
Input capacity	Up to 150 sheets
Internal Storage	No
Junk fax barrier	Yes
Left margin (A4)	4 mm
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10
Maximum Memory	256 MB
Maximum dimensions (W x D x H)	423.1 x 511.4 x 423.7 mm
Maximum dimensions (W x D x H)	16.66 x 20.13 x 16.68 in
Maximum input capacity (sheets)	Up to 150 sheets
Maximum output capacity (sheets)	Up to 100 sheets
Maximum print area	214 x 356 mm
Media size (ADF)	A4/LTR/LGL
Media size, tray 1	A4; A5; A6; B5 (JIS)
Media sizes supported	Letter; legal; executive; 8.5 x 13 in; envelopes
Media sizes supported	A4; A5; A6; B5 (JIS)
Media sizes supported, key	Letter; Legal; Envelopes
Media sizes supported, key	A4; Envelopes
Media sizes, custom	3 x 5 to 8.5 x 14 in
Media sizes, custom	76 x 127 to 216 x 356 mm
Media type and capacity, ADF	35 sheets
Media type and capacity, tray 1	Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, postcards

Media types	Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, postcards
Media weight (tray 1)	60 to 163 g/m ²
Media weight, supported	60 to 163 g/m ²
Media weight, supported	16 to 43 lb
Media weights, supported ADF	70 to 90 g/m ²
Media weights, supported ADF	18.5 to 24 lb
Memory	256 MB
Memory Slots	No
Memory card compatibility	No
Minimum System Requirements	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8
Minimum System Requirements for Macintosh	Apple®OS X EI Capitan (v10.11) OS X Yosemite (v10.10) OS X Mavericks (v10.9); 1 GB HD; Internet required; USB
Multitasking supported	Yes
Native scan file format	PDF, JPG
Network ready	Standard (built-in Ethernet, Wi-Fi 802.11b/g/n)
Non-Operating Humidity Range	10 to 90% RH
Number of print cartridges	1 Black
Number of users	1-5 Users
Operating humidity range	10 to 80% RH
Operating temperature range	15 to 32.5℃
Operating temperature range	59 to 90.5°F
Orderable product number	G3Q60A#697, G3Q60A#AB0, G3Q60A#ABT, G3Q60A#ABY, G3Q60A#AC8, G3Q60A#ACQ, G3Q60A#B13, G3Q60A#B19, G3Q60A#BAZ, G3Q60A#BBU, G3Q60A#BGJ, G3Q60A#BGM
Orderable supplies	CF217A/CF217AC - HP 17A Black Original LaserJet Toner Cartridge; CF218A/CF18AX - HP 18A Black Original LaserJet Toner Cartridge
Output capacity	Up to 100 sheets
Package dimensions (W x D x H)	490 x 327 x 350 mm
Package dimensions (W x D x H)	19.29 x 12.87 x 13.77 in
Package weight	10.2 kg
Package weight	22.4 lb
Pallet dimensions	47.24 x 39.37 x 102.36 in (NA), 47.24 x 39.37 x 88.58 in (EMEA&APJ)
Pallet dimensions (W x D x H)	1200 x 1000 x 2600 mm (NA), 1200 x 1000 x 2250 mm (EMEA&APJ)

Pallet weight	1149.5 lb (NA), 992.4 lb (EMEA&APJ)
Pallet weight	522.5 kg (NA), 451.1 kg (EMEA&APJ)
Paper handling input, optional	NA
Paper handling input, standard	150-sheet input tray
Paper handling output, standard	100-sheet output tray
Paper trays, maximum	1
Paper trays, standard	1
Ports	1 Hi-Speed USB 2.0 (device); 1 Ethernet 10/100Base-TX; 1 phone line (in); 1 phone line (out)
Power	110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz/50 Hz, 4.8 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz, 2.8 A
Print Technology	Laser
Print colors	No
Print languages	PCLmS, URF, PWG
Print quality black (normal)	Up to 600 x 400 dpi, HP FastRes 600 (600 dpi quality)
Print speed footnote number (A5)	[12]
Print technology	Laser
Printer Management	HP Printer Assistant (UDC); HP Device Toolbox; HP Utility (Mac)
Processor speed	600 MHz
Product logos	Energy Star; USB; Wi-Fi
Product long name specifications	HP LaserJet Pro MFP M130fw: Up to 22/23 PPM (A4/Letter); Up to 10,000 page per month duty cycle
Quantity per pallet	49 (NA), 42 (EMEA&APJ)
RMN number	SHNGC-1501-04
Recommended monthly page volume	150 to 1500 ^[10]
Recommended monthly scan volume	150 to 1,500
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	63.5 to 77ºF
Recommended operating temperature range	17.5 to 25ºC
Replacement product number	CZ183A; CZ186A
Resolution	FB: 300×300 dpi, 600×600 dpi, 1200×1200 dpi for scan , 300×400 dpi for copy; ADF: 300×300 dpi for scan, 300×400 dpi for copy
Resolution (black and white, standard mode)	203 x 98 dpi

Resolution (black and white, superfine mode)	300 x 300 dpi (no halftone)
Resolution (black photo grayscale)	300 x 300 dpi (halftone enabled)
Right margin (A4)	4 mm
Safety	IEC 60950-1:2005 +A1:2009+A2:2013/EN60950-1:2006 +A11:2009 +A1:2010+A12:2011+A2:2013, IEC 60825-1:2007 / EN 60825-1:2007 (Class 1 Laser/LED Product), IEC 62479:2010 / EN 62479:2010, GB4943- 2011
Scan resolution, hardware	Up to 300 x 300 dpi (color and mono, ADF); Up to 600 x 600 dpi (color, flatbed); Up to 1200×1200 dpi (mono, flatbed)
Scan resolution, optical	Up to 300 dpi (color and mono, ADF); Up to 600 dpi (color, flatbed); Up to 1200 dpi (mono, flatbed)
Scan size (ADF), maximum	215.9 x 297 mm
Scan size (ADF), maximum	8.5 x 11.7 in
Scan size (ADF), minimum	5.85 x 8.27 in
Scan size (ADF), minimum	148.5 x 210 mm
Scan size, maximum	8.5 x 11.7 in
Scan size, maximum	215.9 x 297 mm
Security management	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change
Software scan file format	JPEG, RAW(BMP), PNG, TIFF, PDF
Software scan file format Standard output capacity (envelopes)	JPEG, RAW(BMP), PNG, TIFF, PDF Up to 10
Standard output capacity	
Standard output capacity (envelopes) Storage device and direct print	Up to 10
Standard output capacity (envelopes) Storage device and direct print support	Up to 10 USB printing; Wi-Fi Direct
Standard output capacity (envelopes) Storage device and direct print support Storage temperature range	Up to 10 USB printing; Wi-Fi Direct -4 to 140°F
Standard output capacity (envelopes) Storage device and direct print support Storage temperature range Storage temperature range	Up to 10 USB printing; Wi-Fi Direct -4 to 140°F -20 to 60°C
Standard output capacity (envelopes) Storage device and direct print support Storage temperature range Storage temperature range Sub-brand name	Up to 10 USB printing; Wi-Fi Direct -4 to 140°F -20 to 60°C LaserJet Pro
Standard output capacity (envelopes) Storage device and direct print support Storage temperature range Storage temperature range Sub-brand name SureSupply supported	Up to 10 USB printing; Wi-Fi Direct -4 to 140°F -20 to 60°C LaserJet Pro Yes
Standard output capacity (envelopes) Storage device and direct print support Storage temperature range Storage temperature range Sub-brand name SureSupply supported Tariff numbers Telecom compliance (fax	Up to 10 USB printing; Wi-Fi Direct -4 to 140°F -20 to 60°C LaserJet Pro Yes 8443310000 Wireless telecommunications: EN 301 489-1 V1.9.2 / EN 301 489-17:V2.2.1; EN 300 328: V1.9.1 / EN301 893 V1.8.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN62311:2008; Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand);
Standard output capacity (envelopes) Storage device and direct print support Storage temperature range Storage temperature range Sub-brand name SureSupply supported Tariff numbers Telecom compliance (fax capability)	Up to 10 USB printing; Wi-Fi Direct -4 to 140°F -20 to 60°C LaserJet Pro Yes 8443310000 Wireless telecommunications: EN 301 489-1 V1.9.2 / EN 301 489-17:V2.2.1; EN 300 328: V1.9.1 / EN301 893 V1.8.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN62311:2008; Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries
Standard output capacity (envelopes) Storage device and direct print support Storage temperature range Storage temperature range Sub-brand name SureSupply supported Tariff numbers Telecom compliance (fax capability)	Up to 10 USB printing; Wi-Fi Direct -4 to 140°F -20 to 60°C LaserJet Pro Yes 8443310000 Wireless telecommunications: EN 301 489-1 V1.9.2 / EN 301 489-17:V2.2.1; EN 300 328: V1.9.1 / EN301 893 V1.8.1; FCC Title 47 CFR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN62311:2008; Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries

UNSPSC code	43212110
UPC number	(697) 725184117282; (AB0) 889894382559; (ABT) 725184117220; (ABY) 725184117237; (AC8) 725184117299; (ACQ) 725184117244; (B13) 725184117251; (B19) 725184117268; (BAZ) 725184117275; (BBU) 889894382566; (BGJ) 725184117305; (BGM) 889894382573
What is in the box footnote	Introductory HP Black LaserJet Toner Cartridge (~700 pages), HP Original LaserJet Imaging Drum (~12,000 pages). Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

- [1] Introductory HP Black LaserJet Toner Cartridge (~700 pages), HP Original LaserJet Imaging Drum (~12,000 pages). Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- [2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.
- [3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of device.
- [5] Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- [9] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- [10] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- [15] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will increase the transmission time.
- [18] Not supportingWindows® XP (64-bit) and Windows Vista® (64-bit); Not all "Compatible Operating Systems" are supported with INBOX software, Full solution software available only for Windows 7 and newer, Legacy Windows Operation Systems (XP, Vista, and equivalent servers) drivers only, For Windows Server 2003 32-bit and 2008 32-bit and 64-bit, 2008 R2 64-bit, 2012 64-bit, 2012 R2 64-bit only drivers (print/scan/fax) are installed, Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS, Linux systems use in-OS HPLIP software

Solutions

Printing Solutions

Print Management

HP Web Jetadmin	HPWEBJETADMIN
HP JetAdvantage Insights	HPJETADINSIGHTS
HP Universal Print Driver	HPUNIVPRNTDRV

Printing Security

HP JetAdvantage Private Print	HPCMPPONDMND
Celiveo Enterprise	HP3PCELIVEO

Services

HP Care Pack Services

Imaging and Printing Consumer Care Pack Services

HP 4 year Care Pack Business Priority Support with Onsite Exchange for Consumer LaserJet Printers	U6M43E
HP 2 year Care Pack Business Priority Support with Next business day Exchange for Laserjet Printers	UQ220E
HP 3 year Care Pack Business Priority Support with Next business day Exchange for Laserjet Printers	UQ221E
HP 2 year Care Pack Business Priority Support with Onsite Exchange for Consumer LaserJet Printers	U6M41E
HP 3 year Care Pack w/Next Day Exchange for LaserJet Printers	UG087A
HP 3 year Care Pack Business Priority Support with Onsite Exchange for Consumer LaserJet Printers	U6M42E
HP 2 year Care Pack with Next Day Exchange for Mid Level LaserJet Printers	UG117A
HP 4 year Care Pack Business Priority Support with Next business day Exchange for Laserjet Printers	UQ222E

Ink/Toner/Paper/Printer Supplies

HP Paper Designed for Laser Printers

HP Laser Brochure Paper

HP Laser Matte Brochure Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6543A
HP Laser Matte Brochure Paper 200 gsm-100 sht/Letter/8.5 x 11 in	Q8824A
HP Laser Glossy Brochure Paper 150 gsm-300 sht/Letter/8.5 x 11 in	X3E84A
HP Laser Glossy Tri-fold Brochure Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6612A
HP Laser Glossy Brochure Paper 200 gsm-100 sht/Letter/8.5 x 11 in	Q6608A
HP Laser Glossy Brochure Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6611A

HP Laser Everyday Paper

HP Premium Choice LaserJet Paper-6 reams/Letter/8.5 x 11 in	HPU1132
HP LaserJet Paper-5 reams/Letter/8.5 x 11 in	HPJ115R
HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P
HP LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPJ1124P

HP Professional Laser Paper

HP Professional Glossy Laser Photo Paper 200 gsm-100 sht/A4/210 x 297 mm	CG966A
HP Professional Glossy Laser Paper 150 gsm-150 sht/A4/210 x 297 mm	CG965A
HP Professional Glossy Laser Paper 120 gsm-250 sht/A4/210 x 297 mm	CG964A

HP Laser Presentation Paper

|--|

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

HP 40-lb Heavyweight Project Paper/250 sht/Letter/8.5 x 11 in	Z4R14A
HP Everyday Copy and Print Paper-500 sht/Letter/8.5 x 11 in	HPA510
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A

HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Office Paper-5 reams/Letter/8.5 x 11 in	HPC115R
HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
HP All-in-One Paper-5 reams/Letter/8.5 x 11 in	HPT115
HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP Office Paper-10 reams/Legal/8.5 x 14 in	HPC8514
HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	НРСЗНР
HP Multipurpose Paper	

HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225
HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120R
HP Multipurpose Paper-10 reams/Legal/8.5 x 14 in	HPM1420
HP Multipurpose Paper-500 sht/Legal/8.5 x 14 in	HPM1420P
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H

HP Recycled Paper

HP Recycled Paper-10 reams/Letter/8.5 x 11 in	HPE1120
HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830

HP Minority Business Enterprise Paper

HP Business Copy Paper-10 reams/Letter/8.5 x 11 in	HPBC11	
--	--------	--

HP Laser Toner Cartridges and Kits

HP Black and White Laser Toner Printer Cartridges

HP 17A Black Original LaserJet Toner Cartridge	CF217A
HP 19A Original LaserJet Imaging Drum	CF219A