

## Serie | 6, Gas hob, 60 cm, Black PCP6A6B90





### Optional accessories

HEZ298105: HEZ298115:

- FlameSelect: adjust the gas flame precisely using nine defined levels.
- Continuous cast-iron pan support: for high firmness and stability of cookware.
- **Biomethane-ready:** your gas hob can also be powered with renewable biomethane gas.
- Ergonomic control knobs with raised center for precise adjustments.
- Surface colour: elegant black enamel design.

#### **Technical Data**

Product name/family: gas hob w integrated controls

Construction type : Built-in

Energy input : Gas

Total number of positions that can be used at the same time: 4

Type of control setting devices : sword knobs

Required niche size for installation (HxWxD): 45 x 560-562 x

480-492 mm

Width of the appliance : 582 mm Dimensions :  $53 \times 582 \times 520 \text{ mm}$ 

Dimensions of the packed product (HxWxD): 141 x 651 x 578

nm

Net weight : 11.1 kg Gross weight : 12.0 kg

Residual heat indicator : without Location of control panel : Hob front Basic surface material : Enamel

Color of surface : Black

Approval certificates : CE, Eurasian Length of electrical supply cord : 100 cm

Knob Material : Plastic Sealed Burners : No

Type of pan support : Elongated cast iron pan support

Power of heating element (kW) : 1.75 kW Power of 3rd heating element (kW) : 1.75 kW Power of 5th heating element (kW) : 3 kW

Connection rating : 1 W Gas connection rating : 7500 W

Fuse protection : 3 A Voltage : 220-240 V Frequency : 60; 50 Hz

Main colour of product : Black

Energy input : Gas

Gas type: Nat gas H/E/(L) 20 (25) mbar

Alternative gas type: Liquid gas G30,31 28-30/37mbar

Approval certificates : CE, Eurasian

Plug type: no plug

Appliance Dimensions (h x w x d) (in) : + x x

Dimensions of the packed product: 5.55 x 22.75 x 25.62

Net weight: 25.000 lbs Gross weight: 26.000 lbs

Total number of positions that can be used at the same time: 4

Length of electrical supply cord : 100  $\mbox{cm}$ 

Required niche size for installation (HxWxD) : 45 x 560-562 x

480-492 mm

Dimensions: 53 x 582 x 520 mm

Dimensions of the packed product (HxWxD) : 141 x 651 x 578

 $\mathsf{m}\mathsf{m}$ 

Net weight : 11.1 kg Gross weight : 12.0 kg





# Serie | 6, Gas hob, 60 cm, Black PCP6A6B90

#### Design

- Enamel surface, Black
- Cast iron pan supports

#### Usage convenience

- FlameSelect: precisely control and adjust the flame in nine defined levels.
- Design co-ordinated control dials: easily access dials in front with strong grip for effortless turning.
- Ignition via control dials: just push and turn the dials to ignite the flame.

#### **Burners and power**

- 4 gas burners:
- Left front: standard burner up to 1.75 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: high-speed burner up to 3 KW (depending on gas type)
- Right front: economy burner up to 1 KW (depending on gas type)

#### Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

#### Installation (gas types & measurements)

- Usable for: Nat gas L/LL G25/20mbar(DE)
  NG H/E 20mbar, E+ 20/25mbar Natural gas H 25 mbar (HU)
  Natural gas L 25 mbar (NL) Liquid gas G30,31 28-30/37mbar
  Liquid gas G30 37 mbar (PL) Liquid gas 50 mbar
- Pre-set for natural gas
- Nozzle set for LPG jets included. Connection to 28-30/37 mbar bottled gas. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm):  $53 \times 582 \times 520$
- Required niche size for installation (HxWxD mm) :  $45 \times 560 \times (480 492)$
- Min. worktop thickness: 30 mm
- Power cord: 1 m
- Connected load: 7.5 KW



# Serie | 6, Gas hob, 60 cm, Black PCP6A6B90

