	1	2			3			4	_
						重	要 度	[B]	
A									A
			未	支术要求	•				L
		1. 颜色要							
В		1.	要求 封二	:黑白印 印	刷; 明显色差,				В
		2.// 🖽 🙌	6-1( 图案	(大) (大) (大) (大) (大) (大) (大) (大) (大) (大)	高需大于3	3 m m			
		3. 页面印 4. 成型方	刷: 戏五马	,不配有 印刷; 钉;	中刷 联陷,				L
		5. 成品尺 尺寸公 6. 批量生	寸: A5(I 差按GB/T 产前须送	[40X210] [1804-c; .样确认。					
С									С
·									
									L
D									D
									Е
				封面: 81	) o 双	<u></u> ⊢ 2	东奥马冰箱有	1 飓 八 司	
借(通)用件登记				内页: 80	g双胶		17人人 70 11 11	11112 1	
出图审查	标志 处数 更改 3	文件号 签 名 日 会签	期	重量	比 例		说明书		
	制图 陈家州	怡 标准化 刘金		+ 1 张	第 1 张				F
日 期	审核 梁嘉 元艺	<ul><li></li></ul>	—— 视	角符号			C K B S H - G (	3! 5	
	1	2			3			4	•



## Instruction Manual

BECFB142L



You'll soon be enjoying your new chest freezer.

It all begins here, with your instructions. Don't worry, there's nothing too technical coming up. Just simple, step-by-step guidance to get you up and running quickly. Sound good? Then let's get started

## Help and Guidance

We're here to help you get the most from your chest freezer. Should you require any guidance, a simple solution can often be found online at.

Www.bush-support.co.uk

If you still require further assistance, call one of our experts on 0345 257 7271.

## **Contents**

1 Safety information Safety information	6
2Getting to know	
yourchest freezer Ready? Let's begin Parts	13 14
3 Installing your	
chest freezer Transportation Installation Electrical Connection	17 17 18
4Using your	
chest freezer  Before first use Using your appliance Useful information	21 21 21
5 Care and Maintenan	ice
General	25

25

25

25

26

Power failure


Light bulb replacement

Moving your appliance

TechnicalSpecifications

6 Product	support
Olloadet	Support

Trouble Shooting	29
Help and assistance	30
Guarantee	3:



**Important**-Please read these instructions fully before installing or operating

## Before use

The installation of this appliance is best carried out by 2 people.

- Dispose of all packaging carefully and responsibly.
- The appliance is designed for indoor use only and must be protected from rain, moisture and extreme temperature variations.
- This appliance is designed for house hold use. Do not use the appliance for industrial and commercial use, or any other purpose.
- The appliance MUST be positioned on a firm level base.
- Do not splash water on the appliance. It may cause electrical parts to fail and result in an electric shock.
- Leave the appliance in

- its intended place of installation and in its correct orientation for at least 4 hours before switching on to allow the cooling system to settle before first use or after any transportation.
- Your appliance is an environmental friendly product and it contains non CFC/HFC gas substances in the cooling system (Called R600a) and in the insulation (Called cyclopentane) which potentially are flammable if exposed to fire. Therefore, take care not to damage, the cooling circuit/pipes of the appliance in transportation and in use. In case of damage do not expose the appliance to fire,



Important-Please read these instructions fully before installing or operating

potential ignition source and immediately ventilate the room where the appliance is situated.

- Do not sit, stand or place any other heavy objects on top of the appliance. This could result in injury or damage to the appliance.
- Do not allow children to play with the appliance to avoid the risk of entrapment and suffocation.
- Keep ventilation opening, in the appliance enclosure or in the built-in structure, clear of obstruction.
   During use
- This appliance is not intended for use by persons (including

- children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.
- This appliance is not intended for use by young children or infirm persons unless they have been adequately supervised by a responsible person to ensure that they can use the appliance safely.
   Young children should be supervised to ensure that they do not play with the appliance.
- Do not use mechanical,



**Important**-Please read these instructions fully before installing or operating

electrical or chemical way to speed up the defrost process not recommended by the manufacturer.

- Do not use or place other electrical products inside the appliance not recommended by the manufacturer.
- **Do not** store liquids in glass containers in the freezer compartment as these may shatter.
- Do not store flammable materials such as alcohol, gasoline, LP gas or glue etc in the appliance.
- In case there is an inflammable gas leaking, open the window for air circulation and do not pull out the plug or

- turn the temperature knob. **Do not** touch the appliance until the valve of gas is turned off. Otherwise, sparks may happen.
- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- Do not attempt to repair the appliance yourself. Contact the Customer Helpline:0345 257 7271.



Important-Please read these instructions fully before installing or operating

- Children aged from 3 to 8 years are allowed to load and unload this appliance.
- MARNING! When positioning the appliance, ensure the supply cord is not trapped or damaged.
- MARNING! Do not locate multiple portable socketoutlets or portable power suppliers at the rear of the appliance.

- To avoid contamination of food, please respect the following instructions
- Opening the door for long periods can cause a significant increase of the temperature in the compartments of the appliance.
- Clean regularly surfaces that can come in contact with food and accessible drainage systems.
- Clean water tanks if they have not been used for 48h; flush the water system connected to a water supply if water has not been drawn for 5 days.
- Store raw meat and fish in suitable containers in the refrigerator, so that it is not in contact with or drip onto other food.
- Two-star frozen-food compartments(if they are presented in the appliance) are suitable for storing prefrozen food, storing or making ice-cream and making ice cubes.



**Important**-Please read these instructions fully before installing or operating


One-, two- and three -star compartments (if they are presented in the appliance) are not suitable for the freezing of fresh food.

- If the appliance is left empty for long periods, switch off, defrost, clean, dry and leave the door open to prevent mount developing within the appliance.
- The refrigerating appliance is not intended to be used as a built-inappliance, unless specifically shown as such into its instruction manual.
- The drawers, baskets and shelves should be kept in their current position unless otherwise specified in this document.

⚠ WARNING! During using, service and disposal the appliance, please pay attention to symbol similar as left side, which is located on rear of appliance (rear panel or compressor) and with yellow or orange color.

It's risk of fire warning symbol. There are flammable materials in refrigerant pipes and compressor. Please be far away fire source during using, service and disposal.

# Getting to know your chest freezer



## Getting to know your chest freezer

You'll be up and running in no time

### Ready?Let's begin...


Please read these instructions carefully. They contain important information which will help you get the best from your chest freezer and ensure safe and correct installation and operation

If you require any further assistance, our technical experts are happy to help. For full details, refer to the product support section at the end of these instructions.

## Getting to know your chest freezer

You'll be up and running in no time

## **Parts**



1.Door

2.Wheels

3.Drain port

4.Basket


5.LED light

6.Control panel

#### Accessories included



Instructions x 1



## Installing your chest freezer

## Bringing it all together


#### Transportation

Caution: 2 people are required to unpack and handle the appliance, it is recommended that gloves are worn.

- •The appliance should be transported only in an upright position. Do not tilt the appliance greater than 45 degrees. The packaging as supplied must be intact during transportation.
- After transporting the appliance, leave it for at least 4 hours before switching on to allow the cooling system to settle. Failure to comply could result in damage to the appliance.
- Do not move the appliance by pulling the door or handle as it may damage your flooring and wall coverings etc.
- Ensure the supplycable is not caught under the appliance during and after moving.
- Carefully remove all packaging materials including the foam base, dispose of correctly

#### Installation

• Ensure sufficient spacing is provided for the appliance to be installed. Leave space on both sides (10cm), back (10cm) and above the appliance (70cm) to ensure proper ventilation.



 Do not place the appliance near a heat source or in direct sunlight.

- Do not put any heavy objects on top of the appliance. It will damage the appliance.
- •Do not install the appliance in a moist and wet place.



- Adjust the feet at front to level the appliance. It should be installed on a smooth surface to avoid excessive vibration and noise.
- •Each appliance has a climate class (shown on the rating plate) where it indicates the temperature range of the appliance operation in place. The appliance may notwork properly if it is left for a long period at a temperature outside the specified range:

extended temperate: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from 10 °C to 32 °C (from 50°F to 90°F)'; temperate: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from 16 °C to 32 °C (from 61°F to 90°F)'; subtropical: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from 16 °C to 38 °C (from 61°F to 100°F)'; tropical: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from

•Refer to section "Care and Maintenance" to prepare your appliance for use.

16 °C to 43 °C (from 61°F to 110°F)'

## Installing your chest freezer

## Bringing it all together

#### **Electrical connection**



Any electrical workthat is required to install this appliance MUST be carried out by a qualified electrician.



Warning: THIS APPLIANCEMUST BE EARTHED

Before making any electrical connections, ensure that:

- •Electrical safety is only guaranteed when the earth system of your house is in accordance with the related local regulations.
- •Do not damage the chest freezer circuit.
- Do not bend, stretch or pull the supply cable to avoid electric shock.
- Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- •Ensure the powersocket is suitable for the maximum power of the machine (fuses in the power circuit must be 13 amp).
- The supply voltage should be the same as that indicated in the technical specifications and the appliance rating plate.
- •The appliance should be earthed and in compliance with the applicable law.
- When installed, the power socket must be within easy reach.
- If the socket outlets inyour home are not suitable for the plugsupplied with this unit check with a qualified electrician for replacement.
- •The use of adapters, multiple connectors or extension cables are not recommended.
- •The appliance must be connected to a 220-240 volt 50Hz AC supply by means of a three pin socket, suitably earthed and protected by a 13 amp fuse.
- •Should the fuse need to be replaced, a 13 amp fuse approved to BS1362 must be used.
- •The plug contains a removable fuse cover that must be refitted when the fuse is replaced. If the fuse cover is lost or damaged, the plug must not be used until a replacement cover has been fitted or the plug is replaced.
- •A damaged plugshould be cutoff as close to the plug body as possible, the fuse should be removed and the plug disposed of safely.

#### Plug replacement (UK& Ireland only)

Should you need to replace the plug; the wires in the powercable are coloured in the following way:

Blue Neutral 'N'

Brown Live 'L'

Green & Yellow Earth 'E'


As the colours of the wires in the power cable may not correspond with the coloured markings identifying the terminals in your plug, and proceed as follows:

The green & yellow wire must be connected to the terminal in the plug that is marked with the letter E or by the earth symbol.


The blue wire must be connected to the terminal that is marked with the letter N.

The brown wire must be connected to the terminal that is marked with the letter L.

If the powersupply cord isdamaged, it must be replaced by the manufacturer or its service agent or a similar qualified person in order to avoid a hazard.



## Using your chest freezer 4



## Using your chest freezer

## Getting the most from your appliance

#### Before first use


#### Final checks before operating the appliance

- **1.**Good aircirculation around the appliance positioned.
- **2.**The feethave been adjusted for perfect levelling.
- 3.Clean the compartment per recommendation in section "Care and Maintenance".
- 4. Plug in the appliance

The compressor starts up and in operation may produce some background noise and it is normal, this is not a defect.

#### Using your appliance

1. Control panel



Indicator lights

**MIN-NORMAL-MAX & SUPER** the temperature setting for the appliance.

**RUNNING** lights if the compressor is operating. Buttons.

SET for adjust the temperature setting **ON/OFF** to turn the appliance on or off.

- 2. Turning the appliance on /off
  Plug in your appliance. To turn it ON, press and
  hold the ON/OFF button for 3 seconds.
  Toturn it off, press and hold the ON/OFF
  button for 3 seconds.
- button for 3 seconds.

  3. Temperature adjustment
  The temperature of freezer is adjusted by means of the setting within MIN NORMAL MAX SUPER. There are totally 8 settings, i.e. 7 setting between MIN and MAX, 1 setting for SUPER . MAX is the coldest setting.
  While SUPER setting has been selected, the indicator light of SUPER setting will be illuminated. The appliance is now entering into the fast freeze mode. Under the SUPER mode, the appliance willoperate continuously for 52 hours. Then it will revert back to previous temperature setting, i.e. NORMAL, or else.

Tips: it's better to switch on SUPER FREEZING mode 24 hours ahead before large amount of food is placed in the freezer compartment. The use of this function is recommended when placing a very high quantity of food to be frozen.

Select your desire temperature setting by continue to press on **Set** button. The achieved temperatures can vary according to the conditions of use of the appliance, such as ambient temperature, frequency of door opening, extent of food inside of the freezer.

- The quantity of fresh food that can be kept frozen in a specific time period is indicated on the rating plate.
- Load limits are determined by baskets, flaps, drawers, shelves etc. Make sure that these components can still close easily after loading.
- •To ensure the compartmentis maintained at the desired temperature, it is advised to monitor the temperature periodically by a thermometer and adjust the thermostat accordingly.
- Load the appliance after switch onfor a while to allow the temperature reach the desired setting.

#### 2. Storing frozen food

- Check the food packaging for **r** suggestion before storage.

#### Useful information

The following guidelines and recommendations are suggested to obtain the best results and storage hygiene.

- Frequent door openings can cause the internal temperature to rise so the door should be closed as soon as possible.
- For hygienereasons, it is always a good practise to pack, wrap and cover the food before storing.
- Normally, it's recommended to set the temperature to "NORMAL" or colder for optimum food preservation. The longest storage time in this situation is no more than 1 month, which may reduce under other settings.

## Using your chest freezer

## Getting the most from your appliance

Position different food in different compartments according to be below table

Chest Freezer	Foods for long-termstorage.     Raw meat, poultry, fish, frozenvegetables, chips, ice cream, frozen fruit, frozen bakedgoods

- •Use a polythene bag to store raw meat and place on the lowestshelf. Avoid contact with cooked food to prevent contamination. For safety reason, store raw meat for two to three days only.
- Cooked dishes must be stored in airtight covered containers.
- Food should cool to room temperature.
- Most vegetables should be blanched and chilled before freezing.
- •Do not leave frozen food at room temperature to thaw. You could defrost the foodby putting it in the fridge tothaw slowly. Make sure you avoid defrosting foodfrom dropping food juices on to other food.

#### Energy saving tips


- Place your fridge away from direct sunlight, your oven orany other heatsources. Allow 20 cm clear space on both sides and above. and at least 5 cm behind.
- •Cover all food stored, and arrange itso that cold •Use an icescraper (not provided) or similar tool air can circulate freely.
- · Higher cold setting will use more energy. Donot set to maximum cold if it is not necessary.
- •Cool the hot/warmfood to room temperature before put them into your fridge.
- Frequently opening and closing the door will cause the internal temperature to rise and it will consume more energy.

- •Close the door(s) properly, and make sure the seals and hingesare airtight. Checkthe seals by putting a sheet of paper between the door and the main body of the fridge. If the paper moves, your seals need replacing.
- Defrost regularly if your chestfreezer is not a frost-free or cyclic defrost model. Accumulated ice layer should not be more than 5 mm thick.
- •The pre-set combination of drawers, baskets and shelves have already been set in the most efficient wayfor the use of this product.

#### Defrosting

- •The appliance requires defrosting once or twice a year when the ice layer thickness 5~10mm. Unplug the appliance from the mains
- before defrosting.
- •Remove all frozen foodfrom the freezer and roll it firmly in newspapers. Putit into a container in a cool place for temporary storage.
- to remove theice layer. This process can be speeded up by placing a pot
- Empty the defrosting water and clean the freezer.
- Turn on the freezer and set to maximum temperature. Refill the frozen food tofreezer.
- This process should be completed within 2 hours.

## Care and Maintenance 5



## Care and maintenance

## Looking after your appliance General

Nimportant: Always unplug the appliance from the powersocket during cleaning and maintenance.

- Never use any sharp instruments or abrasive substances, soap, household cleaner, detergent orwax polish for cleaning.
- •Use luke warm water to clean the cabinet of the Short vacation appliance and wipeit dry.
- Never clean the appliance with flammable fluids. It could cause damage and a fire hazard.
- Clean the exterior of the appliance and door seal with a damp cloth and dry it through.
- Avoid watergoing into thetemperature control box.. Clean with a dry cloth only.
- .Clean the condenser (located at the back of the appliance) with a vacuum cleaner. It is suggested to remove the dust every year.
- •Shelves are allremovable forcleaning purpose.

Important: Care must betaken while cleaning/carrying the appliance not to touch the bottom of the condenser metal wires at the back of the appliance, as this could cause injury to fingers and hands.

#### Power failure

In case there is a powerfailure, you should take the following actions:

If it lasts less than 24 hours, keep the doors closed. This will allow the stored food tostav cold as long as possible. If it lasts more than 24 hours, it is advised to empty the freezer compartment and temporarily store the food in a portable freezer or using artificial ice packs. Try tostay coldfor as longas possible.

#### Light bulb replacement

This appliance is equipped with an LED light . It can be used for a long time. If the LED light is blown, it must be replaced by a qualified person to avoid any hazard. Contact the service agent at 0345257 7271.

Remarks: Full appliance will stay cold longer than a partially filled one. If ice crystals are still visible on the food, it may be frozen again, although flavour and aroma may be affected. If food is found to bein a poor condition, it is best to throw itaway.

There is no need to disconnect the appliance from the mainsif you will be away for two to three weeks. Use up the perishable food.

#### Long vacation

Remove all the food if you are away for three weeks or more. Unplug the appliance and leave the doors open to provide air circulation to prevent odourand mould.

#### Moving your appliance Moving

Refer to section "Transportation" under "Installation"

### Care and maintenance

## Looking afteryour appliance

#### **Technical Specifications**

Model	BECFB142L
Energy efficiency class	F
Energy consumption Kwh/year	228
Net storage volume fresh food (litres)	/
Net storage volume frozenfood (litres)	142
Totalnet storage (litres)	142
Frozen foodcompartment rating	4star ⊯⊞
Climate class	SN,N,ST
Operating noise level dB(A)	40
Minimum Operation Temperature	10°C
Product Dimension	705mmx545mmx845mm

The model information can be retrieved using the QR-Code reported in the energy label.

The label also includes the model identifier that can be used to consult the portal of the registry at https://eprel.ec.europa.eu

This product contains a light source of energy efficiency class G (if present).


#### **Disposal information**



The symbol on the product or its packaging indicates that this product may not be treated as household waste. Instead its hould be handed over to the applicable collection point for the recycling of electrical and electronic equipment, By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. For more detailed information about recycling this product, please contact your local council office, your household waste disposal service or the shop where the product was purchased.

Remember: Oldfridges must be disposed of carefully-older models contain CFC gases that are harmful-if in doubt, contactyour local council for details on how to dispose of an old fridge.

Doors and lids of the refrigeration appliance should be removed before disposal in the landfill, to avoid children or animals getting trapped inside.



## Help is always at hand

## **Troubleshooting**

If you have a problem with your product, these questions may beable to assistyou?

#### Question- Appliance does not work.

Answer

Appliance is not switched on - Switch on the appliance.

Mains plug is not plugged in or is loose. -Insert mains plug.

Fuse has blown or is defective - Checkfuse, replace if necessary.

Socket is defective - Mainsmalfunctions are to be corrected by an electrician.

#### Question - Appliance cools too much.

Answer

Temperature is too cold - Adjust the thermostat dial to a warmer setting.

#### Question - The food is too warm.

Answer

Temperature is not properly adjusted - Adjust the thermostat to a cooler setting. Door was openfor an extended period - Open the door only as long as necessary. A large quantity of warmfood was placed in the appliance - Adjust the thermostat to a cooler setting. Cool warmfood before placing in the chest freezer The appliance is near a heat source - Position the chest freezer away from a heat source.

#### Question-Heavy build up of frost, possibly also on the door seal.

Answer

Door seal is not air tight- Carefully warmthe leaking sections of the door seal with a hair dryer(not hotterthan approx 50 degree). At the same time shape the warmed door seal by hand such that it sits correctly.

#### Question - Water on the floor or on storage shelves.

Answer

Water drainhole is blocked - Removefood residue or ice from the entrance of the drain hole.

#### Question - Appliance is making unusual noises

Answers

Appliance is not level - Readjust the front levelling feet.

Appliance is incontact with wall or other objects. - Push appliance away a short distance A part at the back of the appliance eg a tube, is in contact with another appliance part or wall - Gently bend this part away carefully if necessary

## Help is always at hand

#### Help and assiance

If you require any technical guidance or find that your chest freezer is not operating as intended, a simple solution can often befound in the Troubleshooting section of these instruction or online at www.bush-support.co.uk

If you still require further assistance, call one of our experts on 0345 257 7271. To help give usgive you a fast and efficients ervice please have the following information ready.

Model Ref.	You can find these on the rating plate-a small information panel (usually
Serial number	a stickeror metal plate)on the rear ofyour appliance
Date of purchase	This will be shown on your receipt

Local call rates applies\*

Line open 8am-7pm Monday to Saturday and 10am-4pm Sunday

\*Calls to Bushenquiry lines may attract a charge and setup fee from residential lines depending on your call plan/tariff. Mobile and other providers costs may vary, see www.bt.com/pricing for details.

For security and training purpose, telephone calls to and from customerservice centres maybe recorded and monitored. Call from Republic of Ireland will attract international call charges.



This appliance complies with the following EEC directives: 2014/35/EEC Low voltage directive 2014/30/EU EMC directive

Help is always at hand



#### Call us now and activate your 12 month guarantee

Thank you for choosing Bush. Your new product is guaranteed against faults and breakdowns for 12 months. Don't forgetto registerit with us today so we can provide you with our best possible after-sale service and useful updates.

## www.bushregistration.co.uk

## FREEPHONE\* 0800 597 8548

Lines are open8am-8pm,365 days ayear.\*Callmay be recorded and monitored.

#### Your Bush Guarantee

This product isguaranteed fortwelve months from the date of original purchase. Any defect that arises due to faulty materials or workmanship will be repaired free of charge (orif applicable the product will be replaced or the purchase price refunded) where possible during this period by the dealer from who your purchased unit.

#### The guarantee is subject to the following provisions:

- The guarantee does not cover accidental damage, misuse cabinet parts, knobs or consumable items.
- The product must be correctly installed and operated in accordance with the instructions contained in the manual
- It must be used solely for domestic purposes. The guarantee will be rendered invalid if the product is
- re-sold or has been damaged by inexpert repair.
- Specifications are subject to change without notice.
- Bush disclaim anyliability for lossor damage arising from the breakdown of the product
- This guarantee is in addition to and does not diminish your statutory or legal rights

#### Important Data Protection Information

To find out how we and Domestic & General Insurance Plc use your data please refer to the guarantee registration material or visit www.bushregistrations.co.uk

## Help is always at hand

#### **Spare Parts Supply**

To order spare parts, please contact our customer helpline: 0345 257 7271. The original spare parts for some specific components are available for a minimum of 7 or 10 years, based on the type of component, from the placing on the market of the last unit of the model.

## **BUSH**

