


Tatsuma Solid Ash King Frame

habitat 



Spare Parts

 www.argos-support.co.uk

 Help@ClickSpares.co.uk

 0370 112 1928

Customer Support

 0345 640 2020



Safety and Care Advice


Product Details

Tatsuma Soild Ash King Frame 9472017 Natural /9418112 Walnut

IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY.

- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- This product has been constructed to be used in the domestic environment only and not for commercial purposes.

- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.



- We do not recommend the use of power drill/drivers for inserting screws as this could damage the unit. Only use hand screwdrivers.
- Parts of the assembly will be easier with 2 people.
- Dispose of all packaging carefully and responsibly.

Care and maintenance


- Only clean using a damp cloth and mild detergent. Do not use abrasive cleaners.
- Use a dry cloth to clean the product, furniture polish is not recommended.
- From time to time check that there are no loose screws, nuts or bolts. If there are please re-tighten.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Additional Guidance


- Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts.
- Regularly check and ensure that all bolts and fittings are tightend properly.
- Maximum user weight 100kg(refer to EN1725)
- This product is compliant EN1725:2015
- Any additional or replacement parts are obtained from the manufacturer.

Fittings (Shown to scale)

Bag 1




35mm Screw x4




20mm Screw x24




M8 Spring Washer x28



M8 Flat Washer x28




30mm Dowel x12




50mm Screw x4




15mm Screw x8



60mm Angle iron x4



43mm Hanger iron x2




Felt pad x 4




M5 Allen key x1

Tools required



Phillips screwdriver
(small & medium)

Panels




1 Head Board x 1
(1500 x 840mm)



2 Foot Board x 1
(1500 x 80mm)



3 Left Side Panel x 1
(2000 x 80mm)




4 Right Side Panel x 1
(2000 x 80mm)



5 Support Rail x 1
(335 x 95mm)



6 Support Rail x 1
(335 x 95mm)




7 Center rail x 1
(1928 x 60mm)



8 Support Leg x 2
(300 x 60mm)



9 End Cap x 30







10 Slats x 30
(710 x 53mm)





11 Connector x 15


1




2



3




4




20mm Screw x24



M8 Spring Washer x24




M8 Flat Washer x24






60mm Angle iron x4


K



M5 Allen key x1




5

F



50mm Screw x4

G


15mm Screw x6

I



43mm Hanger iron x2




6

G



15mm Screw x2




7



8



9



Assembly is complete.