Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Home

Supplier's address: Customer services, Sainsbury's Supermarkets Ltd, London, EC1N 2HT; Sainsbury's (NI) Ltd, Forestside Shopping Centre, Upper Galwally, Belfast, United Kingdom, BT8 6FX.

			0507070
MANA	10	antitiar	9527979
IVIOUCI	ıu	CIILIICI.	JJ Z [J]J

_		
Tyna	At light	source:
IVDE	OI HEIL	Source.


Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	B22		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

Product parameters					
Parameter		Value	Parameter	Value	
	General product parameters:				
Energy consur mode (kWh/10 up to the neare	00 h), rounded	5	Energy efficiency class	E	
dicating if it refe a sphere (360º)	s flux (фuse), ineers to the flux in, in a wide cone arrow cone (90º)	470 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode power (P _{on}), expressed in W		4,2	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	101	Spectral power dis-	See image	
sions without	Width	60	tribution in the	in last page	
separate control gear, light-	Depth	60	range 250 nm to 800 nm, at full-load		

ing control parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	40	
		Chromaticity coordi-	0,458	
		nates (x and y)	0,410	
Parameters for LED and OLED light sources:				
R9 colour rendering index value 0 Survival factor 0,90			0,90	
the lumen maintenance factor	0,96			
Parameters for LED and OLED mains light sources:				
displacement factor (cos φ1)	0,00	Colour consistency in McAdam ellipses	6	
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	_(b)	If yes then replace- ment claim (W)	-	
Flicker metric (Pst LM)	1,0	Stroboscopic effect metric (SVM)	0,4	

(a)_{'-'} : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 31/05/2024.



EPREL registration number: 865782 https://eprel.ec.europa.eu/qr/865782

Supplier: Argos (N.I.) Ltd (Authorised representative) **Website:**

Customer care service:

Name: Customer services Website:

Email: Quality.ArgosIE@sainsburys.co.uk Phone: 03456 402020

Address:

Sainsbury's Supermarkets Ltd, London, EC1N 2HT; Sainsbury's (NI) Ltd, Forestside Shopping Centr

e, Upper Galwally, Belfast, United Kingdom, BT8 6FX.