Product Information Sheet

COMMISSION DELEGATED REGULATION(EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Argos

Supplier's address: Sainsbury's Supermarkets Ltd (3261722 England) , registered Offices: 33 Holborn, London, EC1N 2HT

Sainsbury's Argos is a trading name of both:

1) Argos Limited, registered office: 489-499 Avebury Boulevard, Milton Keynes, United Kingdom, MK9 2NW, registered number: 01081551 (England and Wales); and

2) Sainsbury's Supermarkets Limited, Registered office: 33 Holborn, London, EC1N 2HT, registered number: 03261722 (England and Wales).

Model Identifier: 9551842 Type of light source: Non-directional or directional: Lighting technology used: LED Nondirectional Light source cap-type (or E27 Mains or non-mains Mains other electric interface) Connected light source NO Colour-tuneable light source - Yes/ NO (CLS) - Yes/No No NO High luminance light source - Yes/ NO Envelope No Anti-glare shield - Yes/ No NO Dimmable Dimmable **Product parameters** Parameter Value Parameter Value General product parameters Ε 8 kWh/1000h Energy efficiency class Energy consumption in onmode (kWh/1 000 h), rounded up to the nearest integer Useful luminous flux (Im) 806lm in a N/A Beam angle (φuse), indicating if it refers sphere correspondence to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) Correlated colour Warm white 2700K Correlated colour temperature, temperature type rounded to the nearest 100K,or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set

On-mode power (Pon), expressed in W	7.3W	Standby power (Psb), expressed in W and rounded to the second decimal	N/A
Networked standby power (Pnet) for CLS, expressed in W and rounded to the second decimal	N/A	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Colour rendering index range (Minimum)	80	Colour rendering index range (Maximum)	90
Outer dimensions (Height) (millimetre)	110	Outer dimensions (Width) (millimetre)	60
Outer dimensions (Depth) (millimetre)	60	Spectral power distribution in the range 250 nm to 800 nm, at full-load	Please check the picture at the last.
Claim of equivalent power	Yes	If yes, equivalent power (W)	60W
Chromaticity coordinate (x)	0.458	Chromaticity coordinate (y)	0.410
Peak luminous intensity (cd)	N/A	Beam angle in degrees, or the range of beam angles that can be set	N/A
Parameters for LED and OLE	D light sources	•	
R9 colour rendering index value	0	Survival factor	90%
The lumen maintenance factor	0.96	Displacement factor (cos φ1)	0.5
Colour consistency in McAdam ellipses	6	Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage	N/A
If yes then replacement claim (W)	N/A	Flicker metric (Pst LM)	1
Stroboscopic effect metric (SVM)	0.9		

