## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Home

**Supplier's address:** Customer services, Sainsbury's Supermarkets Ltd, London, EC1N 2HT; Sainsbury's (NI) Ltd, Forestside Shopping Centre, Upper Galwally, Belfast, United Kingdom, BT8 6FX.

		0550500
INIUUTEI	identifier:	955X577

_	•			
Type	Λt	liaht	COLL	CO.
IVDE	UI.	HEIIL	SOUI	LC.

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	E27		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No


## Product parameters

Product parameters				
Parameter		Value	Parameter	Value
		General product p	arameters:	
	nption in on- 00 h), rounded st integer	10	Energy efficiency class	E
dicating if it refe a sphere (360º)	s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º)	1 060 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	9,6	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
(P <sub>net</sub> ) for CLS, 6	candby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	120	Spectral power dis-	See image
sions without	Width	60	tribution in the	in last page
separate con- trol gear, light-	Depth	60	range 250 nm to 800 nm, at full-load	

ing control parts and non-lighting control parts, if any (millimetre)					
Claim of equivalent power <sup>(a)</sup>		Yes	If yes, equivalent power (W)	75	
			Chromaticity coordi-	0,458	
			nates (x and y)	0,410	
Parameters for LED and OLED light sources:					
R9 colour render	R9 colour rendering index value 0 Survival factor 0,90		0,90		
the lumen maintenance factor		0,96			
Parameters for I	Parameters for LED and OLED mains light sources:				
displacement fac	ctor (cos φ1)	0,70	Colour consistency in McAdam ellipses	6	
Claims that an L replaces a flu source without last of a particula	orescent light integrated bal-	_(b)	If yes then replace- ment claim (W)	<u>-</u>	
Flicker metric (P	st LM)	1,0	Stroboscopic effect metric (SVM)	0,4	

(a)<sub>'-'</sub> : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 31/05/2024.



**EPREL registration number:** 865887 https://eprel.ec.europa.eu/qr/865887

**Supplier:** Argos (N.I.) Ltd (Authorised representative) **Website:** 

**Customer care service:** 

Name: Customer services Website:

Email: Quality.ArgosIE@sainsburys.co.uk Phone: 03456 402020

Address:

Sainsbury's Supermarkets Ltd, London, EC1N 2HT; Sainsbury's (NI) Ltd, Forestside Shopping Centr

e, Upper Galwally, Belfast, United Kingdom, BT8 6FX.