

**Series 4, Free-standing freezer, 186.2
x 59.5 cm, White
GSN36VWDGG**



Included accessories

1 x ice cube tray

Optional accessories

KSZ39AW00 Connection set white

The freestanding freezer with Total No Frost for no more manual defrosting, spacious capacity, quiet operation, and flexible door trays to fit tall containers.

- **XXL capacity:** our biggest Single Door capacity ever with much more space inside.
- **Noise Class B (30-35 dB):** enjoy the quietness for a relaxed home atmosphere.
- **Glossy white backwall:** clean, bright design with easy-to-clean durability.
- **Side-by-Side combination:** place a fridge next to a freezer for convenient storage.
- **LED lighting:** all your items in perfect view.

Technical Data

Energy Efficiency Class¹:D
 Average annual energy consumption in kilowatt hour per year (kWh/a):214 kWh/annum
 Sum of volume of frozen compartments:334 l
 Airborne acoustical noise emissions :35 dB(A) re 1pW
 Airborne acoustical noise emission class:B
 Thermometer freeze section:N/A
 Built-in / Free-standing:Freestanding
 Frost free system:Freezer
 Height of the appliance:1862 mm
 Width of the appliance:595 mm
 Depth:663 mm
 Dimensions of the packed product (HxWxD):1940x665x790 mm
 Net weight:79.8 kg
 Gross weight:86.0 kg
 Frequency:50 Hz
 Length electrical supply cord:240 cm
 Door hinge:Right reversible
 Warning signal / malfunction:Both visual and audible
 Door lock:No
 Number of drawers/baskets (Stck):4
 Number of freezing flaps (Stck):0
 EAN code:4242005591046
 Brand:Bosch
 Product name / Commercial code:GSN36VWDGG
 Included accessories:1 x ice cube tray



¹ Scale of Energy Efficiency Classes from A to G

Series 4, Free-standing freezer, 186.2 x 59.5 cm, White GSN36VWDGG

The freestanding freezer with Total No Frost for no more manual defrosting, spacious capacity, quiet operation, and flexible door trays to fit tall containers.

Highlights

- Dimensions: 1862x595x663 mm
- Energy Efficiency Class¹: D
- Never defrost again with Full NoFrost
- Sum of volume of frozen compartments: 334 l
- Airborne acoustical noise emissions : 35 dB(A) re 1pW
- Storage Period in Event of Power Failure (h): 12 h
- Freezing Capacity (4-star Compartment): 15.5 kg/24h
- List of warnings: Open door of freezer compartment, Temperature rise

General

- Colour of appliance: White
- Door hinge: Right reversible
- Door handle type: Mounted
- Automatic defrosting: No Frost
- Type of control setting devices: Button, Via app
- Energy Efficiency Class²: D
- Average annual energy consumption in kilowatt hour per year (kWh/a): 214 kWh/annum
- Sum of volume of frozen compartments: 334 l
- Airborne acoustical noise emissions : 35 dB(A) re 1pW
- Airborne acoustical noise emission class: B
- Climate Class: Extended temperate, Subtropical, Temperate, tropical
- Included accessories: 1 x ice cube tray

Size and weight

- Dimensions: 1862x595x663 mm
- Dimensions of the packed product (HxWxD): 1940x665x790 mm
- Depth for installation: 600 mm
- Net weight: 79.8 kg
- Length electrical supply cord: 240 cm

Specific Features

- Total No Frost
- Flex Door
- BigBox
- superFreezing
- Type of display: 7-segment display
- List of warnings: Open door of freezer compartment, Temperature rise
- LED
- Silence

Freezing

- Storage Period in Event of Power Failure (h): 12 h
- Number of drawers/baskets (Stck): 4

- Number of freezing flaps (Stck): 0
- No. of ice cube trays: 1

Connectivity

- Home Connect³
- Home Connect Features: iService Remote, Remote Monitoring and Control


¹ Scale of Energy Efficiency Classes from A to G

² Scale of Energy Efficiency Classes from A to G


³ Some of the features displayed can be accessed only if the device is connected to a Home Connect Account and a SingleKey ID account via the Internet. Home Connect is a service of Home Connect GmbH. For more information on Home Connect, visit www.home-connect.com.

**Series 4, Free-standing freezer, 186.2
x 59.5 cm, White
GSN36VWDGG**


Measurements in mm




Measurements in mm



Measurements in mm



A: Air outlet $\geq 200 \text{ cm}^2$



B: Air outlet $\geq 200 \text{ cm}^2$

