Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Home

Supplier's address: Customer services, Sainsbury's Supermarkets Ltd, London, EC1N 2HT; Sainsbury's (NI) Ltd, Forestside Shopping Centre, Upper Galwally, Belfast, United Kingdom, BT8 6FX.

Model identifier: 9569511	: 9569511
---------------------------	-----------

_	•		
Tyna	Λt	liσht	source:
IVDE	VI.	IIGIIL	source.


Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	B22		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

Product parameters				
Parameter Va		Value	Parameter	Value
General product parameters:				
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		8	Energy efficiency class	Е
dicating if it refe a sphere (360°)	s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º)	806 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode pow pressed in W	ver (P _{on}), ex-	7,2	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
(P _{net}) for CLS, 6	candby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	101	Spectral power dis-	See image
sions without	Width	60	tribution in the	in last page
separate control gear, light-	Depth	60	range 250 nm to 800 nm, at full-load	

ing control parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)		Yes	If yes, equivalent power (W)	60	
			Chromaticity coordi-	0,458	
			nates (x and y)	0,410	
Parameters for LED and OLED light sources:					
R9 colour rendering index value		0	Survival factor	0,90	
the lumen maintenance factor		0,96			
Parameters for	Parameters for LED and OLED mains light sources:				
displacement fa	ctor (cos φ1)	0,50	Colour consistency in McAdam ellipses	6	
Claims that an L replaces a flu source without last of a particul	orescent light integrated bal-	_(b)	If yes then replace- ment claim (W)	-	
Flicker metric (P	st LM)	1,0	Stroboscopic effect metric (SVM)	0,4	

(a)_{'-'} : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 31/05/2024.



EPREL registration number: 865823 https://eprel.ec.europa.eu/qr/865823

Supplier: Argos (N.I.) Ltd (Authorised representative) **Website:**

Customer care service:

Name: Customer services Website:

Email: Quality.ArgosIE@sainsburys.co.uk Phone: 03456 402020

Address:

Sainsbury's Supermarkets Ltd, London, EC1N 2HT; Sainsbury's (NI) Ltd, Forestside Shopping Centr

e, Upper Galwally, Belfast, United Kingdom, BT8 6FX.