Product Information Sheet

COMMISSION DELEGATED REGULATION(EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Argos

Supplier's address: Sainsbury's Supermarkets Ltd (3261722 England) , registered Offices: 33 Holborn, London, EC1N 2HT

Sainsbury's Argos is a trading name of both:

- 1) Argos Limited, registered office: 489-499 Avebury Boulevard, Milton Keynes, United Kingdom, MK9 2NW, registered number: 01081551 (England and Wales); and
- 2) Sainsbury's Supermarkets Limited, Registered office: 33 Holborn, London, EC1N 2HT, registered number: 03261722 (England and Wales).

Model Identifier: 9588138			
Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	Non-
			directional
Light source cap-type (or	B22	Mains or non-mains	Mains
other electric interface)			
Connected light source	NO	Colour-tuneable light source -	NO
(CLS) - Yes/No		Yes/ No	
Envelope	NO	High luminance light source -	NO
		Yes/ No	
Anti-glare shield - Yes/ No	NO	Dimmable	Non-
			Dimmable
Product parameters			
Parameter	Value	Parameter	Value
General product parameters	;		
Energy consumption in on-	5 kWh/1000h	Energy efficiency class	E
mode (kWh/1 000 h),			
rounded up to the nearest			
integer			
Useful luminous flux (lm)	470lm in a	Beam angle	N/A
(φuse), indicating if it refers	sphere	correspondence	
to the flux in a sphere			
(360°), in a wide cone			
(120°) or in a narrow cone			
(90°)			
Correlated colour	Warm white	Correlated colour temperature,	2700K
temperature type		rounded to the nearest 100K,or	
		the range of correlated colour	
		temperatures, rounded to the	
		nearest 100 K, that can be set	
On-mode power (Pon),	4.2W	Standby power (Psb), expressed	N/A

expressed in W		in W and rounded to the second		
		decimal		
Networked standby power	N/A	Colour rendering index, rounded	80	
(Pnet) for CLS, expressed in	•	to the nearest integer, or the		
W and rounded to the		range of CRI-values that can be		
second decimal		set		
Colour rendering index	80	Colour rendering index range	90	
range (Minimum)		(Maximum)		
Outer dimensions (Height)	73	Outer dimensions (Width)	45	
(millimetre)		(millimetre)		
Outer dimensions (Depth)	45	Spectral power distribution in	Please	
(millimetre)		the range 250 nm to 800 nm, at	check the	
		full-load	picture at	
			the last.	
Claim of equivalent power	Yes	If yes, equivalent power (W)	40W	
Chromaticity coordinate (x)	0.458	Chromaticity coordinate (y)	0.410	
Peak luminous intensity	N/A	Beam angle in degrees, or the	N/A	
(cd)		range of beam angles that can be		
		set		
Parameters for LED and OLED light sources				
R9 colour rendering index	0	Survival factor	90%	
value				
The lumen maintenance	0.96	Displacement factor (cos φ1)	N/A	
factor				
Colour consistency in	6	Claims that an LED light source	N/A	
McAdam ellipses		replaces a fluorescent light		
		source without integrated		
		ballast of a particular wattage		
If yes then replacement	N/A	Flicker metric (Pst LM)	1	
claim (W)				
Stroboscopic effect metric	0.9			
(SVM)				

