## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Home

**Supplier's address:** Customer services, Sainsbury's Supermarkets Ltd, London, EC1N 2HT; Sainsbury's (NI) Ltd, Forestside Shopping Centre, Upper Galwally, Belfast, United Kingdom, BT8 6FX.

Model	identifier:	9588499	

_	•			
Type	Λt	liαht	SO	IIrco.
IVDE	VI.	IIGIIL	30	uice.

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	B22		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No


## **Product parameters**

Product parameters					
Parameter		Value	Parameter	Value	
	General product parameters:				
<u> </u>	mption in on- 00 h), rounded st integer	5	Energy efficiency class	Е	
dicating if it refe a sphere (360º)	s flux (фuse), ineers to the flux in, in a wide cone arrow cone (90º)	470 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	4,2	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00	
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	97	Spectral power dis-	See image	
sions without	Width	35	tribution in the	in last page	
separate con- trol gear, light-	Depth	35	range 250 nm to 800 nm, at full-load		

ing control parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	40		
		Chromaticity coordi-	0,458		
		nates (x and y)	0,410		
Parameters for LED and OLED li	ght sources:				
R9 colour rendering index value	R9 colour rendering index value 0 Survival factor 0,90				
the lumen maintenance factor	0,96				
Parameters for LED and OLED m	ains light sources:				
displacement factor (cos φ1)	0,00	Colour consistency in McAdam ellipses	6		
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	_(b)	If yes then replace- ment claim (W)	-		
Flicker metric (Pst LM)	1,0	Stroboscopic effect metric (SVM)	0,4		

(a)<sub>'-'</sub> : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 22/05/2024.



**EPREL registration number:** 865948 https://eprel.ec.europa.eu/qr/865948

**Supplier:** Argos (N.I.) Ltd (Authorised representative) **Website:** 

**Customer care service:** 

Name: Customer services Website:

Email: Quality.ArgosIE@sainsburys.co.uk Phone: 03456 402020

Address:

Sainsbury's Supermarkets Ltd, London, EC1N 2HT; Sainsbury's (NI) Ltd, Forestside Shopping Centr

e, Upper Galwally, Belfast, United Kingdom, BT8 6FX.